



BM
HOMOEOPATHIC REMEDIES
REFERENCE BOOK

BM (Private) Limited
Lahore-Pakistan

PREFACE TO THE REVISED THIRD EDITION

The third edition of this BM-Homoeopathic Remedies Reference Book carries on the tradition of its predecessors serving as a useful guide to the students of homoeopathic medical colleges, the senior and junior practitioners of homoeopathic system of medicine. During the last three decades homoeopathic system of treatment has progressed apace. The homoeopathic remedies manufacturing system has become so distinct and discipline worldwide and so well established as to merit inclusion and a whole galaxy of BM-Homoeopathic Poly Pharmacy products illustrations has been gathered and being presented in this reference book.

ADMONITION

All rights reserved. No part of this BM-Homoeopathic Remedies Reference Book may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior written permission of the BM Management.

**See our complete product line at
www.bm-hp.com**



Table of Contents

Sr #:	C o n t e n t s	Page No:
1	Executive Summary	1
2	Introduction	2
3	Profile	3
4	History	4
5	Credentials	5
6	Homoeopathic Classical Remedies	6
7	Mother Tinctures	7
8	Homoeopathic Dilutions	14
9	Schüssler Biochemic Tissue Salts	30
10	Homoeopathic Triturations/Tablets	33
11	Bach Flower Remedies	41
12	BM Polypharmacy Products	44
13	BM Nos.1-256 in 30ml (Sealed Pack)	45
14	BM Specialities Drops 30ml (Sealed Pack)	158
15	Homoeopathic Medicated Syrups (Regular / Sugar Free)	164
16	BM General Items	172
17	Ointments, Cream and Massage Oil	176
18	Homoeopathic Medicated Tablets & Placebos	187
19	Bio Combination Nos.1-28	188
20	Therapeutic Index	198



Executive Summary

BM (Private) Limited is a leading concern engaged in the manufacturing of Quality Homoeopathic Medicines in the Asian region (Lahore-Pakistan).

BM (Private) Limited since its inception i.e. 1984 has emerged as the most recognized voice of the Homoeopathic Manufacturing industry nationally as well as globally. The ongoing and growing recognition of BM (Private) Limited nationally & across the globe is increasing due to escalating faith in Homoeopathic treatment, increasing public awareness and the availability of an effective / quality Homoeopathic medicines at affordable price.

BM (Private Limited) has played a vital role in harvesting a Homoeopathic culture and in expanding geographic ranges for introducing the Homoeopathic system of treatment. The Homoeopathic system of treatment stimulates the body's natural defensive mechanism in the human body.

BM (Private) Limited has yet given its Homoeopathic products an inspiring recognition by exporting to Asian, European, and USA Continents. It is proudly being adopted as an important alternative system of treatment.





Introduction

Vision Statement:

To serve our clients globally to their satisfaction level and maintain our position as market leader in Homoeopathic Medicine manufacturing industries while acting as environmental friendly organization with prevention of waste generation as our First Priority.

Mission Statement:

“Health For All”

Slogan:

“Together we are BM”

Objective:

- To make available the high quality, effective and affordable Natural Homoeopathic remedies.
- To promote research and development activities on Natural Homoeopathic sources of making remedies.
- In-time execution, Remedy of complaints and in-time delivery to the clients for client satisfaction.

Q&E Policy:

To serve our clients globally to their satisfaction level and maintain our position as market leader in Homoeopathic medicine manufacturing industries while acting as environmental friendly organization with prevention of waste generation as our First Priority.

To ensure the legal compliance & implementation of QMS & EMS for better control and to prevent our customers, employees & society from exposure to any possible hazard. To continue the improvement in Process, Products and Environmental Performance.



Profile

- ✓ BM (Private) Limited is an ISO 9001 & 14001 certified leading concern engaged in manufacturing of quality Homoeopathic Medicines.
- ✓ The company got into commercial production activities in the year 1984 with the state of art manufacturing facilities at the 2nd biggest metropolis Lahore (Pakistan) under the name and style of BM (Private) Limited.
- ✓ B stands for “**Best**” & M stands for “**Medicated**”.
- ✓ BM (Private) Limited is spread over an area of 18 thousand square meters. In BM all the products are manufactured strictly according to the German, British, United State, French, Indian and Pakistan Homoeopathic Pharmacopoeias, for each product line and length, the manufacturing standards (SOPs) have been developed and strictly followed.
- ✓ BM (Private) Limited is known as an asset to the country and it is visited by many of the ministers, government officials and VVIP personalities.
- ✓ BM (Private) Limited is an approved supplier for providing Homoeopathic medicines to government dispensaries as well as to the NGOs.
- ✓ BM (Private) Limited is an export oriented organization.
- ✓ BM (Private) Limited is also designated research centre for the final year pharmacy students of Lahore College for Women University, Hajvay University and the students of Homoeopathic Medical Colleges.



History

- BM production unit was established in 1984 at the 2nd biggest metropolis Lahore Pakistan.
- BM was designed and constructed according to GMP (Good Manufacturing Practices), to provide the controlled movement and storage of materials as well as contamination free processing.
- The production unit is fully equipped with modern state of the art machinery.



1st Generation

Abdul Ghani Hakeem (Late) was a well renowned Naturopath of his time in pre-partition India. He began his career in 1899 and served his profession with great dedication throughout his life time. He was an author of many books on the subject of alternate therapies. He laid the foundation stone of today's Modern BM(Pvt)Ltd based on his principles of Care and Cure in a most inexpensive way.



2nd Generation

Dr. Muhammad Sanaullah (Late) the founder chairman of BM(Pvt) Ltd was also known as Al-Kashmiri. He started his professional career in 1948 and served mankind for more than 56 years. He became an authority on Homoeopathy as best health cares solution as being very effective as well as affordable to public at large. Based on his parameters of care and under the esteemed leadership of Amanullah Bismil the current chief executive Homoeopathic Medicine Manufacturing was started in the name of BM(Pvt)Ltd.



3rd Generation

In the role of Chief Executive Amanullah Bismil made his name in the life time of the founder Chairman. He gave the best of his life time to his profession and his dedication gave a new horizon to the Homoeopathic manufacturing industry in Pakistan. It was not long that Amanullah Bismil became a well recognised name in modern day Homoeopathy. Under his leadership BM(Pvt)Ltd expanded beyond its borders and made its way to international markets. He has a long list of distinctions and is a physician of International repute. He truly deserves the credit for taking the BM(Pvt)Ltd to a "A STEPAHEAD" against its competitors.



3rd Generation

Mohammad Saeedullah was elected as the new Chairman by the board of directors on the sad demise of founder Chairman Dr. Muhammad Sanullah in the year 2005. BM(Pvt)Ltd has greatly benefitted from his vast financial and policy management knowledge. He has brought in great strength in systematic control taking BM(Pvt)Ltd to its new goals of becoming the Largest Homoeopathic Medicine Manufacturing Company on the globe. His broad vision and detailed eye on business affairs has multiplied the growth in its true essence.



4th Generation

Mrs. Sabeen Ali Khan stepped on BM platform in 2005 as Director Human Resource. She has given new dimension to the Human capital management in accordance with international standards. Under her leadership BM(Pvt)Ltd Human Resource Department has gone through a total review to address employment issues in a systematic manner in adopting company policy.



Credentials

- ✓ BM (Private) limited is a medium outfit, which is the culmination of four generations now.
- ✓ One of the largest manufacturer of Homoeopathic remedies.
- ✓ The quality management system (QMS) ISO 9001 and environmental management system (EMS) ISO 14001 certified company.
- ✓ Good manufacturing practices (GMP) certified company.
- ✓ Approved supplier for providing homoeopathic medicines to government homoeopathic dispensaries and different NGOs.
- ✓ Export oriented organization to the tune of reasonable success.
- ✓ BM Management signed MOU with Lahore College for Women University (LCWU) and The Hajvery University Lahore to provide training to their final year pharmacy students.
- ✓ Lahore College for Women University has acknowledged BM company as Research and Development centre for their final year students of pharmacy department.
- ✓ The Chief Executive of BM is a resource person for the diploma course (being planned) in homoeopathic pharmacy under the direct control of Lahore College for Women University.
- ✓ Chief Executive of BM (Amanullah Bismil) is also an advisor by appointment to the Malaysian Homoeopathic Medical Council on Homoeopathic affairs



One of The Largest Manufacturer of Homoeopathic Remedies



Homoeopathic Classical Remedies



Homoeopathic Classical Remedies (single remedy) contain one or more ingredients, obtained from different kingdoms:
Plants, Minerals and Animals.

Single Remedies are manufactured by many Homoeopathic Industries/
Pharmacies around the globe.

[Mother Tinctures](#) | [Homoeopathic Dilutions](#) | [Schüssler Biochemic Tissue salt](#)

[Triturated Homoeopathic Tablets](#) | [Homoeopathic Triturations / Tablets](#)

[Bach Flower Remedies](#)

Mother Tinctures

Homoeopathic Mother Tinctures (Ø) are liquid preparations resulting from the extraction of suitable source material with the specified procedure advised in Homoeopathic Pharmacopoeia. It is the starting point for the production of Homoeopathic Dilutions (Remedies).

BM manufactures more than 500 Mother Tinctures (Ø) which is quite a big range.

Packing: 20, 30, 60, 120 and 500 ml



List Of Mother Tinctures manufactured by BM

Packing: 20, 30, 60, 120 and 500ml

Sr.ID	Description	Class	Sr.ID	Description	Class	Sr.ID	Description	Class
A	Abel Moschus	B	39	Aconite Rad	B	77	Angustura Ver	B
2	Abies Alba	C	40	Actaea Racem	C	78	Anisum Stel	B
3	Abies Can	A	41	Actaea Spicata	D	79	Anthemis Nob	B
4	Abies Nigra	B	42	Adonis Vernalis	C	80	Anti Tartium $\phi=3DH$	B
5	Abroma Aug	C	43	Aegle Folia	A	81	Antipyrinum	B
6	Abroma Rad	C	44	Aegle Mar	A	82	Apiolum $\phi=1CH$	B
7	Abrotanum	C	45	Aesculus Glabra	C	83	Apis Mellifica	C
8	Absinthium	A	46	Aesculus Hipp	A	84	Apium Grav	A
9	Acacia Arab	A	47	Aethusa Cyn	B	85	Apocynum Can	Spl
10	Acacia Concinna	C	48	Agaricus Mus	Spl	86	Aralia Racemosa	C
11	Acalypha Ind	B	49	Agave Americana	A	87	Aranea Diadema	C
12	Acer Nugundo	C	50	Agnus Cast	A	88	Argemon Mex	D
13	Achyranthes Asp.	B	51	Agraphis Nut	D	89	Argentum Nit $\phi=5DH$	A
14	Acid Acetic $\phi=1CH$	A	52	Ailanthus Glandulosus	C	90	Arjuna	A
15	Acid Benz $\phi=1CH$	A	53	Aletris Farinosa	V-Spl	91	Armoracia Set	B
16	Acid Boric $\phi=2CH$	A	54	Alfalfa	A	92	Arnica Mont	C
17	Acid Butyricum $\phi=2CH$	A	55	Allium Cepa	A	93	Arsenic Alb $\phi=1CH$	B
18	Acid Carb $\phi=1CH$	B	56	Allium Sat	A	94	Arsenic Brom $\phi=1CH$	C
19	Acid Chromicum $\phi=2CH$	B	57	Aloe Socotrina	A	95	Arsenic Iod	C
20	Acid Citric $\phi=1CH$	A	58	Alsine Media	B	96	Artemisia Vulg	C
21	Acid Formic $\phi=1CH$	A	59	Alstonia Scholar	A	97	Arum Triphyllum	A
22	Acid Gallic $\phi=1CH$	A	60	Althea Off	C	98	Asafoetida	A
23	Acid Hydro Fluor $\phi=3DH$	B	61	Alumen $\phi=1CH$	B	99	Asarum Eur	D
24	Acid Hydrocyanic $\phi=2CH$	C	62	Ambra Grisea	D	100	Asclepias Tub	C
25	Acid Lacticum $\phi=1CH$	A	63	Ambrosia Art	B	101	Asclepias Vinc	C
26	Acid Mur $\phi=2CH$	A	64	Amloki	B	102	Ashoka Janosia	B
27	Acid Nitricum $\phi=1CH$	A	65	Ammonium Carb $\phi=1CH$	A	103	Ashwagandha	A
28	Acid Oxalic $\phi=1CH$	A	66	Amomum Sub	A	104	Asparagus	B
29	Acid Phos	B	67	Amoora Roh	B	105	Asperula Odo	B
30	Acid Picric $\phi=1CH$	A	68	Amygdalus Amara	A	106	Aspidosperma	B
31	Acid Salicylic $\phi=1CH$	A	69	Amygdalus Pers	B	107	Asterias Rub	B
32	Acid Succinic $\phi=1CH$	B	70	Amyl Nit $\phi=2DH$	D	108	Atista Indica	C
33	Acid Sulph $\phi=1CH$	A	71	Anacardium Occi	B	109	Atista Radix	A
34	Acid Sulphurosum $\phi=3DH$	A	72	Anacardium Ori	B	110	Atropinum Sulph $\phi=2CH$	C
35	Acid Tannic $\phi=1CH$	B	73	Anagallis Arv	D	111	Avena Sativa	A
36	Acid Tart $\phi=1CH$	A	74	Anantherum	C	112	Azadirachta Ind	A
37	Aconite Fer	C	75	Andrographis Pan	C	113	Azadirachta Melia	A
38	Aconite Nap	C	76	Angelica Arc	D	B	Badiaga	C

List Of Mother Tinctures manufactured by BM

Packing: 20, 30, 60, 120 and 500ml

Sr.ID	Description	Class	Sr.ID	Description	Class	Sr.ID	Description	Class
115	Bahera	C	153	Capsicum	A	191	Cineraria Mar	D
116	Balsamum Per	C	154	Carbon Tetra $\phi=1CH$	A	192	Cinnamonum	B
117	Baptisia Tinc	C	155	Cardus Mar	B	193	Cistus Can	C
118	Barosma Cren	D	156	Carica Papaya	A	194	Clematis Erecta	B
119	Belladonna	C	157	Carthamus Tinct	B	195	Clerodendron Inf	A
120	Bellis Per	A	158	Cascara Sag	C	196	Coca	C
121	Benzenum $\phi=1CH$	A	159	Cascarilla	D	197	Coccus Cacti	C
122	Berberis Aqui	C	160	Cassia Sop	A	198	Cochlearia Off	B
123	Berberis Vulg	C	161	Cassia Tora	D	199	Coculus Ind	A
124	Bergenia	D	162	Castanea Sat	C	200	Coffea Crud	B
125	Beta Vulg	C	163	Castanea Ves	A	201	Cola	C
126	Bhringraj	A	164	Castoreum	D	202	Colchicum Autumnale	B
127	Blatta Am	V-Spl	165	Catechu	B	203	Coleus Arom	Spl
128	Blatta Ori	D	166	Caulophyllum	B	204	Collinsonia	D
129	Blumea Od	B	167	Causticum	B	205	Colocynthis	A
130	Boerhavia Diff	A	168	Ceanothus Amer	C	206	Commiphora Molmol	D
131	Boldo	C	169	Cedron	C	207	Condurango	A
132	Borax $\phi=1CH$	A	170	Cephalandra Ind	B	208	Conium Mac	D
133	Bovista	B	171	Chamomilla	B	209	Convallaria Maj	B
134	Brahmi	C	172	Chaparro Amar	C	210	Copaiva	C
135	Bromium $\phi=2CH$	B	173	Charantia Mom	C	211	Coptis Triff	D
136	Bryonia Alba	C	174	Chaulmoogra	A	212	Coriandrum Sat	A
137	Bryophyllum	B	175	Cheiranthus Che	C	213	Corydalis Can	B
138	Buchi Oil	D	176	Chelidonium Maj	B	214	Crataegus Oxy	B
139	Bufo Rana	C	177	Chelone Glabra	A	215	Crocus Sat	Spl
C	Cactus Grand	B	178	Chenopodium Anth	B	216	Croton Tig	D
141	Cadmium Sulph $\phi=3DH$	B	179	Chimaphila Umb	C	217	Cubeba Off	B
142	Caesalpinia bon	A	180	China Off	D	218	Cucurbita Cit	A
143	Caladium Seg	C	181	Chionanthus Virg	Spl	219	Cucurbita Pep	A
144	Calc Mur $\phi=1CH$	A	182	Chirata	B	220	Cuminum Cym	B
145	Calendula Off	C	183	Chloroformum $\phi=1CH$	A	221	Cuminum Nig	A
146	Calendula Succus	B	184	Cholesterinum $\phi=3DH$	C	222	Curcuma Longa	A
147	Calotropis Gig	A	185	Chrysanth Leu	B	223	Cyclamen	C
148	Camphora $\phi=1DH$	D	186	Cicer Ariet	C	224	Cynodon Dact (Durba)	A
149	Cannabis Ind	A	187	Cichorium Inty	B	225	Cypripedium Pub	B
150	Cannabis Sat	A	188	Cicuta Virosa	D			
151	Cantharis	Spl	189	Cimicifuga	C	D	Damiana	C
152	Capsella Bursa	B	190	Cina	B	227	Daphne Ind	C

List Of Mother Tinctures manufactured by BM

Packing: 20, 30, 60, 120 and 500ml

Sr.ID	Description	Class	Sr.ID	Description	Class	Sr.ID	Description	Class
228	Desmodium	A	266	Filipendula Ulm	C	304	Helleborus Nig	A
229	Dhamasa	B	267	Filix Mas	C	305	Helonias Dio	V-Spl
230	Digitalis Pur	B	268	Formica Rufa	C	306	Hemidesmus Ind	B
231	Dioscorea Vill	B	269	Fragaria Ves	B	307	Hibiscus Sab	B
232	Dolichos Pru	Spl	270	Fraxinus Am	B	308	Holarrhena Anti	B
233	Drone	A	271	Fucus Ves	C	309	Humulus Lup	B
234	Drosera	D	272	Fumaria Off	B	310	Hydrangea Arb	D
235	Dulcamara	A	G	Galega	B	311	Hydrastis Can	Spl
E	Echinacea Ang	D	274	Gallium Apar	C	312	Hydrocotyle	A
237	Elettaria Card	A	275	Gambogia	B	313	Hygrophilla Spin	A
238	Embelia Ribs	A	276	Ganoderma	C	314	Hyoscyamus Nig	A
239	Ephedra Dist	B	277	Gaultheria	B	315	Hypericum	A
240	Ephedra Vulg	B	278	Gelsemium	C	316	Hypsus	B
241	Epigea Rep	C	279	Gentiana Cruc	D	I	Iberis Amara	C
242	Epiphegus Virg	B	280	Gentiana Lut	D	318	Ignatia Amara	D
243	Equisetum Arv	B	281	Geranium Mac	C	319	Illicium Anis	B
244	Equisetum Hye	A	282	Ginkgo Biloba	Spl	320	Insulinum	C
245	Erigeron Can	C	283	Ginseng	Spl	321	Inula Hele	B
246	Eriodictyon Glu	D	284	Glonoinum $\phi=2CH$	D	322	Iodium $\phi=3DH$	C
247	Eryngium Aqua	B	285	Glycerinum $\phi=1CH$	A	323	Ipecacuanha	Spl
248	Eucalyptus Glob	A	286	Glycyrrhiza Glab	A	324	Iris Germanica	B
249	Eugenia Jamb	C	287	Gnaphalium	B	325	Iris Versicolor	C
250	Euonymus Atro	B	288	Gossypium	A	J	Jaborandi	B
251	Euonymus Eur	C	289	Granatum	B	327	Jacaranda	B
252	Eupatorium Perf	D	290	Granatum Flos	C	328	Jalapa	A
253	Eupatorium Purp	C	291	Granatum Punica	B	329	Jatropha	A
254	Euphorbia Hyp	B	292	Gratiola Off	A	330	Juglans Reg	B
255	Euphorbia Pil	A	293	Grindella Rob	C	331	Juncus Eff	B
256	Euphorbium	B	294	Guaiaicum Off	V-Spl	332	Juniperus Com	A
257	Euphrasia	C	295	Gymnema Syl	A	333	Juniperus Virg	B
258	Eurycoma Longifolia	Spl	296	Gymnocladus Can	A	334	Justicia Adh	A
259	Exogonium Pur	C	H	Hamamelis Virg	B	K	Kali Bich $\phi=1CH$	B
F	Fabiana	C	298	Hamatoxylon	B	336	Kali Brom $\phi=1DH$	B
261	Fagopyrum	B	299	Haritaki	A	337	Kali Carb $\phi=1CH$	A
262	Fel Tauri	B	300	Hedeoma	C	338	Kali Chlor $\phi=1CH$	A
263	Ferrum Mur $\phi=1CH$	B	301	Hedera Helix	A	339	Kali Iodatum $\phi=1DH$	B
264	Ficus Indica	A	302	Helianthus Ann	A	340	Kali Mur	B
265	Ficus Relig	A	303	Heliotrop Ind	A	341	Kali Perm	B

List Of Mother Tinctures manufactured by BM

Packing: 20, 30, 60, 120 and 500ml

Sr.ID	Description	Class	Sr.ID	Description	Class	Sr.ID	Description	Class
342	Kali Phos	A	380	Melilotus Off	A	418	Oxydendron Arb	A
343	Kalmegh	C	381	Mentha Pip	B	P	Paeonia Off	B
344	Kalmia Lat	Spl	382	Menyanthes Trif	B	420	Papver	Spl
345	Kalvangi	B	383	Merc Corr $\phi=3DH$	B	421	Paraffinum $\phi=3CH$	A
346	Kamala	C	384	Mezereum	D	422	Pareira Br	D
347	Kreosotum $\phi=1CH$	C	385	Millefolium	B	423	Passiflora	C
348	Kurchi	B	386	Mitchella Rep	C	424	Pegaga	A
L	Lac	C	387	Moschus	4x	425	Pepsinum $\phi=3CH$	Spl
350	Lachnanthes Tinc	A	388	Mucuna	Spl	426	Petroleum Ruti $\phi=1CH$	A
351	Lappa Arctium	A	389	Muiria Pauma	B	427	Petroselinum	A
352	Lathyrus Sat	Spl	390	Mulein Oil	D	428	Phaseolus Nan	B
353	Laurocerasus	D	391	Mutha	A	429	Phellendrium	B
354	Lavandula Ang	B	392	Myrica Cer	A	430	Phosphorus $\phi=3CH$	D
355	Lawsonia Alba	B	393	Myristica Sebif	D	431	Physostigma	B
356	Lecithin	A	394	Myrtus Com	A	432	Phytolacca Ber	Spl
357	Ledum Pal	A	N	Naphthalinum $\phi=1CH$	A	433	Phytolacca Dec	C
358	Lemna Minor	Spl	396	Negundium Amer	C	434	Pichi	C
359	Leptandra Virg	B	397	Nigella Sativa	B	435	Picrorrhiza	A
360	Leucas Asp (Drona)	A	398	Nuphar Lut	C	436	Pilocarpus	B
361	Liatris Spic	B	399	Nux Juglans	B	437	Pinus Lamb	D
362	Liquiritia Off	A	400	Nux Moschata	B	438	Pinus Sylves	C
363	Lithium Carb $\phi=3DH$	A	401	Nux Vomica	B	439	Piper Methysticum	C
364	Lithium Mur $\phi=1CH$	A	402	Nyctanthes	C	440	Piper Nig	B
365	Lobelia Inf	A	403	Nymphaea Odo	C	441	Pirus Amer	B
366	Lonicera Japonics	D	O	Ocimum Can	B	442	Piscidia Ery	B
367	Luffa Am	A	405	Ocimum San	A	443	Plantago Maj	C
368	Luffa Bind	A	406	Oenothera Bie	B	444	Plumbago Zey	B
369	Lupulinum	B	407	Oldenlandia	A	445	Plumbum Acet $\phi=2CH$	A
370	Lycopersic Esc	A	408	Oleander	B	446	Podophyllum	D
371	Lycopodium	C	409	Oleum Cajup $\phi=1DH$	B	447	Polygonum Avic	B
372	Lycopus Virg	C	410	Oleum Jec $\phi=3DH$	B	448	Polygonum Punc	B
M	Mag Mur $\phi=3DH$	A	411	Oleum Ricini $\phi=1CH$	B	449	Populus Can	B
374	Magnolia Grand	A	412	Oenenanthe Cro	B	450	Populus Trem	D
375	Mangan Mur $\phi=1CH$	A	413	Onosmodium Virg	B	451	Portulaca	B
376	Mangan Sulph $\phi=1CH$	A	414	Origanum Maj	B	452	Pothos Foet	B
377	Mangifera Ind	C	415	Origanum Vulg	C	453	Primula Ver	B
378	Marrubium Vulg	B	416	Ornithogalum	C	454	Prunus Spin	B
379	Medicago Sat	A	417	Orthosiphon Stamineus	D	455	Prunus Virg	A

List Of Mother Tinctures manufactured by BM

Packing: 20, 30, 60, 120 and 500ml

Sr.ID	Description	Class	Sr.ID	Description	Class	Sr.ID	Description	Class
456	Psoralea	A	494	Sambucus Can	A	532	Sterculia	C
457	Ptelea Trif	C	495	Sambucus Nig	A	533	Sticta Pulm	C
458	Pulsatilla	C	496	Sanguinaria Can	B	534	Stigmata M.	A
459	Punemava	A	497	Sanguinaria Nit	B	535	Stillingia Syl	A
460	Pyrethrum Parthenium	C	498	Sanicula Eur	B	536	Stramonium	B
Q	Quassia Am	A	499	Santoninum $\phi=3DH$	Spl	537	Strophanthus	Spl
462	Quebracho	B	500	Saponaria Off	C	538	Sulphur	A
463	Quercus Glandium	B	501	Saponinum	C	539	Sumbul	A
464	Quercus Infectoria	B	502	Sarkanda	B	540	Swertia Chi	B
465	Quercus Robur	B	503	Sarracenia Purp	B	541	Symphoricarpus	B
R	Ranunculus Bulb	B	504	Sarsaparilla	C	542	Symphytum	B
467	Ranunculus Scel	B	505	Saussurea Lappa	C	543	Syzygium Jamb	A
468	Ranunculus Spe	B	506	Scilla Mar	A	T	Tabacum	A
469	Raphanus Sat	A	507	Scrophularia Nod	B	545	Tanacetum Vulg	B
470	Ratanhia	A	508	Scutellaria	Spl	546	Taraxacum	B
471	Rauwolfia	B	509	Secal Com	B	547	Tarentula Hisp	D
472	Rhamnus Calif	C	510	Sedum Acre	B	548	Taxus Baccata	A
473	Rhamnus Fran	A	511	Sempervivum	B	549	Terebinthinae $\phi=1CH$	B
474	Rheum	B	512	Senecio Aur	D	550	Terminalia Che	C
475	Rhododendron	D	513	Senega	Spl	551	Teucrium M.V	C
476	Rhus Arom	B	514	Senna	A	552	Thea Chin	A
477	Rhus Glab	D	515	Sepia	A	553	Thlaspi Bursa	B
478	Rhus Tox	Spl	516	Shucks	B	554	Thuja Occ	C
479	Rhus Ven	B	517	Silybum Mar	B	555	Thymolum $\phi=1CH$	B
480	Ricinus Com	B	518	Sinapis Alba	B	556	Thymus Serphyllum	B
481	Robinia Pseud	C	519	Sinapis Nig	C	557	Thymus Vulg	B
482	Rosa Damascena	C	520	Sisymbarium	B	558	Tinospora Cord	A
483	Rosmarinus Off	C	521	Slageet	C	559	Tribulus Terr	C
484	Rubia Tinct	C	522	Solanum Nig	B	560	Trifolium	A
485	Rumex Crisp	B	523	Solanum Tubersum	B	561	Trillium Pend	D
486	Ruta Gr.	B	524	Solanum Xanth	B	562	Triticum Rep	A
S	Sabadilla	D	525	Solidago Virg	B	563	Trychosanth Dio	A
488	Sabal Serr	C	526	Spongia Tosta	D	564	Turneric Aromat	A
489	Sabina	C	527	Spiritus Glan	B	565	Turnera Diff	C
490	Saccharum Off $\phi=1CH$	B	528	Spongia	D	566	Tussilago Far	A
491	Salix Alba	C	529	Squilla Mar	A	567	Tylophora Ind	A
492	Salix Nigra	B	530	Staphysagria	Spl	U	Uranium Nit $\phi=3DH$	D
493	Salvia Off	A	531	Stellaria Med	B	569	Urtica Dio	C

List Of Mother Tinctures manufactured by BM

Packing: 20, 30, 60, 120 and 500ml

Sr.ID	Description	Class	Sr.ID	Description	Class	Sr.ID	Description	Class
570	Urtica Uren	C	579	Verbena Off	A	588	Viscum Alb	C
571	Usnea Barb	D	580	Vernonia	A	589	Vitex Nig	A
572	Ustilago M.	A	581	Vesicaria	C	590	Vitex Trif	A
573	Uva Ursi	A	582	Viburnum Op	C	591	Vitis Vinifera Flos	C
V	Vaccinium	C	583	Viburnum Pru	A	W	Withania Som	A
575	Valeriana	C	584	Vinca Minor	C	X	Xanthoxylum Frax	C
576	Veratrum Alb	B	585	Vincitoxi Off	C	Y	Yerba Santa	D
577	Veratrum Vir	A	586	Viola Odo	A	595	Yohimbinum	D
578	Verbascum	A	587	Viola Tric	A	Z	Zingiber	A

For detail description we
recommended to consult
**“Homoeopathic Mother Tinctures
Sources & Uses”**
by
Amanullah Bismil

Homoeopathic Dilutions

The Potentization (Dilution) is a process by virtue of which the inherited dormant dynamic curative power of drugs is aroused or increased. Homoeopathic dynamisation of drugs are real awakenings of the medicinal properties that lie dormant in natural bodies during their crude state; which then become capable of acting in almost a spiritual manner upon our life.

Vital force is dynamic in nature, and the disease force is also dynamic in nature, which attacks the healthy vital force in dynamic plane causing a diseased state. So to cure the dynamically deranged vital force, the requisite medicine must also be dynamic. There are two types of scales such as centesimal and decimal scale. In centesimal scale, 1st potency should contain 1/100th part of the original drug. In decimal scale 1st potency should contain 1/10th part of the original drug.

Strength (Centesimal scale): 3, 6, 12, 30, 200, 1000, 10M, 50M, CM Potency

Strength (Decimal scale): 3x (3D), 6x (6D), 12x (12D), 30x (30D) and 200x (200D)

Packing: 10, 20, 30, 60, 120 & 500 ml.



EU-GMP certified Homoeopathic Potentization Unit



BM is manufacturing more than 5000 Dilutions (Homoeopathic potencies)

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales **Packing:** 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
A	Aal Serum	39	Acid Nitricum	77	Agave Amer
2	Abel Moschus	40	Acid Oxalic	78	Agave Teq
3	Abies Can	41	Acid Phos	79	Agnus Cast
4	Abies Nig	42	Acid Picric	80	Agraphis Nut
5	Abroma Aug	43	Acid Salicylic	81	Agrimony
6	Abrotanum	44	Acid Sarcos	82	Agrost Git Linn
7	Abrus Pre	45	Acid Succinic	83	Agrostema
8	Absinthium	46	Acid Sulph	84	Ailanthus Gland
9	Acacia Arab	47	Acid Tannic	85	Ajuga Rep
10	Acalypha Ind	48	Acid Tart	86	Alchemilla Alp
11	Acanthus Mollis	49	Acid Tellur	87	Alchemilla Arv
12	Acer Neg Linn	50	Aconite Fer	88	Alchemilla Vulg
13	Acetanilidum	51	Aconite Lycot	89	Alcohol
14	Acetic Acid	52	Aconite Nap	90	Aletris Far
15	Acetylcholinchlorid	53	Aconite Radix	91	Alfalfa
16	Acetylsalicylsauere	54	Aconitum Cam	92	Alisma Pla
17	Achillea Eup	55	Actaea Rac	93	Allium Cepa
18	Achyranthes Asp	56	Actaea Spic	94	Allium Sat
19	Achyranthes Cal	57	A.C.T.H	95	Allium Urs
20	Acid Acetic	58	Adelheid Sque	96	Alloxanum
21	Acid Agaric	59	Adiantum Aur	97	Alnus Gluti
22	Acid Benz	60	Adonidinum	98	Alnus Rub
23	Acid Boric	61	Adonis Ver	99	Alnus Serr
24	Acid Butyric	62	Adoxa	100	Aloe Socotrina
25	Acid Camphor	63	Adrenalin	101	Aloe Vera
26	Acid Carb	64	Aegle Folia	102	Aloinum
27	Acid Chrom	65	Aegle Mar	103	Alsine Med
28	Acid Citric	66	Aegop Podag	104	Alstonia Con
29	Acid Fluoric	67	Aesculus Glab	105	Alstonia Sch
30	Acid Formic	68	Aesculus Hipp	106	Alumen
31	Acid Gallic	69	Aethiops Anti	107	Alumin Acet
32	Acid Hippuricum	70	Aethiops Merc	108	Alumin Chlor
33	Acid Hydrobromic	71	Aethusa Cyn	109	Alumin Sili
34	Acid Hydrochloric	72	Agaricinum	110	Alumina
35	Acid Hydrocyanic	73	Agaricus Emet	111	Aluminum Acet
36	Acid Hydrofluoric	74	Agaricus Mus	112	Ambra Grisea
37	Acid Lactic	75	Agaricus Pan	113	Ambrosia Art
38	Acid Mur	76	Agaricus Phall	114	Ammi Vis

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales **Packing:** 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
115	Ammoniacum	153	Anise Stell	191	Argentum Chlor
116	Ammonium Acet	154	Anthemis Nob	192	Argentum Cyan
117	Ammonium Ars	155	Anthoxanthum	193	Argentum Iod
118	Ammonium Benz	156	Anthracinum	194	Argentum Met
119	Ammonium Brom	157	Anthrakokali	195	Argentum Nit
120	Ammonium Carb	158	Anti Ars	196	Argentum Oxy
121	Ammonium Caust	159	Anti Iod	197	Aristolochia Clem
122	Ammonium Fluor	160	Anti Mur	198	Aristolochia Mil
123	Ammonium Jod	161	Anti Sulph Aur	199	Aristolochia Ser
124	Ammonium Mur	162	Anti Tartium	200	Arjuna Term
125	Ammonium Phos	163	Antifebrinum	201	Armoracia Sat
126	Ammonium Picric	164	Antimon Crud	202	Arnica Mont
127	Ammonium Sulph	165	Antipyrinum	203	Ars Met
128	Ammonium Tart	166	Aphis Chen Gla	204	Ars Sulf Flav
129	Ammonium Val	167	Apiol	205	Ars Sulf Rub
130	Ammonium Van	168	Apis Mellifica	206	Arsenic Alb
131	Amoora Roh	169	Apisinum	207	Arsenic Brom
132	Amorphophallus Riv	170	Apium Grav	208	Arsenic Hydrogen
133	Ampelopsis Quin	171	Apocynum And	209	Arsenic Iod
134	Amphisbena	172	Apocynum Can	210	Artemisia Vulg
135	Amygdalus Am	173	Apomorphi Hydro	211	Arum Dracon
136	Amygdalus Per	174	Apomorphinum	212	Arum Dracun
137	Amyl Nit	175	Aqua Marina	213	Arum Italic
138	Anacardium Occi	176	Aqua Pura	214	Arum Macul
139	Anacardium Ori	177	Aquilegia Vulg	215	Arum Triph
140	Anagallis Arv	178	Aragallus Lamb	216	Arundo Maur
141	Anagyris Foet	179	Aralia Hisp	217	Asafoetida
142	Anantherum	180	Aralia Race	218	Asarum Can
143	Andromedo Arb	181	Aranea Avic	219	Asclepias Corn
144	Anemone Nem	182	Aranea Diad	220	Asclepias Cur
145	Anemopsis Cal	183	Aranea Ixob	221	Asclepias Inc
146	Angelica Arch	184	Aranea Scin	222	Asclepias Syri
147	Angelica Atro	185	Araroba Chry	223	Asclepias Tub
148	Angelica Sin	186	Arbutin	224	Asclepias Vinc
149	Angophora Lan	187	Arbutus And	225	Ashoka Jan
150	Angustura Ver	188	Areca Cate	226	Ashwagandha
151	Anhalonium Lew	189	Areca Sem	227	Asimina Tril
152	Anilinum	190	Argemon Mex	228	Asparagus

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
229	Aspen	267	Bambus	305	Blumea Odo
230	Asperula Odo	268	Banisteria Caapi	306	Boerhavia Diff
231	Aspidium Alha	269	Baptisia Con	307	Boldo
232	Aspidosperma	270	Baptisia Tinc	308	Boldoa Frag
233	Asrum Eur	271	Barium Carb	309	Boldus Peum
234	Astacus Fluv	272	Barium Mur	310	Boletus Lar
235	Asterias Rub	273	Barium Phos Dib	311	Boletus Lur
236	Astragalus Exca	274	Barium Sulph	312	Boletus Sat
237	Astragalus Menz	275	Barosma Cren	313	Bombyx Mori
238	Astragalus Moll	276	Baryta Acet	314	Bombyx Proce
239	Athamantha	277	Baryta Carb	315	Borago Off
240	Atista Radix	278	Baryta Iod	316	Borax
241	Atrax Robus	279	Baryta Mur	317	Boric Acid
242	Atropinum	280	B.C.G	318	Bothrops
243	Atropinum Sulph	281	Beech	319	Botulinum
244	Aurantium	282	Begonia Tub	320	Bouafa
245	Aurum Ars	283	Belladonna	321	Bovista
246	Aurum Brom	284	Bellis Per	322	Brachyg Rep
247	Aurum Coll	285	Benzinum	323	Brahmi
248	Aurum Iod	286	Benzinum Din	324	Brassica Nap
249	Aurum Met	287	Benzinum Nit	325	Brassica Ole Linn
250	Aurum Mur	288	Benzoic Acid	326	Bromium
251	Aurum Mur Kali	289	Benzoinum Oder	327	Brucinum
252	Aurum Mur Nat	290	Berberinum Hyd	328	Bryonia Alb
253	Aurum Sulph	291	Berberis Aqwi	329	Bryophyllum
254	Avena Sativa	292	Berberis Vulg	330	Bufo Rana
255	Aviaire	293	Beryllium Carb	331	Bunias Ori
256	Azadirachta Ind	294	Beryllium Met	332	Buthus Aust
257	Azadirachta Mel	295	Beta Vulg	333	Butyric Acid
B	Bacilinum Test	296	Betonica Stach	334	Buxus Semp
259	Bacillinum	297	Betula Alb	C	Cacao
260	Bacillus No. Seven	298	Bismuth Carb	336	Cactus Grand
261	Bacillus No. Ten	299	Bismuth Met	337	Cadmium Brom
262	Badiaga	300	Bismuth Oxy	338	Cadmium Flour
263	Ballota Lan	301	Bismuth Subnit	339	Cadmium Iod
264	Balsamum Cop	302	Bixa Orell	340	Cadmium Met
265	Balsamum Per	303	Blatta Amer	341	Cadmium Mur
266	Balsamum Tol	304	Blatta Ori	342	Cadmium Sulph

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
343	Caffeine	381	Candida	419	Centaurea Tag
344	Cahinca	382	Canna Gla	420	Centaury
345	Cainca Rac	383	Cannabis Ind	421	Cephalandra Ind
346	Cajuputum	384	Cannabis Sat	422	Cephalanthus Occ
347	Calabar	385	Cantharis	423	Cerasus Vir
348	Caladium Seg	386	Capsicum	424	Cerato
349	Calamus Arom	387	Carbo Ani	425	Cereus Bon
350	Calc Acet	388	Carbo Veg	426	Cereus Serp
351	Calc Ars	389	Carbolic Acid	427	Cerium Oxal
352	Calc Brom	390	Carboneum	428	Cervus Camp
353	Calc Calci	391	Carboneum Hydrogen	429	Cetraria Islan
354	Calc Carb	392	Carboneum Oxygen	430	Chaerophyllum Tem
355	Calc Caust	393	Carboneum Sulph	431	Chamomilla
356	Calc Fluor	394	Carboneum Tetrachlor	432	Chaparro Amar
357	Calc Hypo phos	395	Carcinosinum	433	Charantia Mom
358	Calc Iod	396	Cardamine Prat	434	Chaulmoogra
359	Calc Lacticum	397	Cardiospermum	435	Chdonia-e-semin
360	Calc Mur	398	Cardus Ben	436	Cheiranthus Che
361	Calc Ovit	399	Cardus Mar	437	Chelidonium
362	Calc Oxy	400	Carica Papaya	438	Chelone Glab
363	Calc Phos	401	Carlsbad Aqua	439	Chenopodium
364	Calc Phos Lact	402	Carum Carvi	440	Chenopodium Anth
365	Calc Picric	403	Carya Alba	441	Chenopodium Vul
366	Calc Renalis	404	Cascara Sag	442	Cherry Plum
367	Calc Silc Fluor	405	Cascarilla	443	Chestnut
368	Calc Silic	406	Cassia Acut	444	Chicory
369	Calc Sulph	407	Castanea Ves	445	Chimaphila Mac
370	Calc Sulph Stib	408	Castor Equi	446	Chimaphila Umb
371	Calendula Off	409	Castoreum	447	China Ars
372	Calendula Suc	410	Cataria Nep	448	China Boliv
373	Calla Aeth	411	Catechu	449	China Off
374	Calotropis Gig	412	Caulophyllum	450	China Salicy
375	Caltha Pal	413	Causticum	451	China Sulph
376	Camphora	414	Ceanothus	452	Chininum Fer
377	Camphora Brom	415	Cedron	453	Chininum Mur
378	Cancer Fluv	416	Cement	454	Chininum Val
379	Cancerinum	417	Cenchrus Con	455	Chinoidin
380	Canchalagua	418	Centaurea	456	Chionanthus Virg

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales **Packing:** 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
457	Chirata	495	Cocculus Ind	533	Coto Bark
458	Chloralum Hydr	496	Coccus Cacti	534	Cotyledon Umb
459	Chloramphenicol	497	Cochlearia Arm	535	Crab Apple
460	Chloroformum	498	Cochlearia Off	536	Crabro Vespa
461	Chlorophyllinm	499	Codeinum	537	Crataegus Oxy
462	Chloroquin	500	Codeinum Phos	538	Cresol
463	Chlorpromazine	501	Codeinum Pur	539	Cresolum
464	Chlorum Aqua	502	Coffea Crud	540	Crocus Sat
465	Chocolate	503	Coffea Tosta	541	Crotalus Cas
466	Cholesterinum	504	Cola	542	Crotalus Dur
467	Chromic Acid	505	Colchicine	543	Crotalus Hor
468	Chromium Kali Suph	506	Colchicum Aut	544	Croton Tig
469	Chrysanthem Leu	507	Collinsonia	545	Cubeba
470	Chrysarobinum	508	Colocynthis	546	Cubeba Off
471	Chrysophanic Acid	509	Colostrum	547	Cucurbita Cit
472	Cichorium Inty	510	Comocladia Den	548	Cucurbita Pep
473	Cicuta Mac	511	Conchiolinum	549	Culex Mus
474	Cicuta Vir	512	Condurango	550	Culex Pipi
475	Cimex Lec	513	Conium Mac	551	Cumarinum
476	Cimicifuga	514	Convallaria Maj	552	Cuminum Cym
477	Cina	515	Convolvulus Arv	553	Cundurango
478	Cinchonum Sulph	516	Convolvulus Dua	554	Cuphea Vis
479	Cineraria Mar	517	Copaiva	555	Cupressus Aust
480	Cinnabaris	518	Corallium Rub	556	Cupressus Law
481	Cinnamonum	519	Corallorhiza	557	Cupressus Sem
482	Cistus Can	520	Cordyceps	558	Cuprum Acet
483	Citric Acid	521	Coriandrum Sat	559	Cuprum Ars
484	Citrus Amar	522	Coriaria Rus	560	Cuprum Cyan
485	Citrus Dec	523	Comus Alt	561	Cuprum Jod
486	Citrus Lim	524	Comus Cir	562	Cuprum Met
487	Citrus Vulg	525	Comus Flo	563	Cuprum Oxy Nig
488	Clematis Ere	526	Corticotrophin	564	Cuprum Sulph
489	Clematis Vit	527	Cortisone	565	Curare
490	Cobaltum Met	528	Cortisonum	566	Curcuma Longa
491	Cobaltum Nit	529	Corydalis Bulb	567	Cyclamen
492	Coca	530	Corydalis Can	568	Cydonia Vulg
493	Cocaine	531	Corydalis For	569	Cynodon Dact
494	Coccinella	532	Corylus Ave	570	Cypripedium

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
571	Cypripedium Pub	609	Elaps Cora	647	Euphorbia Amyg
572	Cytisus	610	Elaterium	648	Euphorbia Cor
573	Cytisus Lab	611	Electricitas	649	Euphorbia Cyp
D	Damiana	612	Elettaria Card	650	Euphorbia Het
575	Daphne Ind	613	Elm	651	Euphorbia Hyp
576	Datura Arb	614	Embelia Rib	652	Euphorbia Ipecac
577	Datura Fer	615	Emetine	653	Euphorbia Lath
578	Datura Met	616	Eosinum	654	Euphorbia Pep
579	Desmodium	617	Ephedra Vulg	655	Euphorbia Pii
580	D.N.A.	618	Ephedrinum Hyd	656	Euphorbia Poly
581	Derris Pinnata	619	Epigea Rep	657	Euphorbia Vill
582	Dex Lact Acid	620	Epilobinum Pal	658	Euphorbium Off
583	Dichapetalum	621	Epiphegus Virg	659	Euphrasia
584	Dictamnus Alb	622	Epiphyterinum	660	Eupionum
585	Digitalinum	623	Equisetum Arv	661	Evonymus Eur
586	Digitalis	624	Equisetum Hye	662	Eyesenhardtia Pol
587	Digitalis Pur	625	Erechthites	F	Fabiana Imb
588	Digitoxinum	626	Ergotinum	664	Fagopyrum
589	Dimethylamin. Pyrazol	627	Erigeron Can	665	Fagus Syl
590	Dioscorea Vill	628	Eriodictyon Glu	666	Farfara
591	Diosma Linc	629	Erodium Cicut	667	Fel Tauri
592	D.P.T	630	Eryngium Aqua	668	Ferr Acet
593	Diphtherinum	631	Eryngium Mar	669	Ferr Ars
594	Diphtherotoxin	632	Erythraea Cen	670	Ferr Brom
595	Dirca Pal	633	Erythromycin	671	Ferr Carb
596	Dolichos Pru	634	Erythroxyllum Cat	672	Ferr Cit Oxy
597	Doryphora Dece	635	Eschscholtzia Cal	673	Ferr Cyan
598	Doxycylin	636	Eserine	674	Ferr Cyn Ins
599	Dracontium Foet	637	Esponjilla	675	Ferr Iod
600	Drosera	638	Ether	676	Ferr Mag
601	Duboisia	639	Eucalyptus Glob	677	Ferr Met
602	Duboisinum	640	Eugenia Jam	678	Ferr Mur
603	Dulcamara	641	Euonyminum	679	Ferr Nit Oxy
604	Dysentericus	642	Euonymus Atrop	680	Ferr Oxalic
605	Dysentery Bac	643	Euonymus Eur	681	Ferr Permit
E	Echinacea Ang	644	Eupatorium Arom	682	Ferr Phos
607	Echinacea Pur	645	Eupatorium Perf	683	Ferr Picric
608	Elaeis Guinen	646	Eupatorium Purp	684	Ferr Pyrophos

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
685	Ferr Ses	723	Gastein Aqua	761	Gumma
686	Ferr Sulph	724	Gaultheria	762	Gunpowder
687	Ferr Tart	725	Gelsemium	763	Gymnema Syl
688	Ferula Glau	726	Genista Tinc	764	Gymnocladus Can
689	Ficus Ind	727	Gentiana Curc	H	Haematoxylon
690	Ficus Relig	728	Gentiana Lut	766	Haemoglobinum
691	Filipendula Ulm	729	Gentiana Quin	767	Hall Aqua
692	Filix Mas	730	Geranium Mac	768	Haloperidol
693	Flavus Bac	731	Germanium Met	769	Hamamelis Virg
694	Flor De Pied	732	Gettysburg Aqua	770	Haritaki
695	Fluoricum Acid	733	Geum Riv	771	Heather
696	Folliculinum	734	Geum Urb	772	Hedeoma
697	Formaldehyde	735	Ginkgo Biloba	773	Hedera Helix
698	Formalinum	736	Ginseng	774	Hedysarum
699	Formic Acid	737	Glandula Suprar	775	Hekla Lava
700	Formica Rufa	738	Glandulae Thymi	776	Helianthus
701	Fragaria Ves	739	Glechoma Heder	777	Helianthus Ann
702	Franciscea Uni	740	Glonoinum	778	Heliotropium
703	Frangula Alm	741	Glycerinum	779	Heliotropium Peru
704	Franzensbad Aqua	742	Glycyrrhiza Glab	780	Helix Tosta
705	Fraxinus Am	743	Gnaphalium	781	Helleborus Fet
706	Fraxinus Exce	744	Gnaphalium Are	782	Helleborus Nig
707	Fuchsinum	745	Gnaphalium Leo	783	Helleborus Ori
708	Fucus Ves	746	Gorse	784	Helleborus Vir
709	Fuligo Ligni	747	Gossypium	785	Heloderma
710	Fuligo Spl	748	Granatum	786	Helonias Dio
711	Fumaria Off	749	Granite	787	Hemidesmus Ind
G	Gadus Morr	750	Graphites	788	Hepar Sulph
713	Galant Niv Linn	751	Gratiola Off	789	Hepatica Tril
714	Galbanum	752	Grindelia Rob	790	Heracleum Sphond
715	Galega	753	Guaco	791	Hemiaria Glabra
716	Galeopsis Seg	754	Guaiacum Off	792	Hieracium Pilosella
717	Gallic Acid	755	Guajacolum	793	Hieracium Umb
718	Gallium Alb	756	Guano Australis	794	Hippomanes
719	Gallium Apar	757	Guarana	795	Hippozaeninum
720	Galphimia Glau	758	Guarea Tric	796	Hippuric Acid
721	Galvanismus	759	Guatteria	797	Hirudo Med
722	Gambogia	760	Guatteria Gua	798	Hirudo Off

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
799	Histaminum Hydro	837	Ilex Parag	K	Kali Acet
800	Honga Nan	838	Ilex Vomit	876	Kali Ars
801	Hoitzia Cocc	839	Illicium Anis	877	Kali Benz
802	Holly	840	Imperatoria Ost	878	Kali Bich
803	Homarus	841	Indigo Tin	879	Kali Brom
804	Homeria Collina	842	Indium Met	880	Kali Carb
805	Honey	843	Indol	881	Kali Caust
806	Honeysuckle	844	Influenzinum	882	Kali Chlor
807	Hombeam	845	Ingluvin	883	Kali Chlorosum
808	Humulus Lup	846	Insullinum	884	Kali Cit
809	Hura Bras	847	Inula Hel	885	Kali Cyan
810	Hura Crep	848	Iodium	886	Kali Ferr
811	Hydrangea Arb	849	Iodoformum	887	Kali Fluor
812	Hydrastinum	850	Ipecacuanha	888	Kali Hypophos
813	Hydrastinum Mur	851	Ipomoea Pur	889	Kali Iodatum
814	Hydrastis Can	852	Iridium Chlor	890	Kali Mur
815	Hydrobrom Acid	853	Iridium Met	891	Kali Nit
816	Hydrocotyle Asi	854	Iris Fetid	892	Kali Oxalic
817	Hydrocyanic Acid	855	Iris Flore	893	Kali Perm
818	Hydrogen	856	Iris Foretid	894	Kali Phos
819	Hydrophis Cyan	857	Iris Germanica	895	Kali Picric
820	Hydrophobinum	858	Iris Tenax	896	Kali Salicylic
821	Hydrophyllum Virg	859	Iris Versicolor	897	Kali Silic
822	Hydropiper	J	Jaborandi	898	Kali Sulph
823	Hygrophilla Spin	861	Jacaranda Car	899	Kali Tart
824	Hyoscinum	862	Jacaranda Gua	900	Kali Tellur
825	Hyoscyamine	863	Jalapa	901	Kalmegh
826	Hyoscyamus Nig	864	Jasmine	902	Kalmia Lat
827	Hypericum	865	Jatropha Curas	903	Kamala
828	Hypophyse Post	866	Jatropha Urens	904	Kaolinum
829	Hypothalamus	867	Jequirity	905	Karaka
830	Hypsus	868	Jodoformium	906	Karwinskia Hum
831	Hyssopus Off	869	Juglans Cin	907	Keroselenium
I	Iberis Amara	870	Juglans Reg	908	Kino Aust
833	Ichthyolum	871	Juncus Eff	909	Kissingen Aqua
834	Ictodes Fet	872	Juniperus Com	910	Knautia Arven
835	Ignatia Amara	873	Juniperus Virg	911	Kousso
836	Ilex Aquifol	874	Justicia Adh	912	Kreosotum

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
913	Kurchi	951	Leucas Asp	989	Lupulus Hum
L	Lac Caninum	952	Leucinum	990	Lycium Ber
915	Lac Defloratum	953	Levico Aqua	991	Lycopersicum
916	Lac Felinum	954	Levisticum Off	992	Lycopodium
917	Lac Hum	955	Levomepromazine	993	Lycopus Virg
918	Lac Vac	956	Liatris Spic	994	Lysidinum
919	Lac Vac Coag	957	Lilium Tig	995	Lysimachia Num
920	Lacerta Agillis	958	Limax Ater	996	Lyssin
921	Lachesis	959	Limulus Cyc	M	Macrotinum
922	Lachnanthes Tinc	960	Linaria Vulg	998	Madura Alb
923	Lactic Acid	961	Linum Cath	999	Mag Borocit
924	Lactis Vac Fl	962	Linum Usit	1000	Mag Carb
925	Lactuca Virosa	963	Lippia Max	1001	Mag Fluor
926	Lamium Album	964	Lippspringe Aqua	1002	Mag Jod
927	Lapathum Acut	965	Liriodendron Tuli	1003	Mag Mur
928	Lapathum Syl	966	Lithium Benz	1004	Mag Phos
929	Lapis Albus	967	Lithium Brom	1005	Mag Sulph
930	Lapis Renalis	968	Lithium Carb	1006	Magnetis Pol
931	Lappa Arctium	969	Lithium Lac	1007	Magnetis Pol Art
932	Lapsana Com	970	Lithium Mur	1008	Magnetis Pol Aust
933	Larch	971	Lithospermum Off	1009	Magnolia Gl
934	Lathyrus Sat	972	Loasa Tri	1010	Magnolia Gr
935	Latrodectus Has	973	Lobelia Card	1011	Majeptil
936	Latrodectus Kat	974	Lobelia Dort	1012	Malandrinum
937	Latrodectus Mac	975	Lobelia Eri	1013	Malaria Off
938	Laurocerasus	976	Lobelia Inf	1014	Malleinum Glad
939	Laurus Nobilis	977	Lobelia Pur	1015	Malva Maur
940	Lavandula Ang	978	Lobelia Syp	1016	Malva Silv
941	Lavandula Off	979	Lolium Tem	1017	Mancinella
942	Lawsonia Alba	980	Lonicera Per	1018	Mandragora Off
943	Lecithinum	981	Lonicera xyl	1019	Manganum Acet
944	Ledum Pal	982	Lophophytum Lea	1020	Manganum Carb
945	Lemna Minor	983	Loranthus Eur	1021	Manganum Met
946	Leonurus Card	984	Luffa Am	1022	Manganum Mur
947	Lepidium Bon	985	Luffa Bind	1023	Manganum Oxy
948	Lepidium Lat	986	Luffa Oper	1024	Manganum Phos
949	Leptandra Virg	987	Luna	1025	Mangifera Ind
950	Lespedeza Cap	988	Lupulinum	1026	Marrubium Alb

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
1027	Marrubium Vulg	1065	Merc Sub Corr	1103	Myristica Sebif
1028	Marum Verum	1066	Merc Sulph	1104	Myroxylon Balsam
1029	Mate	1067	Merc Sulphocyan	1105	Myrrha
1030	Mater Perl	1068	Merc Vivus	1106	Myrtillus
1031	Matico	1069	Mercurialis Per	1107	Myrtus Chek
1032	Matthiola Gr	1070	Methylenum Blue	1108	Myrtus Com
1033	Medorrhinum	1071	Methylenum Carb	N	Nabalus Ser
1034	Medusa	1072	Meum Athaman	1110	Naja Tripud
1035	Mel Cum Sale	1073	Mezereum	1111	Naphthalinum
1036	Melaleuca Alt	1074	Micromeria Doug	1112	Narcissus Poet
1037	Melastoma Ack	1075	Millefolium	1113	Narcotinum
1038	Melia Azadirachta Indica	1076	Millepedes	1114	Nasturtium Aqu
1039	Melilotus Off	1077	Mimosa Hum	1115	Nat Ars
1040	Melissa Off	1078	Mimosa Pud	1116	Nat Caco
1041	Melitagrinum	1079	Mimulus	1117	Nat Carb
1042	Membranum Ovi	1080	Mitchella Rep	1118	Nat Fluor
1043	Menisperm Can	1081	Molybdenum	1119	Nat Hypochlor
1044	Mentha Pip	1082	Momordica Bal	1120	Nat Iod
1045	Mentha Pul	1083	Momordica Char	1121	Nat Lact
1046	Mentha Vir	1084	Morbilinum	1122	Nat Mur
1047	Mentholum	1085	Morgan Baci	1123	Nat Nit
1048	Menyanthes Trif	1086	Morgan Pure	1124	Nat Nitro
1049	Mephites Put	1087	Morphine	1125	Nat Phos
1050	Merc Acet	1088	Morus Nigra	1126	Nat Salicylic
1051	Merc Auratus	1089	Moschus	1127	Nat Selenicum
1052	Merc Bijod	1090	Mucuna Urens	1128	Nat Silicofluor
1053	Merc Chrom Oxy	1091	Muirea Pauma	1129	Nat Succinicum
1054	Merc Corr	1092	Mullein Oil	1130	Nat Sulph
1055	Merc Cyan	1093	Murex Purp	1131	Nat Sulphurosum
1056	Merc Dul	1094	Muriatic Acid	1132	Nat Tellur
1057	Merc Iod Flav	1095	Musa Sap	1133	Nat Thio Sulph
1058	Merc Iod Rub	1096	Muscarine	1134	Nectanadra Puch
1059	Merc Nit Oxy	1097	Mustard	1135	Nectrianinum
1060	Merc Nitro	1098	Mutabile Bac	1136	Negundium Amer
1061	Merc Phos	1099	Mygale Las	1137	Nepenthe Dist
1062	Merc Pra Alb	1100	Myosotis Arv	1138	Niccolum Met
1063	Merc Pra Rub	1101	Myosurus Min	1139	Niccolum Sulph
1064	Merc Sol	1102	Myrica Cer	1140	Nicotinum

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
1141	Nigella Dam	1180	Orchitinum	1218	Parotidinum
1142	Nigella Sativa	1181	Oreodaphne	1219	Parthenium
1143	Nit Mur Acid	1182	Origanum Maj	1220	Passiflora
1144	Nitri Spirit Dul	1183	Origanum Vulg	1221	Pastinaca Sat
1145	Nitric Acid	1184	Ornithogalum	1222	Patchouly
1146	Nitrobenzolum	1185	Orteaga	1223	Pecten Jac
1147	Nitrous Oxide	1186	Orthosiphon Stamin	1224	Pediculus Cap
1148	Nitrum	1187	Oscillococcinum	1225	Pel Talpae
1149	Nuphar Lut	1188	Osmium Met	1226	Pelargonium
1150	Nux Juglans	1189	Osteo Arth Nos	1227	Pencillinum
1151	Nux Moschata	1190	Ostrya Virg	1228	Penthorum Sed
1152	Nux Vomica	1191	Ova Tosta	1229	Pepsinum
1153	Nyctanthes	1192	Ovarium Bov Sicca	1230	Pertussinum
1154	Nymphaea Odo	1193	Ovary Gland	1231	Pestinum
O	Oak	1194	Ovi Gall Pell	1232	Petasites Off
1156	Ocimum Can	1195	Oxalic Acid	1233	Petiveria Tet
1157	Ocimum San	1196	Oxalis Acetosella	1234	Petroleum
1158	Oenanthe Croc	1197	Oxydendron Arb	1235	Petroselinum
1159	Oenothera Bie	1198	Oxygen	1236	Peucedanum Ore
1160	Oestradiolum Benz	1199	Oxytropis Lamb	1237	Peumus Bold
1161	Olea Europ	P	Paeonia Off	1238	Pexid
1162	Oleander	1201	Palladium Met	1239	Phallus Imp
1163	Oleum Animale	1202	Paloondo	1240	Phaseolus Nan
1164	Oleum Cajup	1203	Pambotano	1141	Phellandrium
1165	Oleum Jec Asel	1204	Panax Ginseng	1242	Phenacetinum
1166	Oleum Ricini	1205	Panax Quin	1243	Phenobarbitol
1167	Oleum Santali	1206	Pancreatinum	1244	Phleum Pra
1168	Oleum Succ	1207	Papain	1245	Phlorizinum
1169	Oleum Tere	1208	Papaver	1246	Phos Acid
1170	Olibanum	1209	Papaya Vulg	1247	Phosphorus
1171	Olive	1210	Paraffinum	1248	Phosphorus Hydro
1172	Oniscus Asel	1211	Paraphenylene Dia	1249	Phosphorus Mur
1173	Ononis Spi	1212	Parathormone	1250	Physalia
1175	Onosmodium Virg	1213	Parathyroid Horn	1251	Physostigma Pur
1176	Oophorinum	1214	Pareira Br	1252	Phytolacca Ber
1177	Operculina	1215	Parietaria	1253	Phytolacca Dec
1178	Opium	1216	Paris Quad	1254	Pichi
1179	Opuntia Vulg	1217	Paronichia Illec	1255	Picrasma Exce

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
1256	Picric Acid	1294	Polporus Off	1332	Quillaya Sap
1257	Picrorhiza	1295	Polygala Amara	R	Radium Brom
1258	Picrotoxinum	1296	Polygonum Avic	1334	Radix Ang Sin
1259	Pilocarpinum	1297	Polygonum Punc	1335	Rajania Sub
1260	Pilocarpus	1298	Polygonum Sag	1336	Ranunculus Acris
1261	Pimenta Off	1299	Polyporus Pin	1337	Ranunculus Bulb
1262	Pimpinella Ari	1300	Populus Can	1338	Ranunculus Fic
1263	Pine	1301	Populus Trem	1339	Ranunculus Flam
1264	Pinus Lamb	1302	Portulaca	1340	Ranunculus Glac
1265	Pinus Syl	1303	Pothos Foet	1341	Ranunculus Rep
1266	Piper Ang	1304	Prenanthes Serp	1342	Ranunculus Sce
1267	Piper Meth	1305	Primula Far	1343	Raphanastrum Arv
1268	Piper Nig	1306	Primula Obc	1344	Raphanus Sat
1269	Piperazinum	1307	Primula Ver	1345	Ratanhia
1270	Piscidia Ery	1308	Primula Vulg	1346	Rauwolfia
1271	Pituitary Gland	1309	Prinos Ver	1347	Red Chestnut
1272	Pituitrinum	1310	Propolis	1348	Rescue Remedy
1273	Pix Liquida	1311	Propylaminum	1349	Reserpine
1274	Plantago Maj	1312	Proteus Bacillus	1350	Resorcinum
1275	Platanus	1313	Proteus Vulg	1351	Rhamnus Calif
1276	Platin Nat Mur	1314	Prunella Vulg	1352	Rhamnus Cath
1277	Platina	1315	Prunus Padus	1353	Rhamnus Fran
1278	Platinum Di Jod	1316	Prunus Spin	1354	Rheum
1279	Platinum Met	1317	Prunus Virg	1355	Rhodium Chlor
1280	Platinum Mur	1318	Psoralea	1356	Rhodium Met
1281	Plectranthus	1319	Psorinum	1357	Rhodium Oxy Nit
1282	Ploymnia Uveda	1320	Ptelea Trif	1358	Rhododendron
1283	Plumbago	1321	Pulex Irrit	1359	Rhus Arom
1284	Plumbago Eur	1322	Pulmo Vulpis	1360	Rhus Diver
1285	Plumbum Acet	1323	Pulmonaria Vulg	1361	Rhus Glab
1286	Plumbum Chrom	1324	Pulsatilla Nig	1362	Rhus Tox
1287	Plumbum Iod	1325	Pulsatilla Nut	1363	Rhus Ven
1288	Plumbum Met	1326	Pyrethrum	1364	Ribonucleic Acid (RNA)
1289	Plumeria Cell	1327	Pyrogenium	1365	Ricinus Com
1290	Pneumococcinum	1328	Pyrus Amer	1366	Robinia Pseud
1291	Podophyllinum	Q	Quassia Am	1367	Rock Rose
1292	Podophyllum Pelt	1330	Quebracho	1368	Rock Water
1293	Pollens	1331	Quercus Gl Spirit	1369	Rosa Canina

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
1370	Rosa Centifolia	1408	Sarcolatic Acid	1446	Simaruba Am
1371	Rosa Dam	1409	Sarkanda	1447	Sinapis Alba
1372	Rosmarinus Off	1410	Sarothamnus Scop	1448	Sinapis Nig
1373	Rubia Tinct	1411	Sarracenia Purp	1449	Sisyrinchium
1374	Rubidium Chlor	1412	Sarsaparilla	1450	Sium Lat
1375	Rudbeckia Hirta	1413	Sassafras	1451	Skatolum
1376	Rumex Acet	1414	Saururus Cer	1452	Skookum Chuck
1377	Rumex Crisp	1415	Scammonium	1453	Slag
1378	Russula Foet	1416	Scarlatininum	1454	Sol
1379	Ruta Gr	1417	Schinus Molle	1455	Solanium
S	Sabadilla	1418	Scilla Mar	1456	Solanum Arreb
1381	Sabal Serr	1419	Scirrhinum	1457	Solanum Car
1382	Sabina	1420	Scleranthus	1458	Solanum Mam
1383	Saccharum Lact	1421	Scolopendra	1459	Solanum Nig
1384	Saccharum Off	1422	Scolopendri Hydr	1460	Solanum Oler
1385	Salamandra Mac	1423	Scolopendrium Vulg	1461	Solanum Tub
1386	Salicylic Acid	1424	Scorpio Eur	1462	Solanum Tub Aeg
1387	Salix Alba	1425	Scorpion	1463	Solidago Virg
1388	Salix Moll	1426	Scrophularia Nod	1464	Sparteinum Sulph
1389	Salix Nigra	1427	Scutellaria	1465	Spartium Scop
1390	Salix Purp	1428	Secal Corn	1466	Sphingurus
1391	Salolum (Salol)	1429	Sedum Acre	1467	Spigelia Anth
1392	Salvia Off	1430	Sedum Alp	1468	Spigelia Mary
1393	Sambucus Can	1431	Sedum Rep	1469	Spiraea Ulm
1394	Sambucus Nig	1432	Sedum Tele	1470	Spiranthes
1395	Sanguinar Tart	1433	Selenium	1471	Spongia
1396	Sanguinaria Can	1434	Sempervivum	1472	Squilla Mar
1397	Sanguinaria Nit	1435	Senecio Aur	1473	Stannum Iod
1398	Sanguinarinum	1436	Senecio Jac	1474	Stannum Met
1399	Sanguisorba Off	1437	Senecio Vulg	1475	Staphylococcinum
1400	Sanicula Aqua	1438	Senega	1476	Staphysagria
1401	Sanicula Eur	1439	Senna	1477	Star Of Bethlehem
1402	Santalum Alb	1440	Sepia	1478	Stellaria Med
1403	Santalum Oleum	1441	Serpentaria Arist	1479	Sterculia
1404	Santoninum	1442	Shucks	1480	Stibium Met
1405	Saponaria Off	1443	Silica Marina	1481	Sticta Pul
1406	Saponinum	1444	Silicea	1482	Stigmata Maydis
1407	Saraca Ind	1445	Silphium Lac	1483	Stillingia Syl

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
1484	Stramonium	1522	Tanghinia	1560	Titanium Met
1485	Streptococcinum	1523	Tanic Acid	1561	Tongo
1486	Streptomycin	1524	Taraxacum	1562	Tormentilla
1487	Strontium Brom	1525	Tarentula Cub	1563	Torula Cer
1488	Strontium Carb	1526	Tarentula Hisp	1564	Toxicophis
1489	Strontium Nit	1527	Tartaric Acid	1565	Trachinus
1490	Strophanthus	1528	Tartarus Dep	1566	Tradescantia Diuret
1491	Strychnine	1529	Taxus Baccata	1567	Triatema
1492	Strychninum Ars	1530	Tela Arane	1568	Tribulus Terr
1493	Strychninum Ferr	1531	Tellurium Met	1569	Trifolium Pra
1494	Strychninum Nit	1532	Teplitz Aqua	1570	Trifolium Rep
1495	Strychninum Phos	1533	Terebinthina	1571	Trillium Pend
1496	Strychninum Sulp	1534	Teridioncuras	1572	Trinitrotoluenum
1497	Strychninum Val	1535	Terpinum Hydratum	1573	Triosteum Perf
1498	Strychnos Gault	1536	Testes Siccati	1574	Triticum Rep
1499	Succinum	1537	Tetracyclin	1575	Trombidium Mus
1500	Sulfanilamide	1538	Tetradymite	1576	Tropeolum Maj
1501	Sulfonal	1539	Teucrium M.	1577	Trychosanth Dio
1502	Sulfonamide	1540	Teucrium Scor	1578	Tuberculinum
1503	Sulphur	1541	Thalamus	1579	Tuberculinum Avi
1504	Sulphur Acid	1542	Thallium Aceticum	1580	Tuberculinum Gt
1505	Sulphur Hydro	1543	Thallium Met	1581	Tuberculinum K-al
1506	Sulphur Iod	1544	Thallium Sulf	1582	Tuberculinum Res
1507	Sulphur Terebinth	1545	Thea Chin	1583	Tubocurare
1508	Sulphuros Acid	1546	Theridion	1584	Tussilago Far
1509	Sumbul	1547	Thevetia	1585	Tussilago Frag
1510	Suprarenium	1548	Thiosinaminum	1586	Tussilago Pet
1511	Sweet Chestnut	1549	Thlaspi B.P.	1587	Typhoidinum
1512	Sycotic Bacillus	1550	Thuja Lobbi	U	Ulmus Cam
1513	Symphoricarpus	1551	Thuja Occ	1589	Umbellularia Calif
1514	Symphytum	1552	Thymolum	1590	Uncaria Tome
1515	Syphilinum	1553	Thymus Serpy	1591	Upas Anti
1516	Syringa Vulg	1554	Thymus Vulg	1592	Upas Tieute
1517	Syzygium Jamb	1555	Thyreotropic Har	1593	Uranium Nit
T	Tabacum	1556	Thyroidinum	1594	Urea Pura
1519	Tamarindus	1557	Tilia Eur	1595	Uric Acid
1520	Tamus Com	1558	Tinctura Cal	1596	Urinum Hum
1521	Tanacetum Vulg	1559	Tinospora Cord	1597	Urtica Dio

List of Dilutions Manufactured by BM

Availability: Centesimal & Decimal Scales Packing: 10, 20, 30, 60, 120 and 500ml

Sr.ID	Description	Sr.ID	Description	Sr.ID	Description
1598	Urtica Uren	1636	Vitamin B6	1674	Zincum Sulph
1599	Usnea Barb	1637	Vitamin C	1675	Zincum Val
1600	Ustilago M.	1638	Vitex Trifolia	1676	Zingiber Off
1601	Uva Ursi	1639	Vitis Vinifera	1677	Zizia Aurea
V	Vab	1640	Vitrum		
1603	Vaccinium	1641	Voelau Aqua		
1604	Vaccinium Myrt	W	Walnut		
1605	Valeriana	1643	Water Violet		
1606	Vanadium	1644	White Chestnut		
1607	Vanilla Arom	1645	Wiesbaden Aqua		
1608	Variolinum	1646	Wild Oat		
1609	Venus Merc	1647	Wild Rose		
1610	Veratrum Alb	1648	Willow		
1611	Veratrum Nig	1649	Wolfram Met		
1612	Veratrum Vir	1650	Wyethia He		
1613	Verbascum	X	Xanthorhea Arb		
1614	Verbena Has	1652	Xanthorrhiza Ap		
1615	Verbena Off	1653	Xanthoxylum Frax		
1616	Veronal	1654	Xerophyllum		
1617	Veronica Becca	1655	X-Ray		
1618	Vervain	1656	Xysmalobium		
1619	Vesicaria	Y	Yerba Santa		
1620	Vespa Crabro	1658	Yohimbinum		
1621	Vespa Vulg	1659	Yucca Fil		
1622	Vibumum Op	Z	Zea Italica		
1623	Vibumum Pru	1661	Zea Mays		
1624	Vibumum Tin	1662	Zincum Acet		
1625	Vichy Aqua	1663	Zincum Arsenic		
1626	Vinca Minor	1664	Zincum Brom		
1627	Vincetoxicum Off	1665	Zincum Carb		
1628	Viola Odo	1666	Zincum Chrom		
1629	Viola Tric	1667	Zincum Cyan		
1630	Vipera Berus	1668	Zincum Iod		
1631	Viscum Alb	1669	Zincum Met		
1632	Vitamin A	1670	Zincum Mur		
1633	Vitamin B1	1671	Zincum Oxy		
1634	Vitamin B12	1672	Zincum Phos		
1635	Vitamin B2	1673	Zincum Picric		

For detail description we recommend to consult
“ Homoeopathic Physician Desk Reference”
 by
Amanullah Bismil

Schüssler Biochemic Tissue Salts

Biochemic system of medicine is based upon the cell theory of Virchow. In 1858 the great scientist pronounced the new famous dictum that the body is merely a collection of cells, and that medicinal treatment should be directed towards the individual cell. This great truth notably elaborated by Schüssler with the full appreciation of the value of the inorganic constituents the cell substance and part taken by them in the preservation of health of the human organism. Ultimately, the efficacy of Biochemic system of medicines is acknowledged worldwide.

Strength: 3x, 6x, 12x, 30x, 200x and 1000x (Tablets).

Packing: 25, 120 and 450 gm Sealed pet jar packing also (Blister pack tablets 6x only).



Founder of
Biochemic Tissue Salts
Dr. Wilhelm Schüssler



Calc Phos in granulation form



Calc Phos in compression process



Biochemic Tissue Salts

Availability: 3x, 6x, 12x, 30x, 200x and 1000x Tablets Packing: 25, 120 and 450 gm

ID#	Tissue Salt	Indications
1	Calcarea Fluor 6X (Fluoride of Lime)	<ol style="list-style-type: none"> 1. A powerful remedy for varicose and enlarged veins. It is also used for malnutrition of bones, hard & stony glands. 2. Also a useful remedy for congenital hereditary syphilis manifesting itself in ulceration of mouth and throat. 3. Used after operation, the tendency to adhesion is reduced. 4. It is useful for easy expectoration of thick and heavy phlegm. 5. It is of service in the deficiency of essential minerals of bones and teeth. 6. It is effective against rheumatism aggravated by cold weather. 7. Very effective for the protection of eye sight and protect from cataract.
2	Calcarea Phos 6X (Phosphate of Lime)	<ol style="list-style-type: none"> 1. This remedy is indicated in dark complexioned, thin, anaemic persons. 2. It frequently controls anaemia and malnutrition in pregnant woman and her child. 3. It is of service when dentition is delayed and child is slow in learning to walk. 4. Widely used for problems related to dentition and calcium deficiency. 5. Weakness, anorexia and greenish diarrhoea and such other problems of children can be effectively treated by this remedy. 6. It is of service when the patient is worse in damp, cold, changeable weather and being relieved in warm, dry & summer weather.
3	Calcarea Sulph 6X (Sulphate of Lime)	<ol style="list-style-type: none"> 1. This remedy is indicated when the pus has found a vent, the infiltration has subsided but the discharge continues. 2. It is of service in bronchitis and tonsillitis. 3. It is useful remedy when mucous discharges are painful, yellow, thick and lumpy. 4. Regular use of calcarea sulphurica is very beneficial for infection in human body. 5. Burning & itching of soles of feet.
4	Ferrum Phos 6X (Phosphate of Iron)	<ol style="list-style-type: none"> 1. It can be used as preliminary treatment of any disease. 2. The typical Ferr. Phos subject is not full blooded & robust, but nervous, sensitive, anaemic with the plethora. 3. It is useful in acute bronchitis & hyperemia of lungs. Expectoration of pure blood in pneumonia. 4. Haemorrhages, bright from any orifice e.g. nose, throat, lungs, stomach. 5. It should be remembered in day enuresis. 6. Ferr. Phos increases haemoglobin. 7. Headache better from cold application. Soreness to touch, cold & noise.
5	Kalium Mur 6X (Potassium Chloride)	<ol style="list-style-type: none"> 1. This remedy is indicated in catarrhal affections and in subacute inflammations. 2. It is useful in tonsillitis and nasal catarrh. 3. It is useful in pneumonia during the stage of hepatization. 4. It should be remembered in rheumatic fever & glandular swelling. 5. There is white or grey coating at the base of tongue an expectoration of thick white phlegm. 6. The liver is inactive, the tongue has a white or grey coating and bowels are constipated. 7. It is useful for white irritating leucorrhoea. 8. It is of service in severe ulcers, eczema and boils. 9. Effective against all the diseases which become worse by heat.
6	Kalium Phos 6X (Phosphate of Potassium)	<ol style="list-style-type: none"> 1. A great remedy for chronic diseases, neuralgia & mental weakness due to over work. 2. It is a useful remedy for neurasthenia, migraine, weak memory and muscular debility following acute diseases. 3. It reduces nervous & muscular cramps. 4. Lack of nerve power, slightest labour seems a heavy task. 5. Mental & physical depressions are wonderfully improved by this remedy. 6. It should be remembered in the treatment of suspected malignant tumors. 7. Paleness of skin, urine, phlegm & diarrhoea are the main indication for this remedy. 8. It is a good source of power & energy which can be used in any age without hesitation.
7	Kallum Sulph 6X (Potassium Sulphate)	<ol style="list-style-type: none"> 1. This remedy is indicated during the third stage of inflammation when the discharge is yellow. 2. It is useful during the last stage of bronchitis and broncho-pneumonia. 3. It is useful in otitis and infection of inner ear. 4. The patient feels better while in the cool & fresh air.

Biochemic Tissue Salts

Availability: 3x, 6x, 12x, 30x, 200x and 1000x Tablets **Packing:** 25, 120 and 450 gm

ID#	Tissue Salt	Indications
		<ol style="list-style-type: none"> 5. This is the most recommended remedy for controlling the severity and further complication of diseases.
8	Magnesia Phos 6X (Phosphate of Magnesia)	<ol style="list-style-type: none"> 1. The great antispasmodic remedy. 2. It is indicated in chorea, cramping of muscles with radiating pain. Neuralgic pains are relieved by warmth & Pressure. 3. Specially suited to tired, languid, exhausted persons. 4. Infant colic, flatulent colic, forcing patient to bend double relieved by rubbing, warmth, pressure accompanied with belching of gas which give no relief. 5. All the symptoms aggravated due to cold applications can be cured by Mag Phos e.g. headache, toothache, chest complaints etc. 6. Suffocating sensation, must loosen clothing. 7. Goitre, spasmodic cough with difficulty in lying down. Whooping cough. 8. Menstrual colic, membranous dysmenorrhoea.
9	Natrum Mur 6X (Chloride of Sodium)	<ol style="list-style-type: none"> 1. Natrum Muriaticum is an important constituent of all the compounds in the body. 2. It is indicated in weak, anaemic patients who are greatly emaciated and lose flesh while living well. 3. It is useful in the deficiency of energy providing salts. 4. It is useful in patients having problems of weight loss, indigestion, pale complexion & sense of coldness. 5. It is of service in constipation, great debility and neuralgia. 6. It should be of service in dyspepsia when the food taken produces a dull aching and distension of stomach and abdomen resulting in sensation of weakness and sinking of the stomach. 7. It is curative in delayed menstruation. 8. It is indicated in eczema. The skin about the nails is dry and cracked and there are hangnails. 9. People living in cold climate are much more susceptible of these diseases rather than warm climate. Natrum Muriaticum is very effective for all these conditions.
10	Natrum Phos 6X (Phosphate of Sodium)	<ol style="list-style-type: none"> 1. This salt is produced in blood, muscles, nervous cells and other parts of the body. 2. It has specific action on stomach, intestines kidneys and joints and it is very essential for their appropriate function. 3. It should be remembered in all cases when there is sour eructations and vomiting, all the discharges are sour. 4. It is of service in diarrhoea, when the stools are sour, green or white. The tongue has a yellow golden coating. 5. It is of service in kidney stones, inflammation and infection of bladder. 6. It is also useful in enuresis specially in children. 7. It is also effective in rheumatism.
11	Natrum Sulph 6X (Sulphate of Sodium)	<ol style="list-style-type: none"> 1. It maintains water balance in the body. 2. The consistency of blood, urine and other secretions can be regulated by this medicine. 3. It is indicated in hepatic congestion and spinal meningitis with crushing pain at the base of brain with delirium. 4. The sputum is copious and of greenish colour. 5. Prolonged fever. 6. It is also effective against rheumatism. 7. All these above conditions are suppressed in warm climate.
12	Silicea 6X (Pure Flint)	<ol style="list-style-type: none"> 1. It is an essential constituent of hair, nails and teeth. Silicea can stimulate the organism to reabsorb fibrotic condition and scar tissues. 2. Its use facilitates the body growth. 3. It is of service in ricketic children who have large head, open sutures and fontanelles. It is useful remedy for child who is slow in learning to walk. 4. It is useful in chronic bronchitis. 5. This is a good remedy for ailments attended with pus formation. 6. It is also useful in empyema, when the suppression is chronic and although drainage is good, yet the pus continues. It eliminates waste products from body and effective for the betterment of internal system.

Dosage: As Advised by your family Physician.

Homoeopathic Triturations/Tablets

In Homoeopathic system of medicine, the insoluble crude ingredients are converted into medicinal substances through the process of trituration. The medicinal vehicle in this case is saccharum lactis (Lactose). BM has converted trituration powder into tablet form for convenient use, as it is an easy method to take medicine. These tablets are prepared according to the Hahnemannian method of preparing medicines in his writing of chronic diseases. Homoeopathic triturated medicine increases the therapeutic potentialities & greater curative value than their crude form. A medicinal substance in potentised form possesses greater healing power than its crude form.

Strength: 3x, 6x (tablets).

Packing: 25, 120 & 450 gm (tablets) also available in blister pack (3X only) 21 products.



Homoeopathic Trituration Mixer



ZP-33 Tablets Compressing Units are in Operation



Homoeopathic Triturations/Tablets

Availability: 3x, 6x, Tablets **Packing:** 25, 120 and 450 gm tablets ★ means in blister pack 3x only

ID#	Homoeopathic Tablets	Brief Indications
1	Acid Boric	Menopausal flushing, vagina cold, coldness. diabetes. Oedema around eyes, pain in region of uterus with frequent urging to urinate. Antiseptic, disinfectant.
2	Acid Chromicum	Symptoms come and go suddenly and return, offensive discharge, post nasal tumors and epithelioma of tongue, bloody, foul-smelling lochia, on skin destroy warts, diphtheria.
3	Acid Gallium	Increases appetite and removes constipation, Heartburn , passive hemorrhages, hematuria, Tuberculosis , weakness with Irritability, excessive dryness of mouth and throat, sense of contraction in anus, jerking limbs, itching of skin.
4	Acid Oxalic	Violent pains in spots, periodical remission , spasmodic symptoms of throat and chest, rheumatism of left side , neuralgia, neurasthenia , influences spinal cord produces motor paralysis, tuberculosis.
6	Acid Picric	Prostration, neurasthenia , worn out persons mentally and physically, uremia with complete anuria, brain fatigue, degeneration of spinal cord with paralysis, muscular debility, prickling, burning in many parts.
7	Acid Salicylic	Rheumatism, acute rheumatism, dyspepsia, Merlere's disease , roaring and ringing in ears deafness with vertigo, effects of suppressed foot sweats.
8	Acid Succinic	Nervousness, hysterical symptoms, fear of trains and close places, headache, lachrymation, asthma, incipient phthisis, chronic bronchitis, pain in chest, whooping cough.
9	Acid Tannic	Chronic nervous coughs, hematuria, obstinate constipation, ileus pain in abdomen, sensitive to pressure, intestines can be felt like flat cylindrical enlargements, dryness of mouth and intestinal canal and a very aggravated state of constipation.
10	Acid Tart	Extreme weakness, general bruised sensation, especially of lower limbs, convulsion, feels very tired in evening.
11	Acid Uric	Eczema gouty, gout, lipoma, rheumatism.
12	Alumen	Bowel syndrome, Induration of glands and other tissues, cancers of uterus and rectum with the most obstinate constipation, sensation of dryness and constriction, hemorrhages from leech bites, extracting teeth.
13	Alumina	Dryness of skin and mucous membrane, cerebral spinal axis, paretic muscular states, constipation from artificial baby foods, constipation with dry stools, worse from starch, especially potatoes.
14	Ammonium Brom	In morning eyes red and sore with mucous in corners (worse left eye), pain in left ovary, dull with hard swelling, obesity, chronic laryngeal and pharyngeal catarrh, nails biting, constrictive pain in head, chest, legs.
15	Ammonium Carb	Stout women tired and weary catches colds easily, obese patients with weak heart , uncleanliness in bodily habits, lymphatic and parotid gland swollen and indurated, uremia, heaviness in all the organs , prostration from trifles, mucous membranes of respiratory track are affected.
16	Ammonium Chlor	Mucous membrane increasing the secretion in the lungs and gall bladder ducts, cough or profuse glairy mucus discharges with liver trouble, ulceration and ulcerative pains, boiling sensation , tension and tightness, profuse glairy secretions.
17	Ammonium Iod	Dull headaches, vertigo, Meniere's disease, laryngitis and bronchitis, catarrhal pneumonia, Oedema of lungs.

Homoeopathic Triturations/Tablets

Availability: 3x, 6x, Tablets **Packing:** 25, 120 and 450 gm tablets ★ means in blister pack 3x only

ID#	Homoeopathic Tablets	Brief Indications
18	Anti tartium	Great accumulation of mucous with coarse rattling, rattling of mucous with little expectoration, nursing infants let go the nipples and cry out as if out of breath, increasingly weak, sweats, becomes drowsy and relaxed with lack of reaction, chills and contractures with pain in muscles, bilharziasis, cholera morbus.
19	Antimonium Crud	Eats beyond the capacity of his digestion , exceedingly weak condition of body, effects of suppressed eruptions, worse by heat also worse by cold , metastasis of gout and rheumatism causing gastric catarrh, useful after pressed discharges, mucous membrane generally affected .
20	★ Antipyrinum	Antipyretic, analgesic, headache, toothache, ovarian neuralgia & dysmenorrhoea, acute cold fever.
21	★ Ars Sulph Flav	Leucoderma, and squamous syphilides, chafed skin, itching of the upper thighs, anal and groin areas, scaly dry skin, often red or brownish red, with sharp borders.
22	Ars Sulph Rub	Influenza with intense catarrhal symptoms , great prostration and high temperature, purulent discharges, burning pains, bone pains, chilly even before a hot stove, psoriasis, acne and sciatica, convulsions, itching, numbness symptoms worse at night.
23	Arsenic Iod	Discharges cause burning on the parts on which they flow, influenza, hay fever , swelling tissues within nose, chronic aortitis, cancer of breast after ulceration has set in, weakness, debility, arteriosclerosis, axillary tumours, chronic pneumonia.
24	Atropinum Sulp	Violent attacks and sadness, hot, red skin, flushed face, dilated pupils, throbbing carotids, neuralgic pains, burning heat, bright redness and dryness, pains are shooting, cutting, scarlet fever, exophthalmic goiter, spasms, shocks, jerks, twitching, hydrophobia.
25	Aurum Met	Acute mental depression, hopelessness, profound depression, tendency to suicide and longing for death, self destruction , ulcers which attacks bones, warts, secondary syphilis and effects of mercury, arteriosclerosis.
26	Aurum Mur Nat	Induration of one part , softening of another, fibroids of uterus , enormous induration of ovary, cancer of breast and uterus, arteriosclerosis, warts on tongue, psoriasis syphilitica, boring pains over left eye, skull, chest, tibia and bones.
27	Barium Chlor (Baryta Mur)	Induration and narrowing of orifice with pain, icy coldness of body with paralysis , convulsions, aneurysm , arteriosclerosis, high systolic pressure with a comparatively low diastolic tension, vertigo, voluntary muscular power gone but perfectly sensible , great weakness.
28	Baruim Iod (Baryta Iodide)	Breast cancer, breast cancer after trauma, increased leucocytosis, quinsy, indurated glands, especially tonsils and breasts , strumous ophthalmia, tumors.
29	Baryta Carb (Barium Carb)	Aneurysm, enlargement of glands with induration especially tonsils, cervical and prostrate, enlarge prostrate, lipomas, fatty tumors, swollen tonsils.
30	Bismuth Carb	Symptoms of gastritis, acidity, indigestion, acid peptic disease, uprising of food.
31	Bismuth Met	Syphilis, vomiting, diarrhoea, abdominal pain, anorexia, headache, depression, skin reactions, discolouration of mucous membrane.

Homoeopathic Triturations/Tablets

Availability: 3x, 6x, Tablets **Packing:** 25, 120 and 450 gm tablets ★ means in blister pack 3x only

ID#	Homoeopathic Tablets	Brief Indications
32	Bismuth Sub Nit	Vomiting, purging and prostration, cancer of stomach, water is vomited as soon as it reaches the stomach, catarrhal inflammation, irritation and catarrhal inflammation of digestive tract, violent belching of putrid smell.
33	Borax	Sensitiveness to sudden noises, dread of downward motion, sea sickness, aphthous mouth ulcers of mucous membrane, thrush, herpes of mouth, epilepsy.
34	Caffein	Cardiac insufficiency, myocardial degeneration, extreme feebleness, threatened failure, Increases diuresis, acute pulmonary Oedema, brachialgia, neuralgias characterized by nightly aggravations.
35	Calc Carb	Nightmares, dreams of monsters, jaded state, mental, physical, due to overwork, glandular swelling, sweating, discharges profuse often sour, malnutrition, abscesses in deep muscles, polyps and exostoses.
36	Calc Hypophos	Violent drenching sweat, extreme debility, pallor of skin, cold limbs, tuberculosis, great fullness and oppression around heart, dyspnea, complete loss of muscular power, dull, heavy pressure from whole top of head between frontal and occipital bones.
37	Carbo Ani	Glands indurated, ulceration and decomposition, local congestions without heat, hook worm disease, last stages of cancer of breast, stitch remaining after pleurisy, tendency to malignancy.
38	★ Carbo Veg	Imperfect oxidation, after effects of previous illness, abdominal distentions, slow digestion, eructations, feeling of fullness & flatulent colic.
39	★ Chininum Sulph	Fever, malarial infections, headache, increases immunity, muscular weakness, suppurative nephritis.
40	★ Cholestrinum	Gall stones, precipitation of cholesterol and bile salts in gall bladder, chronic indigestion, moderate to intense pain in gall bladder area, raised bilirubin, inflammation of gall bladder, nausea and vomiting.
41	Cinnabaris	Warts on prepuce, nervous, uneasy sensation, weariness, languor, tired and prostrated, headache with nosebleed, warts bleed when touched, jerkings and pullings are frequent, ciliary neuralgia and ulceration upon a syphilitic base, great sensitiveness to touch.
42	★ Corallium Rub	Whooping cough with redness of face, very rapid coughs, violence of paroxysm, expectoration of blood, post nasal dripping, flow of mucus in pharynx, rhinitis, sinusitis, diabetes, headache, osteoporosis & muscle cramp.
43	Cuprum Acet	Cramps, griping pains, spasms, paralytic disorders and convulsions, protracted labor, chronic psoriasis and leprous like eruption over whole body.
44	Cuprum Ars	Deficient kidney action, uremic convulsions, nephritis of pregnancy, violent cramps, leg cramps, cholera infantum.
45	Cuprum Iod	Bactericide, supplement iodine and copper in deficiency.
46	Cuprum Metallicum	Spasmodic effects, convulsions and cramps of violent form, chorea from fright, convulsions may be either tonic or clonic, convulsions of children, cramps in toes, fingers, calves, chorea from fright, tape worms.
47	★ Cuprum Oxy Nig	Effective to expel tape worms and crichinosis, children particularly benefited.

Homoeopathic Triturations/Tablets

Availability: 3x, 6x, Tablets **Packing:** 25, 120 and 450 gm tablets ★ means in blister pack 3x only

ID#	Homoeopathic Tablets	Brief Indications
48	Cuprum Sulph	Burning at vertex, paleness of skin or jaundice appearance, peculiar diarrhoea, enlarged liver, spasmodic cough, lips bluish, eyes glandular, catarrhal and purulent conjunctivitis.
49	★ Damiana	Nerves strengthening remedy, ancient reputation as producing venereal desire, action on central nervous system and hormonal system, useful antidepressant, depression due to sexual factor, corrects the frigidity in females and males, sexual impotence.
49a	★ Ginko Biloba	Circulatory system, brain tonic, memory tonic, remedy for senility and mental dullness, increase visual activity, improves hearing in elderly, relief tension and anxiety and improves mental alertness, elevates mood and restores energy, tinnitus, sexual dysfunction and Raynaud's disease.
50	Fel Tauri	Constipation, chronic gastric and intestinal catarrh, cirrhosis of liver, diabetes, nape of neck pains, obstruction of the gall ducts, gallstones, jaundice, tendency to sleep after eating, emulsifies fat and increases the action on intestines.
51	Ferr Met	Anemia of young persons with flushed cheeks, pallor, weakness from mere speaking or walking though looking strong, dropsy, paralysis after loss of vital fluids, hemorrhages, rapid emaciation.
52	Ferr Mur	Diphtheria, phlegmonous erysipelas, pyelitis, hemoptysis, painful sexual intercourse, pain in right shoulder, right elbow and marked tendency to cramps and round red spots on cheeks, bright crystals in urine.
53	Ferr Sulph	Watery or painless stools, menorrhagia, pressing, throbbing between periods with rush of blood to head, weakness, pain in gallbladder, muscular pains or contractions, local atony, apathae, eczema with sluggish liver.
54	★ Graphites	Pimples, acne, oozing eruptions, unhealthy skin, skin becomes easily infected, eczema of ears and behind ears, scabies, skin cracks and fissures, eruptions, eruptions of pimples with much itching, burning of stomach causing hunger.
55	★ Gunpowder	Useful to treat wounds, blood poisoning, protection against wounds and infections, snake bites, carbuncles, diabetic ulcers.
56	★ Hekla Lava	Painful bones spur, jaw pain, dental sensitivity, gum abscess, caries of bone, tooth decay, abscess with facial swelling, swollen glands, neuralgias, nasal polyps, ulceration of nasal bones.
57	Hepar Sulph	Acts on mucous membrane, causing catarrhal process, catarrh in throat, stomach, urethra, thick, yellow, acrid, ropy discharge , mucous in stools, in urine, great sensitiveness to all impressions, tendency to suppuration, inter like pains, feeling as if wind were blowing on some part.
58	Iodoformum	Tuberculous condition , tubercular meningitis, failing of sight due to retro-bulbar neuritis, sub acute and acute chronic diarrhoea.
59	Kali Bichrome	Affects mucous membrane, thick, sticky, ropy, stringy, tough , lumpy or thick discharges, catarrh of pharynx, larynx, bronchi, and nose and a tough, stringy, viscid secretion, perforation of the septum, pains migrate quickly, pains occur in small spots , as if hair on tongue.
60	Kali Brom	Loss of memory, acne, symptoms of strokes, epilepsy , psoriasis, anesthesia of mucous membrane especially of eyes, throat, skin, parkinson's disease.

Homoeopathic Triturations/Tablets

Availability: 3x, 6x, Tablets **Packing:** 25, 120 and 450 gm tablets ★ means in blister pack 3x only

ID#	Homoeopathic Tablets	Brief Indications
61	Kali Carb	Weakness of muscles of heart of the back of limbs, weakness of intellect, sweat, backache and weakness, sweat, sharp and cutting pains, intolerance of cold weather, sharp stitching pains.
62	Kali Nit	Dropsical swelling over the whole body , suppurative nephritis, asthma and cardiac asthma, pains are dull, stitching, throbbing, wooden, numbness, relapsing tuberculosis, very weak, hemorrhagic tendency.
63	Lecithinum	Galactagogue, it renders breast milk more nourishing , tired, weak, short breath, loss of flesh, general weakness, neurasthenia , sexually weak, impotency, ovarian insufficiency, anemia.
64	Lithium Carb	Chronic rheumatism connected with heart lesions and asthenopia, whole body feels sore and heavy , uric acid diathesis, violent sharp pains, prostration.
65	Mag Carb	Sour smell from the body , broken down, worn out, sensitive to least touch , intense neuralgic pains, marasmus, children do not thrive , dryness of mucous membranes, skin, smarting leucorrhoea.
66	Mag Mur	Chronic liver disorders with tenderness and pain, action on liver, nerves, uterus and rectum, ill effects of sea bathing , spasmodic, indigestion and uterine disease.
67	Mag sulph	Skin, urinary and female symptoms, profuse dark intermittent menses, thick leucorrhoea, back feels broken, small pimples all over body with itchy violently, depressive condition with hypersensitivity, liver weakness.
68	Merc Dulcis	Remittent bilious fever, peritonitis and meningitis, cirrhosis of liver, catarrhal inflammation of ear, prostatitis, pallor, flabby and bloated and turgid flaccidity biliary stasis.
69	Merc Iod Flav	Breast tumors , tongue thick yellow coat at the base, syphilis, deep bone pains especially at night, glands of throat, lymphatic and breasts.
70	Merc Iod Rub	Affects the lymphatic glands, throat but on the left side, diphtheria and ulcerated sore throats, chronic suppurating buboes, old cases of syphilis in scrofulous patients.
71	Merc Sol	Abscess, balanitis, diseases of bone, offensive breath, bronchitis, catarrh, chicken pox, cold, abnormal dentition, diarrhoea, dyspepsia, ecthyma, excoriation, glandular swelling, gout, gum boil, perspiration, abnormal, phimosis, syphilis, toothache, ulcer.
72	★ Naphthalinum	Hay fever, whooping cough, bronchitis, asthma, allergy of the autumn with allergy to late summer, uncomfortable in air conditioning and over heating, vitality and strength, zero pulmonary phthisis and gonorrhoea.
73	Nat Ars	Miner's asthma from cold dust , nasal catarrh with headache, pain at root of nose, dry and painful eyes, bronchitis, Leukemia , racking cough with green expectoration, oppression of chest, emaciation and Oedema.
74	Nat Bicarb	Antacid and useful in the symptoms of hyperacidity.
75	Nat Carb	Sunstroke, very weak ankles, headaches from sun, debility from heat, over sensitive to open air to music to noise to dietetic errors , emaciation, anemia.

Homoeopathic Triturations/Tablets

Availability: 3x, 6x, Tablets **Packing:** 25, 120 and 450 gm tablets ★ means in blister pack 3x only

ID#	Homoeopathic Tablets	Brief Indications
76	★Orchitinum	Suffering of climatic changes, impotency and senility, inflammation of testicles, poor nutrition, asthenia, instability of nervous system, debility.
77	★Ova Testa	Leucorrhoea, backache, pain in left hip, bearing down sensation, swelling of vulva, curd like vaginal discharge.
78	Pancreatinum	Gout, disease or faulty action of pancreas, analogy of thyroid and the other sarcodes.
79	Pepsinum	Imperfect digestion with pain in gastric region, marasmus, diarrhoea due to digestion, diseases of pancreas, gout, diabetes.
80	Phenacetinum	Headaches, circumscribed rash, fever, analgesic, antipyretic.
81	Plumbum Acet	Painful cramps in paralysed limbs, severe pains and muscular cramps in gastric ulcer, locally in moist eczema and to dry up mucous surfaces.
82	Plumbum Met	Progressive muscular atrophy, gout, paralysis of single parts, wrist drop. Violent contractions, marasmus of Infants, sclerotic conditions, convulsions, chronic epilepsy.
83	Saccharum Lactis	Diuresis, amblyopia, cold pains , small shooting pains, throbbing in parts of body, great physical exhaustion and weakness, caused by overwork , prostration from mental excitement.
84	Saccharum Off	Emaciation, fat, bloated, large limbed, cross, peevish , chlorosis, with dropsy after anger, opacity of cornea, dim sight, acidity and anal itching .
85	Santoninum	Expel worms, parasites, especially round worms and thread worms, itchy anus, nocturia, enuresis & cloudy urine.
86	★Selenium	Essential for normal functioning of the immune system and thyroid gland, antioxidant and helps to relieve symptoms of arthritis, dry skin, dandruff the development of cataracts and fatigue, important for extension for life, benefits for early persons, stimulates the production of immune system, boosting white blood cells, symptoms of impotency and lack of sexual vitality.
87	Silica Marina	Inflamed glands and suppuration, constipation.
88	★Skookum Chuck	Natural mineral salt to treat skin diseases, strong affinity for skin and mucous membranes, anti-psoric, eczema, dry skin, otitis media, Ichorous, urticaria.
89	Sodium Hypophos	Used as tonic, in tonic preparations.
90	Stannum Met	Weakness in chest, throat , stomach, upper arms and thighs, talking causes a very weak feeling in throat and chest, extreme weakness which is felt in chest, paralytic heaviness or weakness, pains that comes and go gradually, pains increases gradually and gradually subsides.
91	★Sulphur	Skin problems worse from warmth and washing, temporary relieved from scratching, mental stress, irritability, depression, fever and headache, dry hair, dry skin, eczema, stubborn acne, piles, tinnitus and blistered skin.
92	★Sulphur Iod	Treats skin eruptions, redness due to vaccination reaction, swelling of uvula and tonsils, eases generalized, aches, detoxifies the immune system, restlessness of lower extremities, osteo-arthritis & cramps.

Homoeopathic Triturations/Tablets

Availability: 3x, 6x, Tablets **Packing:** 25, 120 and 450 gm tablets ★ means in blister pack 3x only

ID#	Homoeopathic Tablets	Brief Indications
93	Thiosinaminum	Disolving scar tissue , tumors, enlarged glands, keloids and for removing scar tissue, tinnitus aurium , noises in ear, opacities of cornea, cataracts, scleroderma.
94	Titanium Met	Imperfect vision, the peculiarity being that half an object can be seen, too early ejaculation of semen during sex , lupus and tuberculosis, giddiness with vertical hemiopia .
95	★ Uranium Nit	Diabetes, high blood pressure and dropsy, unable to retain urine without pain, enuresis, ill tempered, depression, pain in pyloric region, gastric and duodenal ulcers, emaciation and tympanites.
96	Urea	Uremic intoxication, delirium, convulsions and coma, tuberculosis, lumps, enlarged glands, kidney dropsy, gouty eczema, albuminuria, diabetes, general illness.
97	★ Yohimbinum	Enhances the sexual vitality, impotency, useful in erectile performance, increases libido.
98	Zincum Met	Convulsions with pale face and no heat, period of depression in disease , trembling convulsions and twitching fidgety feet, brains and nerves are fatigued, intolerance of wine, wine aggravates all symptoms .
99	Zincum Mur	Spasmodic twitching of face and hands, sprains and convulsions, emaciation, bluish and blue mottled skin, occasional attacks of titanic spasms of right forearm and hands, perversion of senses of smell and taste.
100	Zincum Phos	Mental depression, fatigue, brain fatigue, sexual excitement and sleeplessness, nervousness, paralysis, epilepsy, nervous vertigo.
101	Zincum Sulph	Anemia, tremors, prostration, heaviness, titillation all over body with irresistible inclination to laugh, trembling and convulsions.


Dosage: Generally Two tablets three times a day with water.
Children half of the same or as advised by a Homoeopathic Doctor

Bach Flower Remedies

Bach flower remedies were discovered by Dr. Bach a Homoeopathic physician. He dedicated his life to discover Thirty nine non-poisonous wild flower remedies. Each remedy is co-related to specific negative state of mind, personality trait mood or temperament. These affect the emotions. The emotions affect the physical health also serve as an indicator of physical wellness. The emotional imbalance is a precursor of any physical ailment. These remedies are not limited to depression, anxiety, Insomnia and stress but also useful for multiple kind of psychosomatic disorders.

BM offers: 10 ml Sealed.

Strength: 6x Dilution.



Dr. Edward Bach
(1886 - 1936)



Centaury



Olive



Honey Suckle



Chicory



Rock Rose



Cerato



Larch



Pine



Chestnut Bud



Agrimony



Cherry Plum



Scleranthus



Gentian



Clematis

Bach Flower Remedies
Availability: 6x Dilution Packing: 10ml

ID#	Product Name	Brief Indications
1	Bach Flower-1 (Agrimony)	Conceals his internal mental torture behind the facade of a care-free and cheerful face.
2	Bach Flower-2 (Aspen)	Unknown fears, apprehensions, unfounded fears, fear without any reason at any time.
3	Bach Flower-3 (Beech)	Intolerance, unsympathetic, lack of humility, criticizes and condemns.
4	Bach Flower-4 (Centauray)	Subservient, lack of will, persons who appears to have no choice except to obey others.
5	Bach Flower-5 (Cerato)	Seeks advice and confirmation, fails to be guided by his inner voice.
6	Bach Flower-6 (Cherry)	Fears of losing his mind's control over his action, unbearable condition of mind.
7	Bach Flower-7 (Chestnut Bud)	Fails to learn from mistakes, absent minded, repeats the same mistake again and again
8	Bach Flower-8 (Chicory)	Selfishly possessive, always keep self interest in-view, self pity.
9	Bach Flower-9 (Clematis)	Lives more in dreams even when he is awake, lack of interest, inattentive, thoughtless.
10	Bach Flower-10 (Crab)	Wants to through away unpleasant sensation, anything which is unclean, undesirable.
11	Bach Flower-11 (Elm)	Overwhelmed by responsibility, feel exhausted, feeling of inadequacy assails them.
12	Bach Flower-12 (Gentian)	Discouragement, depression, lack of faith, always looks at the dark side of the case.
13	Bach Flower-13 (Gorse)	Hopelessness, a patient who is fed-up with a long treatment of a chronic disease.
14	Bach Flower-14 (Heather)	Self centered, always concerned with his own problems, has no time listen to others.
15	Bach Flower-15 (Holly)	Hatred, envy, jealousy, the very antithesis of love, distress and unhappy.
16	Bach Flower-16 (Honeysuckle)	Lives in the past and make no efforts to solve the present difficulties escapes to the past.
17	Bach Flower-17 (Hornbeam)	Monday morning feeling, feel tired and exhausted even before he has started the work.
18	Bach Flower-18 (Impatiens)	Impatience in all walks of life in thoughts, in action, in temper, in deciding, in eating.

Bach Flower Remedies
Availability: 6x Dilution Packing: 10ml

ID#	Product Name	Brief Indications
19	Bach Flower-19 (Larch)	Lack of confidence, sure of his failure, therefore, does not to attempt to try.
20	Bach Flower-20 (Mimulus)	Fear of known things, nervousness fear of dogs, snakes and cancer.
21	Bach Flower-21 (Mustard)	Deep gloom, a sudden depression, fit of depression without reason.
22	Bach Flower-22 (Oak)	Exhausted but struggles on, never gives up hope and continues to work against all odds.
23	Bach Flower-23 (Olive)	Lack of energy, tired physically, complete exhaustion of body and mind.
24	Bach Flower-24 (Pine)	Self reproach, self condemnation, blames himself even for faults of others.
25	Bach Flower-25 (Red Chestnut)	Over concern for others, fear and over-anxiety for others.
26	Bach Flower-26 (Rock Rose)	Terror, extreme fear, panic, it is not the fear which is limited to one human mind.
27	Bach Flower-27 (Rock Water)	Self repression, self denial, very rigid, inflexible views, extreme self-discipline.
28	Bach Flower-28 (Scleranthus)	Indecision, uncertain, always in "two minds".
29	Bach Flower-29 (Star of Bethlehem)	After effects of shock, physical or mental.
30	Bach Flower-30 (Sweet Chestnut)	Extreme mental torture, hopeless despair.
31	Bach Flower-31 (Vervain)	Over enthusiasm, over busyness, hastiness, wants to do everything in haste.
32	Bach Flower-32 (Vine)	Domineering inflexible, ambition, love of power over others, devoid of love and sympathy.
33	Bach Flower-33 (Walnut)	Protection from change, "old habits die hard".
34	Bach Flower-34 (Water Violet)	Proud, aloofness, capable and efficient people like pioneers and inventors.
35	Bach Flower-35 (White Chestnut)	Persistent mental thoughts, useless mental arguments, physical troubles.
36	Bach Flower-36 (Wild Oat)	Uncertainty, indecision, dissatisfaction, never have satisfaction.
37	Bach Flower-37 (Wild Rose)	Resignation, apathy, loss of initiative to improve.
38	Bach Flower-38 (Willow)	Resentment, blames others or fate for his failure, cannot stand with grace.
39	Bach Flower-39 (Rescue Remedy)	To comfort and reassures, useful in case of emergency or accident.

Dosage: Adult:10-15 drops in a spoon of water 3 times a day.
Children: half of the same or as advised by a Homoeopathic Doctor.

One of The Largest Manufacturer of Homoeopathic Remedies



BM POLYPHARMACY PRODUCTS (COMBINATION REMEDIES)



The availability of a wide range of homoeopathic combination remedies with labelled indications for acute conditions from most major manufacturers worldwide makes this subject most relevant to the practicing Homoeopaths. Homoeopathic practitioners who prescribe combination remedies are called 'Complexists' (single remedy only 'Unicists')

By definition, these remedies are a mixture of two or more single homoeopathic remedies in liquid or solid form. Combinations of as many as twenty or more remedies (one German manufacturer offers a whole range of proprietary combinations with more than twenty remedies) are available for OTC sale, although about seven remedies in combination are most common. Combination remedies are not included as monographs in the US or UK Homoeopathic Pharmacopoeia.

Combination remedies have found increasing use in recent times, particularly in the field of homoeopathic allergens and in drainage (detoxification) therapy. *However, strict ground rules should be applied in their preparation and application.*

Supporters of combination remedies point out that, given the careful choice of their constituent remedies, the sum of their proving symptoms is so wide that the totality of symptoms is addressed. The combined proving symptoms of all the constituent remedies are regarded as a 'super polycrest' in this context. Some manufacturers state that combination remedies obviate the need for homoeopathic repertorising. Others describe combinations as a unique blend of complementary components.

Legality of Combination Homoeopathic Drugs

In 1981, the Homoeopathic Pharmacopoeia Convention of the United States (HPCUS) approved a resolution presented by the Pharmacopoeia Committee before a regular meeting of the American Institute of Homoeopathy (1948) with respect to combination remedies.

It was recognised that they were in general use by US homoeopathic physicians and these physicians were dependant on homoeopathic pharmacists for the manufacture. It was resolved, therefore, that homoeopathic combinations are within the scope of homoeopathy provided that each component remedy was listed in the current edition of the Homoeopathic Pharmacopoeia.

Similar resolutions have been made in many other countries, including the United Kingdom and France.

The demand of BM combination remedies is increasing day by day because of its effective formulation, result orientation and best presentation.

BM Nos. 1-50 in 20ml & 51-256 in 30ml Drops | BM Specialities Drops |

Homoeopathic Medicated Syrups (Regular/Sugar Free) | BM General Items | Ointments, Creams and Massage Oil

Homoeopathic Medicated Tablets & Placebos | Bio-Combination Nos. 1-28

BM Homoeopathic Combination Drops Series

BM Nos. 1-50 in 20ml (Sealed Pack) & 51-256 in 30ml (Sealed Pack)

These are Compositum Nos. and are manufactured on scientific basis. BM offers 256 Nos. for different kind of diseases. These Nos. cover from major to minor health problems and are clinically proven as per internationally recognized research methodology. BM also offers very powerful combination remedies for times of exceptional crises.



Some QC Parameters of BM Drops are being analyzed



BM Drops series Automatic Line

BM 1

(20ml Sealed)

(INFLAMMATION AND TONSILLITIS)

Composition:

Apis MellD4, Baryta CarbD8, BelladonnaD3, Calc IodD6, Hepar SulphD12, Kali BichD4, LachesisD12, MercuriusD8, PhytolaccaD4, SpongiaD3

General Indication:

May help in the symptoms of inflammation and irritation of throat, swelling, ulceration, diphtheric condition, laryngitis, tonsillitis and cold due to bacterial and viral infection.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 2

(20ml Sealed)

(HAEMORRHOIDS & ANAL FISSURE)

Composition:

Acid NitD6, Aesculus HipD4, HamamelisD3, HydrastisD3, Nux VomicaD4, PaeoniaD3, SulphurD4

General Indication:

May help in the symptoms of Haemorrhoids blind or bloody, anal & rectal soreness, burning, itching straining and stinging constipation and mucoid bloody discharges.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 3

(20ml Sealed)

(LIVER & GALLBLADDER DISORDERS)

Composition:

Berb. VulgD3, Carduus MD2, ChelidoniumD2, CholestrinumD3, HydrastisD3, PteleaD3.

General Indication:

May help in the symptoms of Hepatitis, jaundice, flatulence, bitter taste, constipation, swelling of liver and abdomen with sensation of pressure, hepatic colic, inflammation of bile duct, bile capillary and gall bladder, also indicated in cholelithiasis & cholecystitis.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 4

(20ml Sealed)

(DIARRHOEA & DYSENTERY)

Composition:

Aloe SocoD8, ColocynthisD6, IpecacD7, Myrica CerD7, PodophyllumD8, SulphurD5, Veratrum AlbD6

General Indication:

May help in the symptoms of acute and chronic diarrhoea, vomiting and diarrhoea. Dysentery, Gastroenteritis, inflammation of ileum. Watery, pasty or undigested stool.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 5

(20ml Sealed)

(TOXINS DRAINAGE AND IMMUNITY IMPROVER)

Composition:

Apis MelD3, BaptisiaD4, Conium MacD8, EchinaceaD2, EupatoriumD4, SiliceaD6, Thuja OccD8.

General Indication:

May help in the symptoms of producing immunity against viral, bacterial and allergy releasing factors. Helps to eliminate blood, food and medicine poisoning.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 6

(20ml Sealed)

(LEUCORRHOEA AND ASSOCIATED COMPLAINTS)

Composition:

AgrimoniaD6, AluminaD12, HydrastisD4, Kali BichD6, PulsatillaD5, SepiaD4

General Indication:

May help in the symptoms of Leucorrhoea acrid, burning, creamy & transparent. Congested heavy feeling. Nausea and downward pressure. Pain in back and womb. Pain in muscle of thighs.

Dosage:

Adult: 10-15 drops 3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 7

(20ml Sealed)

(SKIN AILMENTS AND PSORIASIS)

Composition:

EchinaceaD5, GraphitesD10, HydrocotyleD3, Kali MurD6, PetroleumD12, SulphurD7, Viola TricolorD5

General Indication:

May help in the symptoms of inflammation and skin allergy especially Eczema, Dermatitis, Pimples, Acne, Warts, Psoriasis, Urticaria (red and raised areas on the skin) and many other skin ailments.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 8

(20ml Sealed)

(RHINITIS AND SINUSITIS)

Composition:

Ars AlbD12, CinnabarisD8, Formica RufaD6, HydrastisD5, Kali BichD5, SabadillaD5, Sticta PulmD6, Teucrium M.V.D4.

General Indication:

May help in the symptoms of inflammation and irritation in the nasal canal (Rhinitis). Acute and chronic catarrh. Sinusitis, influenza, sneezing, colds, allergy to cold air and loss of sense of taste and smell.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 9

(20ml Sealed)

(MUMPS AND LYMPHODITIS)

Composition:

Baryta CarbD10, BelladonnaD10, Cistus CanD10, Conium MacD8, Merc. SolD12, SarsaparillaD8, ScrophulariaD4.

General Indication:

May help in the symptoms of acute and chronic disease of lymphatic glands (lymph node). Inflammation and swelling of parotid gland (Mumps). Inflammation of tonsils and lymphatics of the pharynx.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 10

(20ml Sealed)

(TO CONTROL DIABETES MELLITUS)

Composition:

Acid PhosD12, Nat SulphD7, LycopodiumD4, Syzygium JambolD8, TaraxacumD8, Uranium NitD6, Uva UrsiD8

General Indication:

May help in the symptoms of diabetes mellitus, urinary sugar and blood sugar, thirst, lack of orgasm & psychic depression.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 11

(20ml Sealed)

(HEADACHE MIGRAINE AND NEURITIS)

Composition:

Acid SalicylicumD12, BelladonnaD4, Coffea CrudaD5, GeisemlumD4, Iris VersD3, Melilotus offD4, SpigeliaD3, Usnea BarbD2

General Indication:

May help in the symptoms of headache of all types, congestive, chlorotic and weekly subjects, nervous and sensitive hammering pulsating, sometimes at the back of head. Sore to touch catarrhal gastric, rheumatic nervous migraine and neuritis.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 12

(20ml Sealed)

(HYPERACIDITY AND GASTRITIS)

Composition:

Abies NigD5, Anti CrudD8, CondurangoD4, LycopodiumD5, Nux VomicaD5, OrnithogalumD4, SymphytumD4

General Indication:

May help in the symptoms of indigestion, dyspepsia, gastritis, acidity, gastric and duodenal ulcer, pain, severe cramps, pyloric spasm, heart burn, feeling of uprising, flatulence, poor appetite, bad taste and sour eructation.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 13

(20ml Sealed)

(ACUTE, CHRONIC COUGH & BRONCHITIS)

Composition:

BelladonnaD4, Cuprum AceticumD6, DroseraD3, GrindeliaD4, Ipecac D5
Lobelia InflataD2, NaphthalinumD12, Yerba SantaD4

General Indication:

May help in the symptoms of acute and chronic, whooping, barking, painful, productive, and dry cough. Pain in chest, irritating cough and bronchial inflammation.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 14

(20ml Sealed)

(AMMENORRHOEA & DYSMENORRHOEA)

Composition:

GossypiumD3, Lilium TigD4, Mag phosD7, PulsatillaD4, SepiaD7, Viburnum OpulusD6, XanthoxylumD5

General Indication:

May help in the symptoms of ammenorrhoea, dysmenorrhoea and cramps in pelvic region. Painful menses in young girls.

Dosage:

Adult:10-15drops, 3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 15

(20ml Sealed)

(MUSCULAR AND JOINT RHEUMATISM)

Composition:

Arnica MontD4, Bryonia AlbD5, CausticumD5, ColchicumD5, InulaD7, Lithium CarbD4, Rhus ToxD6

General Indication:

May help in the symptoms of neuralgic, muscular, lumbar, loin and cervical pains. Sciatica, arthritis, tendon, nerve inflammation. General rheumatic aches, pains and sprains.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 16

(20ml Sealed)

(PALPITATION AND NERVOUS EXCITABILITY)

Composition:

Arnica MontD4, Cactus GrandD1, Crataegus OxyØ, SpigeliaD2, ValerianaD2

General Indication:

May help in the symptoms of Nervous excitability of heart, palpitation, tachycardia, angina pectoris, coronary insufficiencies, strong and jerky pulse.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 17

(20ml Sealed)

(TENSION AND DEPRESSION)

Composition:

AconiteD7, Agaricus MusD6, AnacardiumD7, GelsemiumD5, IgnatiaD5, MoschusD12, PassifloraD1

General Indication:

May help in the symptoms of Lack of confidence with nervousness, depression, fear, tension, sleeplessness, violent palpitation, impaired memory with hallucination.

Dosage:

Adult:10-15drops, Teenagers: half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 18

(20ml Sealed)

VISION WEAKNESS (ORAL DROPS)

Composition:

BelladonnaD3, Bellis P.D6, EuphrasiaD6, Ferr PhosD6, PassifloraD4, PhysostigmaD4, Ruta GraveD3

General Indication:

May help in the symptoms of red eyes, inflamed, vision weakness, iritis, styes, vision confused, heavy eyelids, burning, glaucoma and cataract.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 19

(20ml Sealed)

(RAVENOUS HUNGER, OBESITY)

Composition:

Adonis VernD3, Calc CarbD10, Fucus VesD1, GraphitesD10, Phytolacca BerD2

General Indication:

May help in the symptoms of ravenous hunger, obesity, unnecessary fat around the belly and other body parts.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 20

(20ml Sealed)

(BLOOD PURIFICATION)

Composition:

Baptisia TincD4, EchinaceaD3, EuphorblumD6, Galium AparD12, Rumex C.D3, SarsapillaD6, SulphurD6

General Indication:

May help in the symptoms of Skin diseases i.e. acne, dermatitis, eczema, urticaria (red, itchy and raised areas on skin), inflammation and infection of skin, watery blister, eruption, pimples, psoriasis, pruritis and swelling of lymphatic gland.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 21

(20ml Sealed)

(ACUTE AND CHRONIC CONSTIPATION)

Composition:

AluminaD5, BryoniaD5, ColocynthisD6, GraphitesD10, HydrastisD3, LycopodiumD4, Mag MurD12, Nux VomicaD5, OpiumD30, PlumbumD7

General Indication:

May help in the symptoms of acute and chronic constipation. Atonic and spasmodic constipation. Dry hard stool as if burnt. Poor digestion, prolapsed rectum. Sinking feeling in stomach and dull headache.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 22

(20ml Sealed)

LOW BLOOD PRESSURE (HYPOTENSION)

Composition:

Adonis VerD10, Arnica MontD3, Crataegus OxyD1, ConvallariaD3, LaurocerasusD5, OleanderD4, ValerianaD4

General Indication:

May help in the symptoms of collapse tendency, circulatory disorders, disturbance of heart rhythm. Low blood pressure (Hypotension).

Dosage:

Adult:10-15drops, Teenagers: half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 23

(20ml Sealed)

ENURESIS (BED WETTING),CYSTITIS

Composition:

BelladonnaD6, CausticumD7, EquisetumD5, Kali PhosD5, Plantago MajD2, PulsatillaD5

General Indication:

May help in the symptoms of Nocturnal enuresis (bed wetting),inflammation of bladder(cystitis) & pain or difficulty in passing urine (dysuria).

Dosage:

Teenagers 10-15 drops in some water 3-4 times a day, children half of the same or as prescribed by a Homoeopathic doctor.



BM 24

(20ml Sealed)

(WEAK MEMORY)

Composition:

AnacardiumD7, AshwagandhaD2, BelladonnaD7, GelsemiumD5, Kali PhosD3, PhosphorusD12, SepiaD7

General Indication:

May help in the symptoms of dull mindedness,loss of mental vigour. Useful as brain tonic for students.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 25

(20ml Sealed)

SLEEPLESSNESS (INSOMNIA)

Composition:

Avena SatD1, Coffea CrudaD5, Humulus LupD5, IgnatiaD5, Nux VomicaD4, PassifloraD1, ValerianaD1

General Indication:

May help in the symptoms of Neuresthenia (insomnia) Sleeplessness, mental disturbance due to worry or fear & sleep disturbed by dreams.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 26

(20ml Sealed)

(ALLERGY AND ASTHMA)

Composition:

Arsenic Albd7, Atropin SulphD6, Blatta OriD3, GrindeliaD3, IpecacD6, NaphthalinumD7, Spongia TostaD4

General Indication:

May help in the symptoms of allergic asthmatic bronchitis, chest tightness, wheezing, bluish skin, exhaustion, grunting respiration and restlessness.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 27

(20ml Sealed)

(STOPS BLEEDING FROM ANY ORIFICE OF THE BODY)

Composition:

Arnica MontD3, Crocus SatD3, HamamelisD2, MillefoliumD4, SanguinariaD4, Secale CornD5, Trillium PendD3

General Indication:

May help in the symptoms of bleeding,dysfunctional uterus,post menopausal premenopausal vaginal unexpected bleeding, piles & accidental bleeding.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 28

(20ml Sealed)

(APHONIA LARYNGITIS & PHARANGITIS)

Composition:

Argentum NitD12, Arnica MontD3, Ars. IodD4, Arum TriphD5, BoraxD10, DroseraD3, Ferr PhosD12

General Indication:

May help in the symptoms of laryngitis, pharangitis aponia (hoarseness) of actors, teachers, singers and lawyers etc.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 29

(20ml Sealed)

(ALBUMINURIA NEPHRITIS-CYSTITIS)

Composition:

Capilla B.P.D3, HamamellsD2, HelleborusD6, JuniperusD3, PlumbumD10, SolidagoD5, TerebinthinaeD3

General Indication:

May help in the symptoms of albuminuria, nephritis, cystitis & urinary tract infection.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 30

(20ml Sealed)

(EPILEPSY & CONVULSIONS)

Composition:

Arg NitD3, Atropin SulphD6, Bufo RanD10, Cuprum AceticD3, HyoscyamusD3, Oenanthe CrocD5, Zinc ValerianD2

General Indication:

May help in the symptoms of epilepsy & convulsions, endocrine imbalance and contraction in vital organs.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 31

(20ml Sealed)

(VARICOSE ULCERS)

Composition:

Arnica MontD4, Calc FlourD3, CalendulaD3, EchinaceaD10, HamamelisD2, Hepar SulphD5, PulsatillaD7

General Indication:

May help in the symptoms of varicose ulcers in the legs. This remedy covers the varicosities in other parts of the body e.g. In the anus (Haemorrhoids), In the oesophagus, (Oesophageal varices) & in the scrotum (varicoceles).

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 32

(20ml Sealed)

(SPLEEN DISORDERS)

Composition:


CeanothusD2, China OffD3, GrindeliaD3, HelleborusD7, Hura BraD14, LycopodiumD14, Mentha PipD3.

General Indication:

May help in the symptoms of spleen. enlargement, Infection mononucleosis, blood disorders, thalassaemia, sickle cell anaemia and tumours of spleen.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 33

(20ml Sealed)

(ANAEMIA)

Composition:

Acid FolicD10, Acid PhosD4, Arsenic AlbD4, Avena SatD3, Beta VulgD5, China OffD12, Ferr MetD5, Natrum MurD5

General Indication:

May help in the symptoms of anaemia, folic-Acid deficiency, fatigue and weakness, red, sore tongue paleness shortness of breath, nausea, vomiting and diarrhoea.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 34

(20ml Sealed)

PNEUMONIA (BACTERIAL & VIRAL)

Composition:

AconiteD6, BelladonnaD5, BryoniaD7, Ferr PhosD7, IpecacD7, LachesisD16, PhosphorusD14

General Indication:

May help in the symptoms of pneumonia (bacterial & viral) high fever and chills, muscle aches & fatigue. Cough with or without sputum, sore throat, chest pain & enlarged lymph glands in the neck.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 35

(20ml Sealed)

(LUMBAGO & SCIATICA)

Composition:


BelladonnaD7, Bryonia AlbaD7, Calc PhosD6, ColchicumD16, ColocynthisD7, DioscoreaD14, Rhus ToxD5

General Indication:

May help in the symptoms of Lumbago (Backache). Pain radiates along the sciatic nerves, pain usually affect the buttock & thigh but sometime extend down the legs to the foot. In severe cases pain may accompanied by numbness & weakness in the affected area.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 36

(20ml Sealed)

(FIBROIDS & OVARIAN CYSTS)

Composition:

Calc CarbD16, Calc FluorD12, Cistus CanD10, FraxinusD3, Fucus VesD4, OophorinumD16, Secale CornD3, Thuja OccD4

General Indication:

May help in the symptoms of myoma, leiomyoma, frequent increased menstruation, bleeding between periods, painful coitus, increased vaginal discharge ovarian cyst, swelling without pain in the lower abdomen.

Dosage:

Adult:10-15drops, 3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 37

(20ml Sealed)

(THYROID TUMOUR)

Composition:

Baryta CarbD10, BromiumD7, Calc IodD8, Conium MacD7, IodiumD14, Spongia TostD6, ThyroidinumD12

General Indication:

May help in the symptoms of, benign or malignant thyroid nodule, swelling, pain & tenderness in the thyroid gland, swallowing difficulty, hoarseness, symptoms of hypothyroidism or hyperthyroidism.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 38

(20ml Sealed)

(ACNE & PIMPLES)

Composition:

Berb. Aquid2, GraphitesD18, HydrocotyleD2, Kali BromD7, Kali IodatD7, Natrum PhosD12, Sulphur IodatD7

General Indication:

May help in the symptoms of Inflammation of the hair follicles and sebaceous glands in the skin. Acne vulgaris, tropical acne, infantile acne, chemical acne or acne due to increased levels of androgen hormones.

Dosage:

Adult:10-15drops, Teenagers: half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 39

(20ml Sealed)

(ALLERGY & URTICARIA)

Composition:

Apis MellD3, Ars AlbD4, Calc CarbD10, DulcamaraD5, Ledum PalD10, Rhus ToxD4, Urtica UrenD3

General Indication:

May help in the symptoms of Mastocytosis, (numerous, itchy irregular, yellow or orange brown swelling on the skin).Worse after bathing or scratching. Allergy from food(milk, eggs, shellfish or nuts) medicine allergy, such as penicillin or aspirin.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 40

(20ml Sealed)

(PARALYSIS, PARAESTHESIA)

Composition:

AluminaD7, CausticumD8, GelsemiumD3, MoschusD14, PlumbumD9, Secale CornD4, Zincum AcetD9

General Indication:

May help in the symptoms of Loss of movement & sensation in affected arms or legs, loss of urinary & bowel control & symptoms of facial paralysis.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 41

(20ml Sealed)

(LOSS OF APPETITE, PALENESS AND PUFFY)

Composition:

AlfalfaD1, AbsinthiumD4, AngusturaD2, China OffD4, CinnamonD3, Illicium AnisD1, Nux VomicaD7

General Indication:

May help in the symptoms of appetite loss,nausea or vomiting, decreased urination, puffy face, weight loss, paleness.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 42

(20ml Sealed)

FEVER, (TYPHOID & MALARIA)

Composition:

Aconite NapD2, Baptisia TincD1, China OffD1, Eupatorium PerFD1, Filipendula UlmD1

General Indication:

May help in the symptoms of Infection, flu, malaria, intermittent rheumatic and typhoid fever with symptoms of body aches, nausea and vomiting.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 43

(20ml Sealed)

(ROUND, THREAD, TAPE & HOOK WORMS)

Composition:

ChamomillaD12, Chelone G.D4, CinaD3, CinnabarisD4, Cuprum Oxy NigD2, SantonineD6, Teucrium M.V.D3

General Indication:

May help in the symptoms of all kind of worms (round worms, thread worms, whip worms, tape worms & hook worms).

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 44

(20ml Sealed)

INFERTILITY (FEMALE)

Composition:

Aletris FarD4, Ashoka JanosD2, AshwagandhaD3, CaulophyllumD6, CimicifugaD6, HeloniasD4, SepiaD14

General Indication:

May help in the symptoms of production of unhealthy eggs, inflammation of fallopian tubes,irregular menstrual cycle,abnormal ovulation and incomplete/undesired coitus.

Dosage:

Adult:10-15drops, 3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 45

(20ml Sealed)

(PROSTATITIS & ENLARGEMENT)

Composition:

Capcilla B.PD4, Chimaphila UmbD6, ClematisD4, ConiumD4, PulsatillaD4, Sabal SerrD2, SolidagoD6

General Indication:

May help in the symptoms of urgency to urinate, burning on urination ,weak urinary stream.Pain between the scrotum & anus. Feeling that bladder cannot be emptied completely & waking to urinate at night.

Dosage:

Adult:10-15drops, 3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 46

(20ml Sealed)

(TOOTHACHE & GINGIVITIS)

Composition:

AconiteD4, BelladonnaD3, ChamomillaD6, Mag PhosD12, Merc SolD18, MillefoliumD7, StaphysagriaD9

General Indication:

May help in the symptoms of teeth sensitivity to hot & cold, discomfort after eating sugar, caries, dental decay, cavities, scurvy or pellagra, poor nutrition, especially vitamin deficiencies.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 47

(20ml Sealed)

(ARTHRALGIA NEURALGIA & MYALGIA)

Composition:

Acid SalicylicD8, CaffeinumD5, ColocynthisD3, GelsemiumD3, Ginkgo BilobaD4, Mag PhosD7, SpigeliaD3

General Indication:

May help in the symptoms of recurrent neuralgia, arthralgia, myalgia fibromyositis, stiffness, weakness, spasms of muscles and fatigue.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 48

(20ml Sealed)

(MEASELES)

Composition:

Arum TripD5, BelladonnaD7, Bryonia AlbaD7, ChamomillaD6, Merc SolD18, MorbiliunumD18, PulsatillaD7

General Indication:

May help in the symptoms of temperature, fatigue, appetite loss, sneezing & running nose,harsh & hacking cough, red eyes and sensitivity to light koplik spots (tiny white spots)in the mouth & throat, reddish rash on the forehead around ears that spreads to the body.

Dosage:

Adult:10-15drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 49

(20ml Sealed)

(UNDEVELOPED BREASTS)

Composition:

Beta VulgD4, ChinaD7, CimicifugaD10, Medicago SatD6, OnosmodiumD12, Saw PalmettoD3

General Indication:

A clinically experienced remedy, benefitted to develop the under developed / undeveloped breasts.

Dosage:

Adult:10-15drops, 3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 50

(20ml Sealed)

(HEIGHT GAINER)

Composition:

Baryta CarbD18, Calc PhosD10, Ferrum PhosD10, Kali PhosD10, Magnesia PhosD10, Natrum PhosD10, PituitrinumD16

General Indication:

May help in the symptoms of growth disturbances in children, reasoning dysfunctionings of pituitary gland and associated system.

Dosage:

Teenagers:10-15 drops, children half of the same,3-4 times a day in some water or as prescribed by a Homoeopathic Doctor.



BM 51

(30ml Sealed)

(HEPATITIS A,B AND E.)

Composition:

Berb VulgD3+30C, Carduus MarD2+20C, ChionanthusD2+20C, ChelidoniumD2+20C, HydrastisD2+20C, KalmeghD1+10C, MyricaD10+100C, PodophyllumD6+60C

Specific Indication:

Hepatitis (Inflammation of the Liver). Hepatitis because of alcohol, inherited disorders, viral hepatitis, auto immune disease, medications and toxic exposures. Acute hepatitis includes hepatitis A, hepatitis B, hepatitis E with the specific indications of general malaise, anorexia ended usually followed by jaundice. Pain in the region of liver which may extend to stomach with weakness headache, urine yellow, elevated liver profiles, enlargement of liver and sensitive to touch.

General Indication:

Hepatitis is the inflammation of the liver. The term hepatitis alone does not indicate the reason for the inflammation of the liver, however, the research and development data shows that the causes of hepatitis includes: alcohol drinking, inherited disorders, viral hepatitis, auto immune disease, medications and toxic exposures. Acute hepatitis usually appears when the immunity system becomes weak. Acute hepatitis includes Hepatitis A, B and E. Some being the carrier of the acute hepatitis have no signs of the disease but other people do have common early signs of mild fever, headache, muscle aches, tiredness, loss of appetite, nausea, vomiting and diarrhoea. If the hepatitis persists for a longer period then the symptoms will be dark coloured urine and pale faeces, pain in the stomach, the skin and the whites of the eyes turning yellow and few of the patients complain arthritic like symptoms.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 52

(30ml Sealed)

(FOR THE TREATMENT OF HEPATITIS-C)

Composition:


Carduus MarD4+100C, ChelidoniumD2+100C, EchinaceaD3+100C, BaptisiaD1+100C, CeanothusD3+100C, Beta VulgD6+100C, Andrographis PenD18+100C

General Indication:

1. An inflammation of the liver caused by certain viruses and Other Factors.
2. Certain hepatitis viruses can become chronic (long-lasting) and can sometimes lead to liver failure and death.
3. Hepatitis C is much more likely than hepatitis B to lead to chronic liver disease.
4. People infected with HCV can become chronic carriers of the virus, although they may have no symptoms.

Special Note: It is estimated that there are approximately million HCV chronic carriers. Around 70 percent of all HCV carriers will develop chronic liver disease, regardless of whether they have symptoms.

5. The symptoms HCV can range from mild to severe. The most common early symptoms are mild fever, headache, muscle aches, fatigue, loss of appetite, nausea, vomiting and diarrhoea.
6. Later symptoms may include dark coffee-coloured rather than dark yellow urine, clay coloured stools, abdominal pain, and yellowing of the skin and/or whites of the eyes (jaundice).



7. Hepatitis C can be treated with BM Hepatitis compositum as well as preventing dehydration, a healthy diet and avoidance of alcoholic beverages.
8. Most patients with mild to severe hepatitis C begin to feel better in three to four weeks and recover completely from their symptoms within a considerable passage of time.
9. BM recommend physicians to repeat the test or may see you regularly for a few months to test blood samples for liver enzymes and do a follow up test again in six months.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 53

(30ml Sealed)

(RIGHT SIDED ABDOMINAL AFFECTIONS)

Composition:

Apl's MellificaD6+60C, Apium VirusD12+100C, Arsenic AlbD30+100C, Bryonia AlbD6+60C, SulphurD12+100C

Specific Indication:

Specific action on the abdomen particularly right side. Convulsive pain. Feeling of fear. Acute and chronic inflammation of the organs located in the right side of abdomen.

General Indication:

This compositum is effective in the symptoms of burning pains in the abdomen as found in the inflammation of ovaries. It is also useful in renal disorders and renal colic. This remedy is particularly effective in annexitis, parametritis & salpingitis and other affection of right side. It is also useful to reduce the inflammation of appendix. This remedy is experienced as useful remedy in the right sided abdominal complaints when there is no specific cause behind.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 54

(30ml Sealed)

(LEFT SIDED ABDOMINAL AFFECTIONS)

Composition:

LachesisD16+100C, LycopodiumD12+60C, PalladiumD12+100C, SaxifragaD30+50C, Vespa VulgD8+100C

Specific Indication:

Specific action on the abdomen particularly left side. Convulsive pains. Feeling of fear. Acute and chronic inflammation of the organs located in the left side of abdomen.

General Indication:

This compositum is particularly indicated in the left sided abdominal affections, convulsive pains with flushing. The pains are particularly located around the descending colon sigmoid, arousing fear of cancer which is often well grounded. This compositum is also recommended upon the cyst of ovaries with the symptoms of acute and chronic inflammation. Further symptoms where this compositum is result oriented are renal calculi, intestinal colic, left renal colic and inflammation of the left ovary.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 55

(30ml Sealed)

(ANTI SMOKING)

Composition:

Daphne IndicaD30+60C, Natrum PhosD16+100C, Silica MarinaD6+100C, Tabacum30C+70C

Specific Indication:

Craving for tobacco, anxiety, general weariness and bad breath.

General Indication:

The general indications of anti-smoking compositum are craving for tobacco, burning in stomach & bad breath. The patient is disturbed in sleep. Dreams with nightmares and chilliness. This compositum is further recommended in the symptoms of anxiety, nausea, giddiness, very despondent and forgetful. Patient complains a feeling of constriction of chest which aggravates during extremes of heat and cold. Antismoking compositum is also recommended when there is a lot of desire of warmth. Symptoms of nervousness and excitable with brain fog. There are dull feeling in the head with throbbing, general weariness and sour eructations.



Special Note: If the chain smokers intend to use this compositum, they can, of course, save their major body organs which are on risk because of continues smoking.

Dosage:

Adult: 10-15 drops, teenagers half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 56

(30ml Sealed)

(SINUSITIS)

Composition:

EuphorbiumD10+100C, HydrastisD2+20C, Kali BichD1+10C, Kali IodD10+100C, Mercurius SolD25+100C, OscillococinumD50+200C, Prunus VirgD5+50C

Specific Indication:

Sinusitis, headache in the morning, inflammation of the frontal sinuses, infection in the maxillary sinuses, swelling of the eyelids and tissues around the eyes, loss of smell, stuffy nose, tiredness, rhinitis, rhinopharyngitis are the most important indications of this compositum.

General Indication:

Sinusitis is caused by anything that irritates the lining of the nose over long time period and causes the mucous membrane to swell. The most common sinusitis causes are grass and tree pollen, cold air, alcohol, perfumed, damp weather, allergy to house dust, mite mould and fungi and snorting. People who have allergy based asthma often have sinusitis attacks. Infact, any problem with the nose that blocks the drainage holes can produce sinusitis. This can include polyps, deviated nasal septum, tooth and gum infections, swimming, air pollution and smoking. Some of the important symptoms of sinusitis are frontal sinusitis, it causes pain above the eyebrows and the forehead



may be tender to touch. Maxillary sinusitis causes aching in the upper jaw, teeth and cheeks. Inflammation of the sphenoid sinusitis can cause earache, neck pain or an ache behind the ears or temples. Stuffy nose, thick yellow or green discharge from the nostrils, cold symptoms, foul smell in the nose, temperature, weakness, tiredness, loss of taste and sense of smell and sometimes cough that produces mucous. Acute sinusitis is much more common in the people and it is usually bacterial in origin. In most of the acute sinusitis cases which starts with common cold are caused by a virus. These viral colds do not cause symptoms of sinusitis but they do inflame sinuses.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 57

(30ml Sealed)

(ANTIBIOTICS REACTION)

Composition:


Bacterium ColiD100+100C, ErythromycinD100+100C, MedorrhinumD100+100C, PenicillinD100+100C, Succinic AcidD100+100C, SulphurD100+100C, TetracyclineD100+100C

Specific Indication:

Antibiotics side effects such as lethargy, swelling in joints and loss of appetite. Some of the other most common reactions are skin rashes, fainting, itching, indigestion, low blood pressure, disturbance in liver profile & diarrhoea.

General Indication:

Common side effects of antibiotics include stomach upset, diarrhoea and vaginal yeast infections (in women). Some side effects are more severe depending on the antibiotic. It may disturb the function of the kidneys, liver, bone marrow, or other organs. Blood tests are used to monitor such adverse reactions. Some people who receive antibiotics develop colitis (Inflammation of the large intestine). The colitis results from a toxin produced by the bacterium clostridium difficile, which grows unchecked when other antibacteria are killed by the antibiotics. Antibiotics can also cause allergic reactions. Mild allergic reactions consist of an itchy rash or slight wheezing. Severe allergic reactions (anaphylaxis) can be life threatening and usually include swelling of the throat, inability to breath, and low blood pressure. Many people tell their doctor that they are allergic to an antibiotic. But in fact they have only experienced side effects from it that are not allergy related. The distinction is important because people who are allergic to an antibiotic should not be given that drug. However, people who have experienced minor side effects can usually take related drugs or even continue taking the same one. The doctor can determine the significance of any unpleasant reaction a person has to an antibiotic.



Dosage:

Adult: 10-15drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor. **Children:** Half of the same or as prescribed.

BM 58

(30ml Sealed)

(STONE IN GALL BLADDER)

Composition:

Berb VulgD1+10C, Carduus MarD1+10C, ChelidoniumD1+10C, ChionanthusD2+20C, DioscoreaD1+10C, Fel TauriD2+20C, HydrastisD1+10C

Specific Indication:

Cholelithiasis (Stone in Gall Bladder), epigastric pain radiating to the shoulder, flatulence, indigestion, belching, bloating and fatty food intolerance. Distention in the epigastric area, symptoms of nausea and vomiting.

General Indication:

Gall stones are asymptomatic, symptomatic and with complications that is Cholecystitis. A history of epigastric pain radiating to the shoulder may suggest symptoms of cholelithiasis. Usual gall stone symptoms are flatulence, right upper quadarant pain, biliary colic, indigestion, belching, bloating and intolerance of fatty food. Gall bladder colic often awakening the patient at night radiating to shoulder or back. Symptoms of nausea, vomiting and distention in the epigastric area. Following are the increased risk of the formation of the gall stones i.e alcoholism, diabetes, hemolytic disease, astrogen replacement therapy at high doses and pregnancy harmones. The record indicates that females are more prone than males to have gall stones.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 59

(30ml Sealed)

E N T AFFECTIONS (EAR, NOSE AND THROAT)

Composition:

Calc CarbD10+100C, DulcamaraD15+100C, Hepar SulphD15+100C, LycopodiumD10+100C, Nat MurD16+100C, SulphurD15+100C, Thuja OccD10+100C

Specific Indication:

Recurring ear, nose and throat affections. Most peculiar ones are rinopharyngitis, tonsillitis, otitis, tubal catarrh and sinusitis. A partial and temporary deficiency of the immune system.

General Indication:

The role of the nasal cavities and the pharynx is to effectively protect against any possible microbial respiratory tract affections. People may come into contact with many of these germs at one time or another. Various microbial contact can create immune reactions without clinically apparent manifestations and in some patients morbid disorders dominated either by current diseases or chronic catarrh of the mucous membranes are observed. These various affections represents a partial and temporary deficiency of immune system or allergic reactions which weaken the mucosa, the inflammatory reaction facilitating the infection. Young children are particularly prone to affection which occur when aggressor-host equilibrium is broken. It should also be noted that other factors such as cold, humidity, pollution, ineffective mucous and severe contagion also affect the defence system. The relapsing ear, nose and throat affections include rinopharyngitis, tonsillitis, otitis, tubal catarrh and sinusitis. Some important symptoms are the recurrent ear, nose and throat affections, hypertrophy of lymphatic tissues, inflammation and suppurations, acute or chronic nasal catarrh, cough, bronchitis or asthma, allergies, sensitiveness to cold, wet weather and nasal catarrh.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 60

(30ml Sealed)

(UTERINE FIBROIDS)

Composition:

CimicifugaD6+60C, DroseraD6+60C, Formica RufaD6+60C, FuligoD6+60C, Inula HelD6+60C, Kali MurD6+60C, Lapis AlbusD6+60C, SiliceaD6+60C

Specific Indication:

Fibroids (tumors or lumps) within the wall of the uterus. Heavy bleeding or painful periods, bleeding between periods, fullness and pressure in the pelvic area, polyuria, pain during coitus, lower back pain, reproductive problems such as infertility and miscarriage.

General Indication:

No one knows surely the actual causes of fibroids. Researchers have some theories but most likely fibroids are the result of many factors interacting with each other. These factors could be hormonal, running in families, environmental or a combination of all these because no one knows what the actual cause is. Even we do not know what causes them to grow or shrink. Fibroids are always almost benign and they rarely turn into cancer. Fibroids are named depending upon where they lie. Out of all fibroids subcervical fibroids are the least common (5% of all fibroids), they disturb the shape of the uterus and this one is the type most likely to cause fertility problem. Most fibroids do not cause any symptoms but some women with fibroids can have heavy bleeding between periods, feeling of fullness in the pelvic area, increased urination, pain during sexual intercourse, lower back pain, reproductive problems such as infertility and miscarriage.



Dosage:

Adult: 10-15drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 61

(30ml Sealed)

A R F (ACUTE RENAL FAILURE)

Composition:

Acid FumaricD50+50C, ApocynumD1+10C, Berberis VulgD1+10C, Cactus Grand1+10C, ErigeronD1+10C, Lycopodium D1+10C, Uva UrsiD1+10C

Specific Indication:

Excruciating intermittent radiating pain in the kidney. Nausea, vomiting, abdominal distension, fever, urinary frequency disturb, dysuria, cloudy urine, cystitis. Pain in the lumbar region and hypochondrium. Elevated renal profiles & giddiness mild.

General Indication:

In many cases there is a sudden onset of pain in one or both loins radiating to the iliac fossa and supra-pubic area. There may be dysuria and strangury with the passage of small amount of scalding, usually cloudy urine, due to an associated cystitis. Temperature rises 100° to 102° and there may be vomiting. Tenderness and muscular pain may be present in the lumbar region and hypochondrium. Changes are noticed in urine macroscopic examination.



Whereas microscopic analysis indicates numerous pus cells, some red cells and epithelial cells. In which organisms are motile, infection is assumed to be due to Esch. Coli.

In pyelitis of children, the disease presents only fever without any localized symptoms. An acute case is diagnosed by the sudden rise of fever with chill, pain in the loins, and sometimes by a tender swelling dysuria. Urine analysis shows many pus cells and causative bacteria.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 62

(30ml Sealed)

CIRRHOSIS (LIVER)

Composition:

Ammonium BenzoicumD20+200C, Aurum MurD20+200C, Calc ArsD200+200C, Carduus MarD50+50C, Crotalus HorridusD50+50C, Muriatic AcidD200+200C, Nux VomD200+200C, PhosphorusD200+200C, ViperaD200+200C

Specific Indication:

Chief symptoms of liver cirrhosis may be as abnormal nerve function, ascites, breast enlargement in men, cough, vomiting of blood, curling of fingers, jaundice, poor appetite, portal hypertension, weakness, abdominal pain and weight loss.

General Indication:

Most patients with cirrhosis have few symptoms. Cirrhosis may be suggested by yellowing of skin, known symptoms are weakness and loss of appetite. Itching results from the back of bile into the blood and skin. Symptoms of exhaustion, fatigue, nausea, weight loss, abdominal pain and spider like blood vessels may be present. Though there are many other causes of the liver cirrhosis but the world wide collective data indicate that the cirrhosis of liver may be due to alcoholic liver disease, chronic hepatitis C, chronic hepatitis B and D, auto immune hepatitis, inherited disease, non alcoholic steatohepatitis, blocked bile ducts, use of certain drugs, malnutrition, reduced and loss of liver function, affects the body in many ways. The complicated cirrhotic liver may cause oedema and ascites, bruising and bleeding, jaundice, itching, gall stones, toxics in the blood or brain, sensitivity to medication and portal hypertension.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 63

(30ml Sealed)

ALOPECIA (FALLING OF HAIR)

Composition:

CeanothusD1+10C, Kali MurD10+100C, Kali ArsD12+100C, OophrinumD25+100C, SeleniumD18+100C, ThalliumD18+100C, WeisbadenD100+100C

Specific Indication:

Alopecia falling of hair, caused by chronic headache, lack of secretion of the sebaceous glands. Baldness due to atrophy of hair follicles. Alopecia of partial or more often total loss of hair.

General Indication:

Alopecia areata is one or more circular or oval smooth patches. Alopecia totalis is the total involvement of the scalp. Alopecia areata sometimes limited to the



beard. Sometimes the nails are involved with pitting. It is development of small rounded areas on the scalp, which have become completely bald. These sometimes increases in size and run together until the whole scalp appears absolutely hairless. The recovery from this condition is usually slow, and if occurring in elderly persons, will probably take longer. BM Alopecia compositum is good therapy to accelerate the recovery.

Alopecia areata occurs in males and females of all ages and races, however, onset most often begins in childhood and can be psychologically devastating. Although not life threatening, alopecia areata is most certainly life-altering, and its sudden onset, recurrent episodes, and unpredictable course have a profound psychological impact on the lives of those disrupted by this disease. Alopecia usually refers to varying amounts of patchy hair loss to larger areas of little or no hair, this kind of hair loss generally takes place on the scalp but any hair bearing surface can be affected. Alopecia universal means loss of hair on the head and body, including eyelashes, eye brows, underarm hair, and pubic hair. It is pattern of the hair loss that covers the periphery of the scalp like a serpent forming a turban over the edges of the scalp.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 64

(30ml Sealed)

(C.R.F, CHRONIC RENAL FAILURE)

Composition:

ChloremphenicolD200+200C, HypophysisD200+200C, Lobelia ErenusD30+100C, StreptomycinD200+200C, UreaD200+200C


Specific Indication:

Chronic renal failure is triggered by disease or a hereditary disorder in the kidney. Decreased urine output, need to urinate at night, easy bruising, blood in the vomiting or in the stools, drowsiness, lethargy, confusion, delirium, muscle twitching or cramps, urmic frost (deposits of white crystals in and on the skin), decreased sensation in the upper and lower extremities, paleness, nail abnormalities, appetite loss and coma.

General Indication:

Unfortunately, symptoms of chronic renal failure develop slowly. Most symptoms of chronic renal failure are not apparent until kidney disease has progressed significantly. However, some general indications are following i.e, anaemia, bad breath or bad taste in mouth, bone and joint problems, oedema (puffiness and swelling around eyes, arms, hands and feet), frequent urination, foamy or bloody urine, headache, hypertension, increased fatigue, itching, lower back pain, nausea, loss of appetite and vomiting. Kidney performs so many functions for the body so when there is derangement in the renal function, these are a number of signs and symptoms of disease and several different body systems may be affected.

The four most common causes of chronic renal failure are diabetes mellitus, glomerulonephritis, hypertension, polycystic kidney disease and another cause may be renal cancer.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 65

(30ml Sealed)

(CHOLECYSTITIS)

Composition:

BelladonnaD200+200C, Berberis VulgD1+10C, Carduus MarD2+20C, ChelidoniumD1+10C, Fel TauriD200+200C, MandragoraD200+200C

Specific Indication:


Cholecystitis often starts after a large fatty meal. Sudden steady pain in the middle or right upper abdomen. Nausea, vomiting, fever & symptoms of constipation.

General Indication:

Cholecystitis can be classified into two groups i.e. acute and chronic. In 90-95% cases acute cholecystitis is caused by obstruction of the cystic duct by an impacted gall stone. But it has also been noticed that acute cholecystitis can be caused without the presence of gall stone obstruction. An attack of acute cholecystitis starts with crampy pain in the upper mid or right abdomen. Occasionally this pain will radiate to the back near right shoulder blade. The pain typically begins after having the meal but may be more pronounced when the heavy fatty meal is taken and it is not digested properly. The symptoms include right sided tenderness, nausea, vomiting, elevated temperature and constipation. If the cholecystitis is not properly treated the complications include perforation and gangrene of the gall bladder and emphysema, jaundice and hepatomegaly.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 66

(30ml Sealed)

(LEUCODERMA)

Composition:

EchinaceaD4+40C, Ars Sulf FlavD10+100C, ChaulmoograD10+100C, HydrocotyleD2+20C, PsoraleaD1+10C

Specific Indication:

Leucoderma is also known as vitiligo. It is also known as achromia. There may be no obvious cause of this kind of discolouration of skin. In different cases, different appearances have been noticed, patches on the face, white spots with regular margins. Patches around the lips and eyes. May be a big patch on the chest, vitiligo patches on one or both breasts. Mostly no itching symptom is reported but itching may happen in the area of the breast.

General Indication:

The condition in which white patches appear is known as leucoderma. There may be no obvious cause or it may result from skin disease or syphilis. The hereditary factor is some times associated though yet no exact cause has been determined but there are theories that suggest auto acute immune connection and hormonal connection. It cannot be called as a disease but a skin disorder where it loses its normal colouration. The patches may appear on face, neck, forehead, chest, around lips and eyes and one or both breasts. Homoeopathically to improve the immune or hormonal deficiency, leucoderma compositum may be helpful to get rid of these patches.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 67

(30ml Sealed)

NEPHROLITHIASIS (RENAL CALCULI)

Composition:

BerbVulg ϕ +10C, Nat OxalacetD100+100C, Solldago Vir ϕ +10C, Thlaspl.B.P. ϕ +10C, Stigmata Maydis ϕ +10C, Calcarea RenalisD100+100C, ParathormoneD30+30C

Specific Indication:

Calculi originate within the kidney. Various degrees of urinary obstruction & severity of the pain due to calculi obstruction. Renal stone obstructing urethro pelvic junction. Distension of the renal capsule. Stone impacted within the ureter causing severe colicky pain. Intense nausea with or without vomiting. Calculi in the urinary bladder. Sometimes symptoms of urinary retention.

General Indication:

The kidneys are responsible to remove waste products and unwanted water from the blood in the form of urine. If there is too much of certain waste products in the urine, these substances form crystals and when the crystals get combined they form stones. The stones may be happy to lie in the kidney and often do not cause symptoms there. However, when they pass down the ureter or their way to bladder, pain usually occurs. If stones get stuck on its way down to ureter, pain usually occurs in the form of renal colic. Gripping pain spreads down to the groin, pain comes and goes in the shape of waves and there is a severe pain as the stone is being passed. There are symptoms of hematuria, burning sensation, urinary tract infection & urine pH is typically greater. Nephrolithiasis compositum is useful to remove the renal calculi of calcium, magnesium, cystin and urate kind of stone.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 68

(30ml Sealed)

PARALYSIS (FACIAL)

Composition:

PhosphorusD15+100C, MorphinD15+100C, Arg NitD15+100C, GelsemiumD15+100C, Nat MurD15+100C, Kali BromD15+100C, Baryta Carb.D15+100C

Specific Indication:


Occurs in both sexes at any age. Facial asymmetry, eye brow droop, drooping of corner of mouth, uncontrolled tearing, and inability to close eye. Lips cannot be held tightly together, viral immune disease and stroke. Compression of nerve.

General Indication:

Facial paralysis is the loss of voluntary muscle movement of one side of the face. In adults, it is often probably derived from a virus. Usually affects one side of the face causing drooping mouth, uncontrolled tearing & facial distortion. It usually improves over time, but there may be some permanent deformity. Sometimes there is loss of taste of the affected side. Sound may also be louder on the affected side. In some cases, the cause is stroke. The eye of the affected side cannot be closed and the forehead can be wrinkled. Facial paralysis can also develop due to the brain tumour which slowly develops accompanying headache or hearing loss. In new borns, facial paralysis may result from birth trauma.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 69

(30ml Sealed)

STERILITY (MALE) AZOSPERMIA

Composition:

OrchitinumD20+100C, Testis BovisD20+100C, HeloniasD1+10C, Agnus CastD1+10C, DamianaD1+10C, China OffD1+10C, RatanhiaD1+10C

Specific Indication:

Male infertility because of abnormal semen analysis. Male sterility may be primary or secondary. Lack of production of spermatozoa or absence of spermatozoa. Male sterility without any cause.

General Indication:

The World Health Organization has defined a normal semen analysis as a volume greater than 2 ccis, sperm count greater than 20 million/cc., and 50% motility with 30% normal appearance (morphology). Causes of low semen volume include incomplete collection, repetitive ejaculations immediately prior to the semen analysis, and neurologic conditions such as diabetes and multiple sclerosis.

The cause of a low sperm count has not been well determined. Men with extremely low sperm counts (less than 1 million/cc.) may have small deletions in their Y-chromosome, particularly in the area DAZ gene. If there is a genetic cause for markedly abnormal semen, ICSI could pass this condition onto male offspring, requiring ICSI in a subsequent generation. Conventionally, a normal sperm count has been defined as greater than 20 million/cc. In reality, many men between 10-20 million/cc. count have diminished fertility but are not absolutely infertile.

A man with a normal semen analysis, typically ejaculates at least 20 million motile sperm into the vagina. The vast majority of these sperm never get into the cervix or upper reproductive tract. It has been estimated that several hundred sperm advance to the fallopian tube where fertilization of the egg occurs. For that reason, low sperm motility is a more significant predictor of infertility compared even to low sperm count. The causes of low sperm motility are not well understood. Sperm is produce on a two to three month cycle. If a man had a febrile illness, it is possible that he may have a transiently abnormal sperm production which reverts back to normal over time as a new crop of sperm is created.

In clinical trials it has been noticed that BM Sterility (Male) Compositum is of assistance and helpful to manage such cases, but it varies from case to case.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 70

(30ml Sealed)

GREY HAIR (PREMATURE)

Composition:

Verat AlbD30+100C, ThujaD2+20C, Anti CurdD10+100C, TheridionD10+100C, Ferr MetD10+100C, PhosphorusD10+100C, SulphurD10+100C

Specific Indication:

Faulty diet and mental worries are two primary causes. Excessive smoking may also be one of the causes. Morbid conditions. Older look. Lack of sebum. Deficiency of Vitamin-B in the daily diet. It is assumed that the major cause of the premature graying in youth age is washing of hair with hot water and drying them with electric hair dryer. Another cause may be excessive use of hair dyes, chronic cold, sinusitis, anaemia and chronic constipation may also be the cause of premature graying of hair. Hereditary factor.



General Indication:

The age of the onset of the graying process is largely determined by our genes.

Generally by the age of 50 almost 50% of the population have at least 50% grey hair. Sometimes they appear too earlier. Premature graying runs in certain families. Rapid graying of hair may occur after several emotional stress. In certain internal diseases like thyroid gland or anaemias of certain kind may also be the cause of premature graying of hair. It is a morbid condition and makes even the young look older. This causes the great deal of concern to affect persons or personalities especially women. The sebaceous glands of the scalp secrete an oily substance called sebum, which is a source of nutrition, lustre and blackness of hair. The hair cannot be fed externally, for such nourishment as the scalp requires must come to it from the bloodstream. BM Grey Hair (Premature) compositum is of much assistance to regain little natural touch in the blackness in your premature graying of hair.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 71

(30ml Sealed)

(TINNITUS)

Composition:

Baryta CarbD30+100C, Baryta MurD30+100C, Calc CarbD100+100C, China SulphD3+30C, CimicifugaD3+30C, Ferrum PicricumD30+100C, Natrum SalicylicumD30+100C, ThiosinaminumD30+100C

Specific Indication:

Ringing in the ear (Tinnitus) is a common problem, affecting hearing nerve in the inner ear, sensation of ringing, buzzing, hissing, chirping, whistling or other sounds. Sensation of complex sounds may be intermittent, continues or pulsating. Loud noise and background noise. Sometimes the tinnitus is caused by infections or blocked ear.

General Indication:

Tinnitus is usually caused by an infection, a disease or exposure to loud sounds such as gun shots, bomb blast or may because of the head injury. Tinnitus may also occur with other disorders such as anaemia, heart and blood vessels disorders, including hypertension, Arteriosclerosis and low thyroid hormones levels in the blood. The other reasons may be ear infection, blockage of ear canal, blockage of eustachian tube, otosclerosis and tumours of the middle ear. It may be due to reactions of aspirin or some antibiotics. Ringing in the ear (Tinnitus) is a common problem, affecting hearing nerve in the inner ear, sensation of ringing, buzzing, hissing, chirping, whistling or other sounds. Sensation of complex sounds may be intermittent, continues or pulsating. Loud noise, background noise. Sometimes the tinnitus is caused by infections or blockage in the ear.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 72

(30ml Sealed)

(PROSTATE MALIGNANCY)

Composition:

Baryta OxalsuccinicaD200+200C, ThymolD200+200C, NaphthoquinoneD200+200C, SulphonamideD200+200C

Specific Indication:

Prostate cancer often does not cause symptoms for many years but when the symptoms appear the disease may have spread beyond the general prostatic disorders and the symptoms include frequent urination especially at night, inability to urinate, difficult to hold urine, a weak or interrupted flow of urine, painful or burning urination and blood in the urine or semen. Painful ejaculation and frequent pain in the lower back, hips and upper thighs.

General Indication:

Prostate cancer is a malignant growth that consists of the cells from the prostate gland. The tumour usually grows slowly and remains confined to the gland for many years. During this time the tumour produces very little or no symptoms of abnormalities on physical examination. As the prostate cancer spreads, it involves the surrounding tissues. Symptoms and signs of the prostate (Malignant) are frequent urination especially at night, inability to urinate, difficult to hold urine, a weak or interrupted flow of urine, painful or burning urination, blood in the urine or semen. Painful ejaculation and frequent pain in the lower back, hips and upper thighs.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 73

(30ml Sealed)

(GANGRENE)

Composition:

AnthracinumD100+100C, Bothrops LanceolatusD100+100C, KreosoteD100+100C, EchinaceaD3+30C, LachesisD100+100C, Saccharum OfficinaleD3+30C

Specific Indication:

Signs and symptoms of gangrene may include crackling or rubbing sensation under the skin, severe pain and swelling at the site of injury, numbness at the site of infection, discoloration of the skin often starting as white and eventually becoming brownish, reddish or blackish. If the skin breaks open, frothy watery, foul smelling discharge appears. Fever, pale skin, decreased activity and palpitation.

General Indication:

A diagnosis of the gangrene will be based on a combination of a patient history, the physical examination and the results of blood tests and other laboratory tests. Homoeopathically the following symptoms are of important nature to treat the patient of gangrene that is crackling or rubbing sensation under the skin, severe pain and swelling at the site of injury, numbness at the site of infection, discoloration of the skin often starting as white and eventually becoming brownish, reddish or blackish. If the skin breaks open, frothy watery foul smelling discharge appears. Fever, pale skin decreased activity and palpitation.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 74

(30ml Sealed)

(LIVER MALIGNANCY)

Composition:

Carduus Mar ϕ +10C, HydrastisD100+100C, Solidago ϕ +10C, Kali MurD100+100C, PodophyllumD100+100C

Specific Indication:

Most cases of liver cancer are actually cancers that started in another organ. This is called metastases. Though the exact cause of liver cancer is unknown however certain risk factors like chronic hepatitis and cirrhosis of liver have been identified. Some symptoms cause pain in the right upper abdominal area. Pain is caused by stretching of liver's capsule, weight loss and loss of appetite, breast swelling in males, blood clotting problems leading to intestinal bleeding and bruises on the skin and jaundice symptoms.

General Indication:

Liver cancer is sometimes called a silent disease because at the early stage it often does not cause symptoms. In this scientific age liver cancer can be diagnosed through physical examination, blood tests, CT scan and ultrasound test, but unfortunately when the malignant indication appears the case becomes more typical. The following symptoms are not sure signs of liver cancer but really play an important role while treating the patient. These symptoms may include pain in the upper abdomen right side, the pain may extend to the back and shoulder, swollen abdomen (bloating), weight loss, loss of appetite and feelings of fullness, weakness or feeling very tired, nausea and vomiting, yellow skin and eyes, dark urine from jaundice and fever.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 75

(30ml Sealed)

(MALIGNANT GROWTH)

Composition:

Kali PhosD6+60C, Kali MurD6+60C, AluminaD50+100C, Kali ArsenD6+60C

Specific Indication:

Diagnosis of this condition requires a histopathology analysis of the local lymph node. The condition of the malignant is almost invariably fatal with survival times generally less than three years from presentation. The malignant condition may be virulent tumors and growths and they are life threatening. Symptoms of the malignant growth varies because of different nature of growth.

General Indication:

Malignant condition corresponds to the state of adynamia and decay, gangrene conditions, catarrhal infection, glandular swelling, dryness of mucous membranes and skin, tendency to pyretic muscular status, disposition to colds in the head, abnormal cravings for chalk, charcoal and dry food, skin malignancy without any internal signs. Patient feels better in the open air from cold washing and in damp weather. BM Malignant growth compositum is used for the treatment of suspected malignant tumours. It is also useful after the removal of the cancer when it is in healing process.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 76

(30ml Sealed)

(TUBERCULOSIS GENERAL)

Composition:

Secale Corn.D50+100C, IodiumD200+200C, Myrtus CommunisD200+200C, Nat MurD200+200C, PhosphorusD200+200C, Acid MurD50+100C

Specific Indication:

Tuberculosis spreads by droplet infection. A person with tuberculosis general may have any, all or non of the symptoms. Persistent cough, tired all the time, weight loss, loss of appetite, fever, coughing up blood and night sweats.


General Indication:

A person with TB infection usually have no symptoms and if there are some symptoms they can also appear with other kind of infections. So It is important to see your family physician and to let him determine either the symptoms are of tubercal nature or not. Tuberculosis is an infectious disease caused by bacteria. Tuberculosis most commonly affects the lungs but also can involve any organ of the body. The person with tubercal disease may feel perfectly healthy or may have any, all or non of the following symptoms. Persistent cough, tired all the time, weight loss, loss of appetite, fever, coughing up blood and night sweats.

BM tuberculosis general compositum is an immunity builder and effective to use with the additional recommended BM compositum for the better results.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 77

(30ml Sealed)

(COLON MALIGNANCY)

Composition:

AnthraquinoneD200+200C, Carcinoma ColiD200+200C, Polypus Recti NosodeD200+200C

Specific Indication:

The specific signs of the colon malignancy include a change in bowel habits or blood in the stools, blood may be either bright red or very dark, unsatisfied bowel evacuation, stools are narrower than usual, abdominal discomfort, weight loss, tiredness and vomiting.

General Indication:

Colon malignancy has a good cure rate. The strongest risk factor is the age factor. This disease is more likely developed in the men than women. There is increasing evidence that diet high in calcium can reduce the risk of colorectal malignancy. Colon malignancy is a disease in which malignant cells form in the tissue of the colon. The first six feet of the large intestine are called the large bowel or colon. Age and health history can affect the risk of developing the colon malignancy. The major risk factors are age of 50 or above, family history of the malignancy of the colon or rectum, history of polyps in the colon & history of ulcerative colitis. The symptoms includes constipation, diarrhoea, unsatisfied bowel evacuation, dark blood in the stool, stools are narrower than usual, bloated abdominal discomfort, pain in the abdomen or cramps, weight loss with no known reason, constant tiredness and vomiting.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 78

(30ml Sealed)

(STOMACH MALIGNANCY)

Composition:

Acetic AcidD200+200C, Bismuth SubnitricumD200+200C, Cadmium SulphD200+200C, Carbo AnmallsD200+200C, ConiumD200+200C, NepenthesD30+100C, Ornithogalum UmbD20+200C

Specific Indication:

Scientists have identified several factors that play role in the development of stomach cancer. Heavy salted, smoked and pickled foods are the known cause of the stomach cancer. This disease is more common in the countries, where these foods form a large part of the diet. The specific symptoms are abdominal discomfort aggravated by eating, black stools, vomiting after meal, vomiting of blood, weakness, fatigue and weight loss. But it is never mean that if you have these signs and symptoms you have stomach cancer. It is very much necessary to diagnose.

General Indication:

Stomach is a muscular sack located on the upper left side of the abdomen just below the ribs. Stomach folds in on itself when it is empty and expands when we eat or drink. The exact cause of the stomach cancer are still unknown. It is thought to be related to changes in our diet, particularly the use of refrigeration which has meant that people eat more fresh food and less smoked and pickled food. Stomach cancer is more common in men particularly in late middle age. Stomach cancer is more readily treated when caught early. Unfortunately by the time it is diagnosed, the disease is often at an advanced stage and may have spread beyond the stomach to nearby lymph nodes or to the colon.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 79

(30ml Sealed)

(RECTUM AND ANUS MALIGNANCY)

Composition:

Carduus Marø+10C, HydrastisD6+60C, Kali MurD6+60C, PhytolaccinD6+60C, Polygonumø +10C, RutaD200+200C

Specific Indication:

Cancers of the rectum and colon often referred as colorectal cancer, are life threatening tumours that develop in the large intestine. Anal cancer arises around the anal opening or within the anal canal upto its junction with the rectum. The symptoms include rectal bleeding, changes in bowel habits, continues discomfort, persistent abdominal pain, flatulence, colic and nausea, chronic fatigue etc.

General Indication:

Rectum and anal cancers are the most common type of cancers in men and women. Prevention and early detection is very much important to control the unwanted situation. Most cases of the rectum and anus cancer starts as non-cancerous growths called polyps. Their proper treatment or removal at the pre-cancerous stage can actually prevent the development of malignancy. The risk of anal and rectum cancer may be decreased significantly by reducing the risk factors. The symptoms include the pain in the rectal and anal area, bleeding from the rectum or anus, feeling of a mass at the anal opening, persistent itching, change in the bowel habits, narrowing of the stools, discharge of mucous or pus or blood from the anus, swollen lymph node in the anal area.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 80

(30ml Sealed)

STERILITY (FEMALE)

Composition:

Aletris FarD4+40C, Agnus CastD4+40C, CaulophyllumD5+50C, HeloniasD3+30C, PulsatillaD4+40C, SenecioD4+40C, Aurum Mur NatD20+200C

Specific Indication:

Polycystic ovary syndrome, follistatin blocks the action of the ovarian hormone. Female sterility because of insulin resistance and non-insulin dependent diabetic patients. Sterility in female because of impairment of ovary, uterus, fallopian tubes or hormones disorder controlling the function.

General Indication:

It is very much clear that the union of sperm and ovum and the implantation of the foetus in the wall of the uterus leads to pregnancy. For the proper development of the foetus it needs adequate and correct nourishment which is provided through the mothers umbilical cord. Sterility in the female is thus a result of either the impairment of the ovary, fallopian tubes or hormones controlling the function of these organs as well as any diseases suffered by the mother. Different scientific studies indicate multiple reasons and sometimes occasionally it appears reasonless. Female sterility may be because of polycystic ovary syndrome, disturbance in the ovarian hormones functions, insulin resistant and non-insulin dependent diabetic patients & sometimes the defects in the female genital organs which may be organic (structural). To correct the organic defects, surgical measures have to be taken.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 81

(30ml Sealed)

(MARROW SYSTEM)

Composition:

CamphorD20+200C, ThujaD10+100C, PulsatillaD10+100C, Kali BromD10+100C, SymphytumD10+100C, PhosphorusD10+100C, HeloniasD10+ 100C

Specific Indication:

Marrow system compositum is beneficial in various ailments of the marrow system of the human body.

General Indication:

BM marrow compositum is found helpful in the disease of blood and nerves as well as the marrow system of the human body. Experiments carried in anaemia, leukemia, chlorosis and bleeding from orifices and also in hysteria, fits and similar diseases. Diseases of the spinal cord especially involving marrow seems to be beneficial by the use of BM marrow system compositum. This marrow system compositum keeps heating in its character.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 82

(30ml Sealed)

(FACE WRINKLES)

Composition:

Calc CarbD7+70C, HelliborD8+80C, BryoniaD7+70C, CausticumD8+80C, LycopodiumD7+70C, IodiumD8+80C

Specific Indication:

Wrinkles of the face are because of multiple reasons such as, sun ultraviolet rays, gravity at work, cigarette smoking, sun damages and the age factors as well.

General Indication:

As a person ages, skin under goes significant changes. The cell divide more slowly and the inner layer of the skin starts to thin. Fat cells beneath the dermis begin to atrophy(diminish). The underlying network of elastin and collagen fibers, which provides scaffolding for the surface layers loosens and unravels. Skin loses its elasticity. The sweat and oil secreting glands, depriving the skin of their protective water lipid emulsions. The vast majority of the undesirable consequences of ageing skin occurs in individuals who are exposed to the sun, suns ultra violet rays, gravity at work, cigarette smoking, sun damages and finally the age factor.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 83

(30ml Sealed)

(FOREHEAD WRINKLES)

Composition:

HelliborD10+100C, RheumD10+100C, Bryonia DioicaD10+100C, SeleniumD10+100C, Ambra GriseaD10+100C

Specific Indication:

Loosening of the facial skin and wrinkles on forehead causes lines on the forehead which makes us appear angry, sad, old and tired. Anything that will cause the skin to lose elasticity will hasten this process including sun exposure, weight fluctuations and heredity.

General Indication:

Wrinkles on the forehead affect the facial rejuvenation. Forehead lifts are possible by the use of BM Forehead wrinkles compositum to firm and tighten the skin. After the use of few months it is restoring a more youthful, refreshed look to the area of wrinkles. It is true that while this procedure we cannot stop the ageing process, but it makes person a little younger than their actual age.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 84

(30ml Sealed)

(SPERM SYSTEM)

Composition:

CamphorD10+100C, ThujaD6+60C, LycopodiumD6+60C, Kali BromD6+60C, Baryta CarbD6+60C, PhosphorusD6+60C, HeloniasD3+30C

Specific Indication:

The male reproductive cell is the sperm. Its reproduction occurs continuously throughout man's life into old age. BM sperm system compositum is beneficial mostly in all symptoms and complaints of the human body such as sterility, impotence, venereal diseases etc.

General Indication:

Sperm are produced in the seminiferous tubules in the testis. They start off as germ cells and pass through many stages of change including a striking change in shape from a round cell to the familiar (tadpole) sperm structure. Mature sperms are highly specialized cells. Because of a long time it takes for sperm to develop, any treatment may take 60 to 70 days before its effect on sperm production is seen. BM sperm system compositum is clinically experienced beneficial for the complaints of sterility, impotence, venereal diseases, diabetes and such like diseases.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 85

(30ml Sealed)

(GLAUCOMA)

Composition:

Aurum Met1M+D150, Corpus VitreumD4+40C, CortisoneD200+200C, GelsemiumD200+200C, Merc SolD200+200C, OsmiumD30+30C, PhysostigmaD30+30C, RhododendronD30+30C, SpigellaD200+200C, Streptococcinum D200+200C

Specific Indication:

People may miss objects to the side and out of the corner of their eye. Slowly loss of peripheral vision. Constant decreasing in vision.

General Indication:

Glaucoma is a disease that steals sight without warning. At first, open angle glaucoma has no symptoms. It causes no pain and the vision stays normal. When glaucoma remains untreated, people may miss objects to the side and out of the corner of their eyes and the sufferers will slowly lose their peripheral vision. They seem to be looking a tunnel. Glaucoma can develop in one or both eyes and it is detected through a comprehensive eye examination. Early diagnosis are very important to treat the glaucoma and to delay the progression of the diseases. If glaucoma remains untreated the sufferers may lose the vision and it cannot be restored.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 96

(30ml Sealed)

ADENITIS (ADENOIDS ENLARGED)

Composition:

Agraphis NutansD3+30C, BacillinumD100+100C, Baryta lodD100+100C, Baryta MurD100+100C, Calcarea lod D100+100C, Calcarea PhosD100+100C, TuberculinumD100+100C

Specific Indication:

Hypertrophy and infection of lymphoid tissue. Repeated infection of the upper respiratory tract. Adenoiditis and recurrent infection of the tonsils.

General Indication:

The naso-pharyngeal tonsils or adenoids is a collection or over growth of the lymphoid tissue on the posterior wall and the roof of the naso-pharynx. It normally atrophies and disappears in early life. Blocking of nasal passage and there is a consequent mouth breathing. Snoring and nocturnal cough are common, voice becomes hoarse with a thick nasal secretion. This disease affects the left middle ear, recurrent acute otitis media, intermittent earache with variable conduction deafness. Persistent or recurrent bronchitis may be aggravated by adenoids. It affects the child development. Adenoids can cause serious feeding difficulties in babies. Children are mentally dull and slow with poor appetite & disturbed sleep. Adenoids are composed of the same sort of tissue as the ordinary tonsils. A child with adenoids usually has a characteristically open mouth, long face, narrow nose, prominent front teeth, high arched roof of the mouth and flat chest.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 97

(30ml Sealed)

ASTHMA (ALLERGIES)

Composition:

PhytolaccaD2 +20C, BryoniaD3+30C, IpecacD2+20C, Kali SulphD10+100C, Kali MurD10+100C, Blatta OrienD2+20C, Juncus Eff.D2+20C

Specific Indication:


Allergy is the leading cause of asthma. Symptoms occur in different seasons. Symptoms of running nose, hay fever, skin conditions and raised eosinophils are very common symptoms of allergic asthma. Wheezing, coughing, shortness of breath and chest tightness are also the specific symptoms of allergic asthma.

General Indication:

The symptoms of asthma may vary among the people. Usually there is a scratchy throat, tightness in chest, cough, wheezing and shortness of breath. Extreme difficulty in breathing, walking and even talking. The nostrils flares on breathing. Allergy is likely to be the contributing factor of asthma, if you have close relatives with this allergy i.e. mother, father, sister, brother, aunt, uncle or child. Allergic patients develop the symptoms of running nose, hay fever, skin conditions and raised eosinophilia. Asthma is the chronic condition of the lungs and is characterized by difficult breathing. Finger nails or lips, turns gray or blue. Difficult to walk and talk and even extreme difficult breathing. Increased air pollution is also one of the alarming factors of bronchial asthma.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 98

(30ml Sealed)

(CLIMACTERIC)

Composition:

SepiaD3+30C, SanguinariaD4+40C, Acid SulphD4+40C, LachesisD20+200C, Amyl NitrosumD100+100C, AquilegiaD100+100C, CimicifugaD10+100C

Specific Indication:

The specific indication of climacteric changes includes hot flushes, vaginal dryness, urinary tract problems, changes in menstrual cycles, increased pre-menstrual syndrome, mood changes, fluctuation in sexual desire and response, forgetfulness, fatigue and insomnia, decreasing fertility and body & skin changes.

General Indication:

Climacteric changes or symptoms usually begin approximately six years before the natural menopause. Fluctuations in the levels of hormones produced by the ageing ovaries lead to physiological short-term changes. As the ovaries become less functional so they produce less oestrogen which affect large portion of the body, hormonal changes are felt in a number of ways. The most common symptom in the beginning which remains for several year is hot flushes, loss of vaginal lubrication. Urinary tract tissues also become less elastic and lead to involuntary urine leakage. The menstrual cycle can be longer, shorter or irregular and spotting may occur.

Anxiety, irritability, lack of concentration, depression, mood changes are also important symptoms. There may be a fluctuation (increase or decrease) in the sexual desire, symptoms of short term memory. Insomnia, high sweats and tiredness. Ability to conceive is decreased. Muscular mass decreases, body fat increases and skin becomes thinner and less elastic.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 99

(30ml Sealed)

(GOUTY ARTHRITIS)

Composition:

Arnica MontD4+40C, Rhus ToxD3+30C, Bryonia AlbD1+10C, Apis MellificaD1+10C, Ledum PalustreD4+40C, Lachesis MutusD17+100C, Aesculus HipD3+30C

Specific Indication:

Intense joint pain, typically the big toe. Elevated serum uric acid level. Deposits of urate crystals in joints, subcutaneous tissue, bone, cartilage and other tissues. Primary gout due to hereditary disorder. Gouty arthritis.

General Indication:

Gout is an acute or chronic joint disease which results from the formation of urate crystals in the joints fluid. It causes acute pain and swelling, first in one joint, and later deposition of crystals in the joint structure causes chronic arthropathy. Gout is a painful disease in which there is an excess of a substance called uric acid in the blood. The first joint of the big toe is affected in nearly half of the first attack. Within few hours the joint is painful, tender and sensitive to touch. Other symptoms may also be present, such as headache, vomiting and feverishness. The skin of the joint is usually red and dry but redness in case of the knee or the elbow joint is absent. Malaise, discomfort joint, tender and sensitive to touch. Gradually tophi develop in the ear, and in the surrounding of the affected joints. Joint deformity may follow, if the patient remains untreated. The attacks occur with less severity and frequency. Renal impairment and hypertension may follow, because of the gouty arthritic symptoms.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 100

(30ml Sealed)

(NASAL POLYPS)

Composition:

Agraphis NutansD4+40C, CastoreumD4+40C, Formica RufaD1+10C, Lemna MinorD3+30C, Sanguinaria NitricumD3+30C, Sticta PulD2+20C, Teucrium MarumD1+10C, ThujaD3+30C

Specific Indication:

Nasal obstruction, deviated nasal septum, rhinitis, swelling and inflammation of the lining of the nose, sneezing, poor sense of smell and taste and catarrh are the peculiar indications.

General Indication:

The cause of nasal polyps is not well understood, some believe that it result from allergy while others believe that it is caused by the sinus infection. Polyps block the nose. Large polyps create obstruction in the nasal breathing, forcing the individual to breath through mouth. Polyps also caused due to reduced sense of smell, rhinitis, swelling and inflammation of the lining of the nose. Polyps look like small grapes and can appear singly or in clusters in the nasal cavity. These polyps cause nasal blockage, runny nose, sneezing, poor sense of smell, taste, catarrh, headache, congestion in the fore-head and very occasionally bloody discharge from the nose.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 101

(30ml Sealed)

(GOITRE)

Composition:

Calc PhosD6+60C, Nat MurD6+60C, SiliceaD8+80C, Kali IodD6+60C, IodothyreneD10+100C, ThyrodinumD20+200C, Fucus VesD2+20C

Specific Indication:

Goitre (Enlargement of thyroid). Small to moderate size goitres, cough, slight change in voice, night time choking, fatigue, weight gain, increased cholesterol, muscle weakness and tremors & palpitations.

General Indication:

The goitre is hard to touch. Goitre disorders may have signs that are common and are often confused with other conditions. Blood tests are also required to see if thyroid disorder is indicated. Simple blood tests measure the thyroid stimulating hormones (TSH) to find over active and under active thyroid disorders. Some general indications may be fatigue, weight gain/loss, irritable feeling, forgetfulness, hoarse voice, dry cough, difficult swallowing, increased cholesterol, in case of female irregular menstruation, muscular weakness, palpitations and frequent bowel movement.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 102

(30ml Sealed)

(EPILEPSY)

Composition:

BelladonnaD12+100C, Bufo RanaD3+30C, Cuprum Met.D12+100C, MorphinD100+100C, Crocus SatD2+20C, HeloniasD3+30C, Cuprum ArsD20+200C

Specific Indication:

Probably genetic disorder, epilepsy may develop without any other apparent factors. Cerebral palsy, head injury, accident, tumors, stroke, trauma at birth, meningitis, encephalitis may be the major causes of epilepsy.

General Indication:

The brain is the highly complex structure composed of millions of nerve cells (neurons). Nerve cells in the brain are responsible for the wide range of functions including consciousness, awareness, movement, body posture. Nerve cell activity is usually well organized. A sudden temporary interruption in some or all of the functions of the nerve cells may be called a seizure or fit. If a person has a tendency to experience repeated fits which originate in the brain, then they are diagnosed as epilepsy. Epilepsy may vary from person to person and it is probably the genetic disorder. Sometimes it develops without any apparent factor. In depth, the study tells that epilepsy is a disorder in which the nerve cells of the brain from time to time releases abnormal electrical impulses. Children may be born with the defect in the structure of their brain or they may suffer a head injury or infection that causes epilepsy. Injury is the most known common cause in the young adults. In middle age strokes, tumors and injuries and in the people over 65 years of age, stroke is the most common.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 103

(30ml Sealed)

(GASTRODUODENAL ULCER)

Composition:

Kali BichromicumD3+30C, Nitricum AcidumD6+60C, GraphitesD10+100C, PhosphorusD20+100C, HydrastisD3+30C, CondurangoD2+20C, OrnithogalumD1+10C, Uran. NitD3+30C, Nat PhosD6+60C

Specific Indication:

Gastroduodenal ulcers are psychosomatic affections in patients prone to react to such triggering factors. Ulcer may be situated in stomach or duodenum, either acute or chronic, may occur in men or women in any age. Specific symptoms are vomiting, vomiting with blood, repeated attacks of indigestion, pain after food, loss of appetite, blood in stools which becomes dark in colour.

General Indication:

Multiple factors have been noticed in the cause of the gastroduodenal ulcers but the most common are acute gastric ulcers, chronic gastric ulcers, chronic duodenal ulcer, carcinoma of the stomach, portal hypertension, burns and surgical trauma. The patient complains of the feeling of weakness in the legs, nausea, faintness and sweating. These symptoms usually followed by the vomiting and even the vomiting of the blood. If the blood passes through rectum, it makes the stool black and sticky. Some important symptoms are gastric burning pain, cramps, constipation, flatulence, noisy eructations, bloating feeling during meal.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 104

(30ml Sealed)

(PROSTATE DISORDER)

Composition:

Saw PalmettoD3+30C, ChimaphilaD6+60C, SulphurD3+30C, Kali PhosD6+60C, Ferr PhosD6+60C, Calc FluorD6+60C, HydrangeaD3+30C

Specific Indication:

Difficulty in passing urine, passing of urine most often than usual, especially at night, pain on passing urine, rarely blood in urine or semen. Weak or interrupted urinary stream. Several attempts to empty the bladder. Sometimes involuntary disorders of urine.

General Indication:

Prostatitis (Inflammation of the prostate gland) can be caused by infection which is treatable with homoeopathic remedies. It can also be caused by trauma to the prostate gland or some auto immune diseases in which body's immune system damages the body's own cells. Prostatitis is the ill defined condition with the symptoms of the pain in the groin, testicles, perineum, penis, urinary tract, difficulty in urination, burning sensation on urination and pain after ejaculation.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 105

(30ml Sealed)

(MASTURBATION)

Composition:

IkshugandhaD1+10C, Acid PhosD6+60C, Agnus CastusD6+60C, China OffD4+40C, DamianaD12+100C, PhosphousD6+60C, OrchitinumD12+100C

Specific Indication:

Sexual excitement by frictions of the genitals. Morbid imagination. Spermatorrhoea (involving seminal emission). Morbid condition of the urethra. Irritability of the bladder, constipation and sexual excess.

General Indication:

Masturbation is the habit of sexual excitement by friction of the genitals accidentally or learnt from the bad associates. This habit develops by the use of impure books or conversations and morbid imaginations. Spermatorrhoea is the involuntary seminal emission during sleep and other times. Its causes may be the morbid conditions of urethra, irritability of the bladder, indigestion, constipation, violent constriction of the anal area, rectal irritation, prolapsus ani. Further symptoms are depression, breathlessness, weakness of memory, loss of moral control, weakness and pain in the back, palpitations, headache, sunken eyes, paleness of the face and impotency.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 106

(30ml Sealed)

(PILES)

Composition:

AesculusD3+30C, Beta VulgarisD3+30C, Calc FluorD6+60C, Negundium AmericanaD6+60C, Paeonia OffD2+20C, RatanhiaD2+20C, Sedum AcreD6+60C, SulphurD2+20C

Specific Indication:

Enlarged and engorged blood vessels in or around the anus, associated with pain, bleeding or itching. Blood is bright red, mixed in the stool or may be seen on toilet paper. Chronic constipation, piles during pregnancy and feeling of discomfort.

General Indication:

Haemorrhoids (Piles) are very common. It is mostly more common in the countries where the diet has traditionally been more processed and low in fiber. The major factors are those things that cause the raise the pressure in the abdomen. This causes the blood vessels to swell and causes chronic constipation. Symptoms of piles after or during pregnancy and over weight. The haemorrhoids also have following symptoms, pain around the anus or rectum, itching of the anal area, bright red bleeding usually mixed in the stool but may be seen on the toilet paper as well. Feeling of lump at the anus, tenderness, severe pain before, during or after passing the faeces.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 107

(30ml Sealed)

(VITAMIN DEFICIENCY)

Composition:

Skookum ChuckD10+100C, Carbo VegD10+100C, Anti CrudD6+60C, Medicago Satø+10C, Aven Sat ø+10C, Beta VulgD10+100C

Specific Indication:

Vitamin deficiency produces many symptoms. The most important symptoms are fatigue, pale skin, palpitation, dyspnoea, loss of appetite, diarrhoea, numbness of extremities.

General Indication:

In spite of the fact that many of our foods have high vitamin contents. Unfortunately there is great loss of the basic vitamins in pre-prepared and frozen foods of all kinds, leading to the vitamin deficiency. BM Homoeopathically has designed the formula which has been found helpful in correcting the deficiency of vitamins in the body as a result of faulty assimilations. The signs and symptoms of the vitamin deficiency patients may be pale skin, palpitation, dyspnoea, loss of appetite, diarrhoea, numbness of extremities, sore mouth or tongue and mental confusion or forgetfulness.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 108

(30ml Sealed)

(PARALYSIS GENERAL)

Composition:

MorphinD10+100C, Cup MetD10+100C, Calc CaustD10+100C, Kali IodD10+100C, HyoscyamusD10+100C, Nux VomicaD10+100C, PhosphorusD10+100C

Specific Indication:

Complete loss or impairment of the inability to use voluntary muscles. Disorder of the nervous system. Hemiplegia, paraplegia, tremor of muscles or heredity factor. Neuritis (paralysis may arise in the muscle) and the mechanical compression.

General Indication:

Paralysis resulting from disease or injury of motor path to the muscles in the peripheral nervous system. Paralysis is a complete loss or impairment of an inability to use voluntary muscles, usually as a result of a disorder of the nervous system. There may be general paralysis involving only one side or it may be on both sides. The cause of paralysis may be any injury that tears or compresses the nerves. Most frequent causes of the paralysis is stroke and tremor accompanied by slowness, poor movement and muscular rigidity. Paralysis may be due to a congenital developmental defect of the muscle or may be a heredity factor.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 109

(30ml Sealed)

(ASTHMA CHRONIC)

Composition:

Grindelia RubD3+30C, IpecacD1+10C, Blatta OriD1+10C, Lobellia InfD3+30C, DroseraD3+30C, Bryonia AlbD1+10C, Justisia AdhD1+10C

Specific Indication:


Chronic lungs disorder has three specific indications i.e. coughing, breathlessness and wheezing. Asthma is an allergic disease, indicating the following specific symptoms, cough that produces mucus, dyspnoea aggravated by exertion, frequent respiratory infections, headache, ankle, feet and leg swelling.

General Indication:

Chronic asthma is often diagnosed when patients complain of difficult breathing while doing least exertion. Patients complain of difficult breathing while doing exertion. Patient often cough up thick mucus and their skin may have a bluish tinge caused by lack of oxygen in the blood. If patient develops severe dyspnoea or swelling of the legs or ankles they require immediate attention as symptoms are leading to congestive heart failure. Tobacco smoking, long term exposure to tobacco smoke, repeated respiratory infections, industrial exposures in toxic fumes or dust are also the known causes of chronic asthma. It may lead to the symptoms of mucus cough, shortness of breath, wheezing, fatigue and headache.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 110

(30ml Sealed)

(BACKACHE IN WOMEN)

Composition:

SepiaD3+30C, AesculusD1+10C, CimicifugaD1+10C, Calc FluorD6+60C, Baryta CarbD6+60C, Rhus ToxD1+10C, Kali CarbD10+100C

Specific Indication:

Women's backache, increased sensitivity to pain, symptoms of backache comes and goes, pain increases in stress and weather changes, constant standing in kitchen while doing household work and laundry work etc. The pain may be mild or of severe nature, digestive disorder and urinary complains are also the major factors of the womens backache. Depression or anxiety also causes fibromyalgia.

General Indication:

Backache in women is a particular topic and the remedy is developed by BM keeping in view the certain conditions that causes pain in the muscles, joints, ligaments and tendons. The pain occurs in the areas of the front of the knees, the elbows, the hip joints and around the neck. This homoeopathic remedy is particularly build up to help the females to get rid of backache as well as other symptoms of fibromyalgia. The following symptoms are of important nature which carries value to treat the women complaining backache.

Frequent urination, abdominal pain, heart burn, constipation, pelvic pain, menstrual pain, coitus pain, stress, weather changes, disturb sleep and kitchen exertions etc.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 111

(30ml Sealed)

(ECZEMA)

Composition:

Ars AlbD6+60C, MezeriumD6+60C, Rhus ToxD6+60C, SulphurD6+60C, Zinc MetD10+100C, Anti CrudD10+100C, GraphitesD10+100C

Specific Indication:

Eczema mostly runs in families also known as dermatitis (Inflamed skin). Typically affects the inside of elbows, back of knees and face, but can cover most of the body. Dry skin easily irritated, occupational skin disease. Hand dermatitis.

General Indication:

All types of eczema cause itching, redness and some will blister, weep or peel. A general description of skin eruptions mostly not a disease, could be an allergic reaction, vesicles, thickened skin, itchy, pustular. It is also known as tetter, a clear psoric eruption and always a chronic symptom with different indications. Pus is discharged from infection, Inflamed skin, skin turned red, blister and ooze. This disorder of eczema runs in families typically affects the inside of the elbows, back of the knees and the face, but can cover most of the body.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 112

(30ml Sealed)

(GLEET)

Composition:

EchinaceaD1+10C, Iris VersD1+10C, Viola TriD1+10C, Donovansol D10+100C, AmalakiD1+10C

Specific Indication:

Gleet is a thin morbid discharge as from the wound or especially chronic gonorrhoea. Inflammation of the urethra. Mucopurulent discharge, painless micturition, thick yellow discharge, anxiety, anxiousness and discomfort sensation in the urethra.

General Indication:

The average incubation period of primary infection of gonorrhoea is usually 2 to 14 days in males and 2 to 21 days in females. In some carrier symptoms are very prominent and few of them may be the hidden carrier. The primary stage is generally accompanied by fear, anxiety, anxiousness and discomfort. Patient desires to expose the genital organs. In the same early stage there are symptoms of more or less chill, fever, loss of appetite and mental depression. There is a thin discharge of small quantity which is transparent, slimy, milky, which glues the lips of the urethral orifice. Gonorrhoea of the rectum and oropharynx is also common in both sexes due to the use of these orifices in the sexual intercourse. The infection of the rectum is often symptomless but there may be discomfort in the rectum along with the rectal discharges. The following symptoms are of quite an important nature while treating the patient of gleet. Inflammation of the genitalia, mucopurulent discharge, painless micturition, profuse thick yellow discharge, fever, loss of appetite, sore throat and rectal discomfort.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 113

(30ml Sealed)

(NOCTURNAL EMISSION)

Composition:

AmlokID1+10C, Caladium SegD2+20C, ConlumD6+60C, Nuphar LuteumD3+30C, Piper MethD4+40C, StaphysagriaD6+60C, Nux VomD2+20C

Specific Indication:

Involuntary discharge of semen without orgasm. Ejaculation of semen during sleep. The most common complaint of teenagers may or may not be associated with the symptoms of mental depression, nervousness, irritable temperament, headache, backache and pain in calf muscles.

General Indication:

A nocturnal emission is an involuntary ejaculation of semen experienced by young males during sleep. It is also called a wet dream. Nocturnal emissions are most common during the late teenage years and are the result of accumulation semen production. They may or may not be accompanied by erotic dreams. Some males wake up during the ejaculation while others remained sleep throughout the event. Nocturnal emission is highly variable. Some males have experienced large number of nocturnal emissions as teenagers, whereas some never experience once in their lives. BM nocturnal emission compositum helps to control the causeless nocturnal emission and one can get rid of this problem by the use of this compositum.

Dosage:

Adult: 10-15 drops, Teenagers: half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 114

(30ml Sealed)

(OSTEOARTHRITIS)

Composition:

BacillusD100+100C, CorticotrophinD100+100C, D.N.A.D100+100C, Morgan PureD100+100C, BryoniaD100+100C, Rhus ToxD100+100C, Nux VomD100+100C

Specific Indication:

Osteoarthritis is the most common type of arthritis. Early morning stiffness, stiffness following periods of rest. Pain that worsens on joint use and loss of joint function. Local tenderness, soft tissue swelling, swelling and redness in joints. Reduced joint movement, symptoms vary from person to person.

General Indication:

Osteoarthritis is a joint disease also known as degenerative joint disease. There are many factors that can cause osteoarthritis although age is a risk factor. Research has shown that osteoarthritis is not an inevitable part of ageing. Obesity may lead to osteoarthritis of the knees. Sports injuries, accidental injuries may be at the increased risk of developing osteoarthritis. Pain in the affected joint or joints, swelling, warmth, creaking of the affected joints. Symptoms of osteoarthritis vary greatly from patient to patient. Some patients can be debilitated by their symptoms. On the other hand, others may have remarkably few symptoms in spite of dramatic degeneration of the joints apparent on X-Rays. Symptoms also can be intermittent. It is not unusual for patients with osteoarthritis of the hands and knees to have years of pain-free intervals between symptoms.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 115

(30ml Sealed)

(STOMATITIS)

Composition:


BoraxD100+100C, CapsicumD100+100C, CondurangoD6+60C, Hydrastis MurD3+30C, Kali PermanganatumD3+30C, Merc SolD100+100C, Nitric AcidD100+100C, Sulphuric AcidD100+100C

Specific Indication:

Recurrent painful stomatitis. Bad breath, soreness, white coated tongue, sodium lauryl sulphate mouth allergy which usually happens due to tooth paste and mouth wash formulations. Stomatitis due to excessive use of drugs, unsuited foods and drinks.

General Indication:

Millions of people suffer from the painful mouth ulcers called aphthous stomatitis. Although many causes are known, and there are few effective treatments. A blister forms in the mouth and the top is quickly sloughed off, leaving a punched out whitish circular area that hurts to touch, particularly when food is in the mouth. Among the causes are infections including herpes, cytomegalovirus, yeast, and other viruses that have not even been characterized. They can also be caused by an autoimmune reaction in which a person's own immunity causes the blister to form. It has also been reported an allergy to chemicals in toothpastes and mouth washes. No studies have isolated bacteria or virus often enough to blame them. Canker sores are a type of mouth ulcer. Some of the medical terms used to refer to canker sores are recurrent minor aphthous ulcers and recurrent minor aphthous stomatitis. Canker sores are the most commonly occurring type of mouth ulcers. Canker sores are thought to form when, for unexplained reasons, a person's immune system identifies the presence of chemical molecules that it does not recognize. However it has also been noticed in some studies that mouth ulcers may happen because of mechanical trauma, emotional stress/psychic stress, nutritional deficiencies, allergies and sensitivities,



BM Homoeopathic Combination Drops Series

hormonal changes, genetics, infectious agents (both bacterial and viral), medical conditions, medications etc.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 116

(30ml Sealed)

(HIGH BLOOD PRESSURE)

Composition:

Anguillare IchthyD30+100C, Crataegus Oxy ϕ +10C, Passiflora ϕ +10C, Hypophysis PosteriumD30+100C, Glonine ϕ +10C, Morgan PureD200+200C, Spartium ScopD3+30C Viscum AlbumD200+200C

Specific Indication:

Symptoms of the high blood pressure are almost non-existent, however, some patients complain of dizziness, headache & blurred vision. Some of them complain of the pain at the back of the head (Occipital area). Use of some medicine may increase the risk of hypertension.

General Indication:

High blood pressure is usually caused by obesity, stress, excessive consumption of alcohol, pollution, tobacco smoke and food allergens. When the cause of high blood pressure is unknown, it is called essential or primary hypertension. In case of secondary hypertension, it may include, kidney abnormality, structural abnormality of the aorta existing since birth, and narrowing of certain arteries.

Generally said by researchers that in 90% of HBP cases, the cause is unknown. Even someone can have very high blood pressure for years without knowing it, and usually such people do not feel any symptoms. However some patients complain the symptoms of tiredness, dyspnoea, dizziness, swelling in the ankles and legs, bluish lips, chest pain, palpitation, throbbing sensation and discomfort feelings. Patients should avoid to use lot of salt and alcohol.

Dosage:

Adult: 10-15 drops, Teenagers: half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 117

(30ml Sealed)

(DEAFNESS)

Composition:

Agraphis NutansD30+100C, Calc FluorD200+200C, ChenopodiumD200+200C, ElapsD30+100C, Cherianthus Cheirid30+100C, China SulphD200+200C, Rosa DamascusD30+100C, VerbascumD30+100C

Specific Indication:

Hearing impairment including deafness is a complex problem and it is caused by many problems, genetic factors, hearing impairment because of disease of the mother during pregnancy, traumatic damage, otitis media, excessive noise exposure and infectious disease.

General Indication:

Researchers studies have shown that genetic factors play an Important role In early onset of deafness as well as partial, late onset or progressive hearing loss.

Otitis media is a common reason of hearing impairment in children, infectious disease, e.g. meningitis, measles, viral encephalitis, mumps, malaria. Herpes may also be one of the cause of hearing impairment. Ageing among elderly people there is a slow increase of hearing impairment. It cannot be early stated whether the hearing



BM Homoeopathic Combination Drops Series

impairment is because of specific ageing factors or an accumulation of various contributing factors. The toxic drugs, e.g. antibiotics, analgesics, and antipyretics may also be one of the cause of hearing impairment.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 118

(30ml Sealed)

DEPRESSION (Adults)

Composition:

Anacardium OriD15+100C, Arsenic AlbD15+100C, Aurum MurD15+100C, Kali BromD15+100C, Lachesis MutusD200+200C, LycopodiumD15+100C, Nat CarbD15+100C, Nat SulphD15+100C, Phosphoric AcidD15+100C

Specific Indication:

Specific Indications of depression in adults includes, persistent sad mood, loss of interest or pleasure in activities that were enjoyed. Significant change in appetite or body weight, disturb sleep or over sleeping, slowness, lack of energy, feeling of worthlessness, difficult concentrating and recurrent thoughts of death or suicide.

General Indication:

Depression in adults may have a number of complex and interacting symptoms. This variability poses a major challenge to researchers attempting to understand and treat the disorder. Typical symptoms exhibited by adult depression patients include, agitation, anxiety, extreme grief, insomnia and irritability. Some adults have one or more combination of medical illness that also can cause the onset of depression. Some emotional symptoms with life changes such as, retirement, loss, bereavement, grief, loneliness, moving house, disability, lack of exercise, increased insomnia and multiple illness may often trigger the onset of depression in adults. Stressful life events may contribute to recurrent episodes of depression in adults.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 119

(30ml Sealed)

(TONSILS DISEASED)

Composition:

Calcium IodD6+60C, Kali Iod.D6+60C, Arsenic Iod.D6+60C, Merc Bin Iod.D12+100C, Merc Viv.D6+60C

Specific Indication:

Diseased tonsils. Parenchymatous tonsillitis, adenoiditis, swollen glands, headache, facial neuralgia & pharyngitis.

General Indication:

Enlarged gland, tonsils, adenoids, croup, headache, catarrh, sneezing, polyps, chill, fever and aching all over, glandular swelling, violent headache, facial neuralgia, cough. Hypertrophical condition of eustachian tubes and deafness. Burning in pharynx. Swollen tonsils. Follicular pharyngitis. Diphtheria and ulcerated sore throat, especially on left side with much glandular swallowing. Ulceration of mouth and throat, worse at night and damp weather. Constant desire to swallow, quinsy, soreness and burning in throat.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 120

(30ml Sealed)

(DYSMENORRHOEA)

Composition:

Abroma Augusta ϕ +10C, Abroma Radix ϕ +10C, Aletris Farinosa ϕ +10C, Gelsemium ϕ +10C, IgnatiaD7+70C, Lillium TigD10+100C, Vibur OpulD7+70C

Specific Indication:

Estrogen deficiency, estrogen excess, bloated feeling in the lower abdomen and the breasts, headache, suprapubic cramping, backache, pain radiating down to anterior thigh, nausea and vomiting, occasionally symptoms of diarrhoea, fainting feelings. Early, heavy and prolonged menstruation.

General Indication:

Pain in the lower abdomen and sometimes at the menstrual periods. The complain of dysmenorrhoea is very common and may be due to various causes. Menses are early, heavy and prolonged, violent pain extending from the sacrum to the pubic like false labour pains. Continues discharge of blackish brown blood, severe pain which causes the patient to feel as if the pelvic bones are broken. Spasmodic intermittent pain, cramp like pain, tendency to faint and collapse.

Pain with primary dysmenorrhoea usually starts within 24 hours of menses and may last for 48-72 hours.

In secondary dysmenorrhea the patient may have onset of pain a week or more prior to the onset of menses and pain may continue for few days after cessation of flow.

Estrogen deficiency or excess along with bloated feeling in the lower abdomen and breasts may also cause of dysmenorrhea. Some other important symptoms are headache, suprapubic cramping backache and pain radiating to anterior thigh, nausea and vomiting.

Dosage:

Adult: 10-15 drops, Teenagers: half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 121

(30ml Sealed)

(HERPES SIMPLEX VIRUS)

Composition:

Rhus ToxD7+70C, Rhus VernixD7+70C, MezereumD7+70C, BoraxD7+70C, Croton TiglumD6+60C, VaccinInumD100+100C, Varicella NosodeD100+100C

Specific Indication:

Herpes is potentially a contagious disease. Skin becomes red and sensitive. Bumps like blisters. Blister area is very painful along with the feeling of itching and burning. Headache, muscle ache or fever. Herpes may also infect the urethra and a urinating may cause a burning sensation. In case of genital herpes there is pain in the legs, buttocks, genital area and discharge of fluid from the vagina.

General Indication:

Symptoms of the herpes usually develops within two to twenty days after contact with the virus. These symptoms may last upto several weeks but it varies from person to person. Sometimes the first infection is so mild that it goes unnoticed. In others, the first attack is quite severe and with multiple symptoms. The virus starts to multiply when it gets into the skin cells. Skin becomes red and sensitive, soon after the bump like blister appears, the blister are painful along with the symptoms of burning, itching, headache, swollen glands, muscle ache or fever. Herpes may also infect the urethra and urinating may cause the burning sensation. Herpes is potentially contagious, transmission is caused by close oral, anal, or genital contact including intercourse, masturbation or any other skin to skin contact which allows for the transfer of bodily fluids.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 122

(30ml Sealed)

(PROSTATE HYPERTROPHY)

Composition:

Benz AcidD30+100C, Chlmaphila Umbø+10C, ClematisD10+100C, ConiumD10+100C, KreosoteD10+100C, Pareira Bravaø+10C, PichiD50+100C, Solidagoø+10C

Specific Indication:

Stream of urine not as strong as it used to be. Frequent urination, getting up several times in night to pass urine. Cannot hold the urine and have to rush to go to the toilet. Symptoms of dribbling of urine at the end of the stream. In case of infection their may be intense burning and stinging on passing urine.

General Indication:

There is no specific cause for this condition. It just sometimes happens as you get older. Since only men have this condition. The single big risk factor is age, the older you are, the more likely you are to suffer from it. It is likely to start before the age of 45. Benign prostatic hypertrophy is swelling of this gland because the prostate surrounds the urethra, so when it swells it can block the flow of urine. The urine stream gets slow. Frequent urination, cannot hold the urine, getting up several times in the night to pass urine. Sometimes have to rush to the toilet to pass the urine, as the patient might feel as the urine may escape. However, patient have to wait for sometime for the stream to come. Dribbling at the end of the stream. It can sometimes cause urine infection, which can cause intense burning and stinging on passing the urine.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 123

(30ml Sealed)

(NEURALGIA TRIGEMINAL)

Composition:

ChlorpromazineD100+100C, CoccinellaD100+100C, Gnaphalium PolyD100+100C, HydrocotyleD100+100C, Salicylic AcidD100+100C, SyphilinumD100+100C

Specific Indication:


Increased sensory irritability, severe paroxysmal pain along the course of the nerve, sharp stabbing pain, tenderness often at the points of exist of the nerve. Attacks last from a few seconds to about a minute. The sufferers who have experienced severe trigeminal neuralgia, describe their pain as shooting, jabbing and like having live wires in the face.

General Indication:

Trigeminal neuralgia and other neuropathic pain syndrome of the head and the face. Sudden episodes of facial pain. The pain commonly starts near one side of the mouth and then shoot towards the ear, eye or nostril on the same side of the face.

It is the most common problem in middle and late life (old age). It affects women more than men. When the trigeminal neuralgia occurs in young people, multiple sclerosis is often the cause. An attack of trigeminal neuralgia can last from a few seconds to about a minute. People who have experienced severe trigeminal neuralgia have described the nature of pain as shooting, jabbing and like having live wires in the face.

It is possible that the pain may occur on the both sides of the face. But trigeminal neuralgia usually affects just one



BM Homoeopathic Combination Drops Series

side. The symptoms may come and go. Patient may experience attacks of pain off and on all day. Even there may be no pain for a prolonged period of time.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 124

(30ml Sealed)

(RENAL CALCULI)

Composition:

Berberis VulgD3+30C, Acid NitricD12+100C, Calculi Ren D12+100C, LycopodiumD2+20C, Rubia TinctoD2+20C, Ocimum CanD3+30C, CantharisD4+40C

Specific Indication:

Gravel in kidney, sharp pain across back, reddish and grey urine with epithelial cells and amorphous waste matter. Pain in the sacral region coming from the kidney. Urine frequent, nausea, vomiting, painful urination, urinary tract infection, spasm like pain which may radiate or move to lower flank, pelvis, groin and genitals.

General Indication:

Renal calculi (kidney stone) is the development of the stone within the kidney that may be passed through the ureter in to the bladder and excrete with the urine by the use of BM Renal calculi compositum. The process of stone passage may be painless. If the stones are very small or it may cause significant pain during the acute episode. The signs and symptoms of the renal calculi may be sharp pain in the kidney, pain across the small of the back, sacral region coming from the kidneys. Patient cannot move, lean in order to lessen the pain. The pain may be on one or both sides, progressive, severe, spasmodic like. Nausea and vomiting, frequent urination, blood in the urine, abdominal pain, painful urination, excessive urination at night, testicular pain (in case of male patient). The symptoms to be observed while treating female patient of renal calculi.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 125

(30ml Sealed)

(HERPEZ ZOSTER)

Composition:

Bacterium ProteusD100+100C, MalandrinumD100+100C, MezereumD100+100C, Rhus ToxD100+100C, VacciniumD100+100C, VariolinumD100+100C, VaccinotoxinumD100+100C

Specific Indication:

Herpes zoster (shingles) is caused by a chicken pox virus. Rash begins as red patches and soon develops blisters often on one side of the body. Painful viral infection, blister may remain small or become large. Herpes zoster problem affects the body with symptoms of headache, fever, fatigue, rash, red sensitive and sore skin, blister and sores on the skin, swollen eyelids, inflammation inside the eye, general debility and exhaustion.

General Indication:

Herpes zoster (shingles) is caused by a reactivation of the nerves of the people who previously had chicken pox. So as a result herpes zoster can unfortunately occur more than once. Early signs of shingles includes burning or shooting pain and tingling and itching generally located on one side of the body or face. The rash or blister remain present anywhere



one to fourteen days. If shingles appear on the face, it can lead to complications in hearing and vision. Other complication of the herpes zoster virus is post herpetic neuralgia, a condition where the pain from herpes zoster persists for months, sometimes years, after the herpes zoster rash has healed. The blister burst and crust over, usually within 5 to 10 days, but there is a general debility and exhaustion. Sometimes with aches and pain and sometimes in the mild fever. Depression is often a feature of herpes zoster, as in many other viruses.

Herpes zoster is painful, that is because the virus travels along the nerve to get to the skin resulting in inflammation and damage to the nerve. The pain can last up to six months because the nerves heal very slowly.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 126

(30ml Sealed)

(PROSTATITIS)

Composition:


ChimaphillaD3+30C, Populus TremulD3+30C, PulsatillaD3+30C, Sabal SerrD2+20C, Pareira BravD2+20C, Thuja OccD7+70C, Nat OxalaceticumD100+100C

Specific Indication:

Obstructive urinary tract infection including frequency, urgency, dysuria, nocturia, hesitancy, and incomplete voiding.

General Indication:

The term prostatitis actually encompasses four disorders: Acute bacterial prostatitis, Chronic bacterial prostatitis, Chronic prostatitis syndrome and Asymptomatic inflammatory prostatitis. The symptoms of prostatitis are non-specific, sometime the patient may experience no symptoms, and sometimes symptoms are so sudden and severe that patient has to seek emergency advice. However, the symptoms experienced in the clinical trial study are fever, chill, myalgias, urethralgia, scrotal and penile pain, pain on ejaculation. Obstructive urinary tract symptoms including frequency, urgency, dysuria, nocturia, hesitancy and incomplete voiding.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 127

(30ml Sealed)

(PULMONARY WEAKNESS)

Composition:

Arsenic IodatD6+60C, PhosphorusD30+100C, Teucrium ScorodoniaD12+100C, SiliceaD30+100C, Calc CarbD30+100C, LycopodiumD30+100C

Specific Indication:

Pulmonary weakness might be an auto immune disorder or an after effect of an infection. Specific symptoms includes, shortness of breath particularly with exertion, chronic dry hacking cough, fatigue and weakness, discomfort in the chest and loss of appetite.

General Indication:

Pulmonary weakness is weakness of the parenchymatous organs, especially of the lungs. Weakness of the back, nocturnal perspiration, sensitivity to colds, disturbances of the blood circulation,



lack of appetite and paleness of face. Pulmonary weakness may be the first cause of tuberculosis diseases. Pulmonary weakness may be an auto immune disorder or the after effects of an infection, viral in nature. The other symptoms may include dyspnoea on exertion, chronic cough, body lethargic and fatigue, feeling of discomfortness in the chest, lack or loss of appetite and the weight loss.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 128

(30ml Sealed)

(PYELONEPHRITIS)

Composition:


BaptisiaD3+30C, BelladonnaD4+40C, BroyniaD4+40C, Calcarea RenalesD20+200C, Coxsackie Virus NosodeD200+200C

Specific Indication:

Specific symptoms of pyelonephritis includes back, side and groin pain, urgent, frequent urination, pain or burning during urination, fever, nausea and vomiting & pus or blood in the urine.

General Indication:

Pyelonephritis is a kidney infection, usually from bacteria that have spread from the bladder. The possible causes of the pyelonephritis includes infection in the bladder, use of catheter to drain urine from the bladder, surgery on the urinary tract, condition such as enlarged prostate and renal calculi. The symptoms are inflammation of the kidney and upper urinary tract, fever, chills, burning or frequent urination, aching pain on one or both sides of the lower back or abdomen, cloudy or bloody urine and fatigue. The patient may also have nausea, vomiting and diarrhoea. The flank pain may be extreme. The symptoms of chronic pyelonephritis includes weakness, loss of appetite, hypertention, anaemia, protein and blood in the urine. Feeling of discomfortness during urination. If the pyelonephritis is left untreated or unresolved it can progress to a chronic condition that lasts for months or years, leading to scarring and possible loss of kidney function (Renal Failure).



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 129

(30ml Sealed)

(PANCREATITIS)

Composition:


Atropine SulphD200+200C, BelladonnaD200+200C, DioscoreaD200+200C, Fel TauriD30+100C, Iris VersicolorD200+200C, MercSol D200+200C, PancreatinumD200+200C

Specific Indication:

Inflammation of the pancreas, severe pain in the upper abdomen which persists for hours or days without relief. Frequent symptoms of nausea and vomiting, fever and dyspnoea.

General Indication:

Acute pancreatitis comes on suddenly when digestive enzymes produced in the pancreas remain there and become active irritating and inflaming delicate pancreatic tissues. Normally digestive enzymes are transported to the duodenum and become active there. The symptoms of the pancreatitis includes, pain



BM Homoeopathic Combination Drops Series

in the upper abdomen that may last for a few days. This pain may reach to the back or other areas. It may be sudden and intense or begin as mild pain that gets worse when the food is eaten. Other symptoms may include swollen and tender abdomen, nausea, vomiting, fever and rapid pulse. The severe cases may cause dehydration and low blood pressure.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 130

(30ml Sealed)

(PROSTATE ENLARGEMENT)

Composition:

Calc FluorD30+100C, Kali MurD30+100C, Kali PhosD30+100C, BelladonnaD30+100C, Ferr PhosD30+100C, ThujaD30+100C

Specific Indication:

Dribbling after voiding, blood in the urine, feeling that the bladder has not emptied completely, frequent urination particularly at night, hesitant, interrupted or weak urine stream. Constant and urgent desire to urinate.

General Indication:

The prostate is a walnut sized that forms the part of the male reproductive system. In case of prostate enlargement it squeezes the urethra and interferes with the normal flow of urine and causes uncomfortable symptoms. All men do not suffer from the symptoms. Size of the gland has no correlation with the symptoms. A small gland can produce a lot of symptoms and a person with a large gland can have no symptoms. However, the common symptoms includes frequent urination more than seven times a day or more than once at night, poor or interrupted urinary flow, actual delay at the start of urination and need to strain to pass the urine, feeling of urgency to urinate, feeling of incomplete urination, urinary tract infections or sometimes bleeding. If someone takes more than one minute to start the urine and more than two minutes to complete the act of urination this condition requires the consultation with your family physician



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 131

(30ml Sealed)

(TONIC FOR DIABETIC PATIENTS)

Composition:

Abroma AugD1+10C, SyzygiumD2+20C, Gymnema SilD1+10C, AswagandhaD1+10C, AlfalfaD1+10C, Avena SatD1+10C

Specific Indication:

Diabetes is associated with long term complications that affects almost every major part of the body. The specific symptoms may includes: frequent urination, irritability, changes in appetite, weight loss, unusual thirst, vision problem (blurring spots), tiredness or pale skin colour, numbness or tingling feeling in the hands or feet, chest pain, repeated infection or slow healing of wounds, genital/vaginal itching & constant headache.

General Indication:

The food we eat is converted into glucose which is used by our body for energy. The pancreas makes a hormone



called insulin which helps cells assimilate glucose. Diabetes is associated with long term complications that affects almost every major part of the body. So BM developed a tonic for diabetes to minimize the long term complications that affects the sufferer. Diabetic tonic help in the following symptoms of the diabetic patients. Unusual thirst, frequent urination, extreme fatigue and weakness, blurred vision, abdominal pains, nausea and vomiting, rapid weight loss and gain, skin infections, impotence, fluid retention (especially in legs and feet), slow healing of skin wounds, decreased tolerance to cold, chronic itching, irregular or rapid heart rate, dry scaly skin, numbness and tingling of fingers and toes, extreme hunger pangs, hot and sweaty with clammy perspiration, heart tremors and palpitations, apprehensive with no obvious reason, shaky and nervous, disoriented, confused, inability to concentrate, frequent headache, dizziness, mood changes and irritability.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 132

(30ml Sealed)

(NIGHT BLINDNESS)

Composition:

Cadmium SulphD10+100C, PhysostigmaD10+100C, HelliborusD10+100C, Strychnin PhosD10+100C, Calc PicD10+100C, Zincum PhosD10+100C

Specific Indication:

Night blindness is the poor vision at night or in dim light but one can see normally when adequate amount of light is present. The specific symptom is the night blindness.

General Indication:

Night blindness is the poor vision at night or in dim light, it may be caused by retinitis pigmentosa. This type of night blindness is an inherited eye disease in which there is progressive deterioration of the photoreceptors eventually leading to total blindness. The rods of eye are destroyed first, during the course of this disease resulting in night blindness. Night blindness in children may be an early warning sign of retinitis pigmentosa. Night blindness symptoms includes difficulty in seeing when driving in the evening or at night, poor vision in reduced light and feeling that the eyes take longer to "adjust" to seeing in the dark.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 133

(30ml Sealed)

(FISTULA IN ANO)

Composition:

SiliceaD6+60C, Carbo VegD10+100C, Aurum MurD10+100C, Thuja OccD7+70C, Acid NitD7+70C, Ferrum IodD7+70C

Specific Indication:

Intermittent or persistent discharge from the anal region. Past history of the perianal abscess. Pink or red small lump on the perianal region. Swelling, bleeding, skin excoriation may be the specific symptoms.

General Indication:

A fistula in ano arises as a consequence of an infection of one of the glands that are located within the anal canal. Bacteria that are normally present in the anal glands begin to multiply and form abscess that burrows through the wall of the



BM Homoeopathic Combination Drops Series

rectum and to the skin surrounding the anus. Some abscesses will rupture or break open spontaneously. The symptoms of anal fistula includes pain, bleeding, recurrent anal infections, soiling with pus and blood.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 134

(30ml Sealed)

(FISTULA)

Composition:

Ars AlbD7+70C, HydrastisD3+30C, MyristicaD7+70C, Nitric AcidD8+80C, Periproctitic Abscess NosodeD20+200C, Rhus ToxD7+70C, PaeoniaD6+60C

Specific Indication:

There are many classifications of the fistulas used in medicine. Fistulas usually arise because of infections. The symptoms of fistula includes an Intermittent or persistent discharge from the fistula. Swelling, bleeding, pain, skin ulceration and inflammation may be the specific symptoms.

General Indication:

Physical examination/findings remain the mainstay of diagnosis. The physicians should observe the fistula to determine its exact nature. There may have been an abscess in the past that has burst of its own accord or has been operated upon. Fistula may exude pus when squeezed, usually no pre-disposing disease is found. The general symptoms of fistula may include pink or red lump that may exude pus when squeezed, intermittent or persistent discharge, pain, swelling, discharge of pus and bleeding, weight loss and may be a change in the bowel habits.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 135

(30ml Sealed)

(HIGH LIPID PROFILES)

Composition:

EchinaceaD3+30C, CholestrinumD7+70C, Baptisia TincD3+30C, LachesisD30+100C, PyrogenumD30+100C, Baryta MurD10+100C

Specific Indication:

High lipid profiles rarely causes symptoms. Some people with lipid disorders may have distinct the symptoms such as deposits of excess fatty substance that collect in the skin or eye lid tissues. These fatty substances (a lipid) deposits can also cause nodules in tendons, in hands or in feet.

General Indication:

Lipid is a fatty substance found in the blood circulations of humans. Our body uses cholesterol to produce many hormones, vitamin D, and the bile acids that help to digest fat. It takes only a small amount of cholesterol in the blood to meet the needs. If there is too much cholesterol in the blood stream the excess may be deposited in the arteries including the coronary arteries, where it contributes to the narrowing and blockages that causes the signs and symptoms of the heart disease. Studies have shown that high cholesterol increases the risk for heart attack, stroke and circulation problems. BM High Lipid Profile Compositum is particularly researched by a double blind placebo controlled clinical trial study method not only to reduce the high lipid profiles but to maintain the same to avoid the risk factors.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 136

(30ml Sealed)

(MULTIPLE SCLEROSIS)

Composition:

Formic AcidD200+200C, Lathyrus SativusD200+200C, Para BenzochinonumD200+200C, Plumbum MetD200+200C, Poliomyelitis NosodeD200+200C, Tetanus AntitoxinD200+200C

Specific Indication:

Multiple sclerosis is classified according to the frequency and severity of neurological symptoms. Early symptoms of the disorder may include blurred vision, blind spots, muscle weakness, numbness and pain.

General Indication:

Multiple sclerosis is a progressive degenerative disorder that affects the nerve fibers in the brain and spinal cord. Multiple sclerosis also causes scarring and hardening of the nerve fibers usually in the spinal cord, brain stem and optic nerve which slows nerve impulses and results in weakness, numbness, pain and vision changes. The different nerves are affected at different times so multiple sclerosis symptoms often worsen, improve and develop in different parts of the body. Initial symptoms of the multiple sclerosis may be brief and mild. The first serious attacks usually lasts weeks or months and occur between the ages of 20 to 40. The common early symptoms includes sensory abnormalities that tingling, numbness, itching, tightness, burning, shooting, pain in the back or limbs, difficult in walking, eye pain, vertigo, dizziness, uncoordinated movements, mood swings and depression.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 137

(30ml Sealed)

(MANIA)

Composition:

StramoniumD10+100C, Cup MetD16+100C, Kali BromD16+100C, Ferr MetD16+100C, Aurum IodD16+100C, Morphind16+100C, PhosphorusD10+100C

Specific Indication:

Aggressive, provocative and intrusive behaviour, decreased need for sleep, easily irritated, hypertensive.

General Indication:

Mania is an abnormality elevated mood states and inappropriate behavior. Some types of manias run in families indicating that a biological vulnerability to depression can be inherited. It is also necessary that everyone experiences every symptom while the episode of mania. Some people experience the few symptoms and some many symptoms, the severity of symptoms also varies with individuals. However, some common symptoms includes the following: inappropriate elation, inappropriate irritability, severe insomnia, grandiose notions, increased talking speed and/or volume, disconnected and racing thoughts, increased sexual desire, Markedly increased energy, poor judgment. & Inappropriate social behavior.



Dosage:

Adult: 10-15 drops, Teenagers: half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 138

(30ml Sealed)

(BLOOD SUGAR)

Composition:

GymnemaD1+10C, SyzygiumD1+10C, Abroma AugD1+10C, CephlandraD1+10C, Vaccinium MyrtillusD1+10C

Specific Indication:

Blood sugar specific symptoms includes frequent urination, excessive thirst, extreme hunger, unusual weight loss, increased fatigue, irritability and blurry vision.

General Indication:

Studies have shown the early detection of blood sugar symptoms and treatment can decrease the chances of complications. Sugar (glucose) is a source of fuel for the body which enters the blood stream. An organ called the pancreas makes insulin. The role of insulin is to move the glucose from the blood stream to the muscle, fat and liver cells where it can be used as fuel. High blood sugar level can cause several problems and it can be classified as following. Symptoms of type 1 blood sugar are increased thirst, increased urination, weight loss in spite of increased appetite, fatigue, nausea, vomiting. Symptoms of type 2 blood sugar are increased thirst, increased urination, increased appetite, fatigue, blurred vision, slow-healing infections & impotence in men.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 139

(30ml Sealed)

(RHEUMATOID ARTHRITIS)

Composition:

Arnica MontD6+60C, Bryonia AlbaD6+60C, ColchicumD4+40C, CausticumD3+30C, Ranunculus BulbD10+100C, RhodendronD10+100C, Rhus ToxD4+40C

Specific Indication:

Rheumatoid factor is present in the blood. Affected joints feel tender, warm and swollen. Both sides of the body are affected at the same time. For example if one knee is affected the other one is also. Joints inflammation often affects wrist, finger joint, neck, shoulder, hips, elbows, knees and feet.

General Indication:

The exact cause of rheumatoid arthritis is yet not known. It is known that immune system does not operate as it should. Different studies and scientists explain that although the cause of rheumatoid arthritis is not known but many factors contribute to the development of the rheumatoid arthritis. Genetic or hereditary factors play a role in the immune system. Rheumatoid arthritis causes inflammation of the joints lining which leads to pain, swelling, stiffness and loss of function. It can also cause the inflammation of the tear glands, salivary glands, the lining of the heart and lungs and there are many other symptoms associated with rheumatoid arthritis such as joints feel tender, warm, and swollen. Both sides of the body are affected at the same time. This is also called a "symmetrical pattern" of inflammation. For example, if one knee is affected, the other one is also. Joint inflammation often affects the wrist and finger joints closest to the hand. Other affected joints can include those of the neck, shoulders, elbows, hips, knees, ankles, and feet. Fatigue, an occasional fever, and a general sense of not feeling well (called malaise). Pain and stiffness last for more than one hour in the morning or after a long rest. The symptoms can last for an extended period of time. Symptoms may occur in other parts of the body, not just in the joints. Symptoms of Rheumatoid Arthritis differ from person to person.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 140

(30ml Sealed)

SPONDYLOSIS (CERVICAL & LUMBER)

Composition:

Berb VulgD3+30C, Calc PhosD3+30C, CausticumD6+60C, DulcamaraD6+60C, Nux VomicaD1+10C, Rhus ToxD2+20C

Specific Indication:

Rheumatoid acute and chronic, lumbago, sacroiliac arthritis, worse change of weather. In case of cervical spondylosis pain spreads over the shoulders and scapula. In case of lumber spondylosis pain spreads to the both sides of the waist and hips. Sometimes unable to move and bed ridden.

General Indication:

Causes and symptoms of cervical and lumber spondylosis have yet not been known clearly, but seem to be affected by the family history or innately. However, some symptoms have been collected and noted by the researchers and these includes bending the body forward does not make any pain, but bending backward arouses pain in the center of the back. The pain may be acute in change of seasons or cloudy days. It may happen that a patient does not have any pain though an x-ray image demonstrates spondylosis. Pain gets worse while exercise, over weight and stress on soft back tissues.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 151

(30ml Sealed)

(BEDWETTING)

Composition:

BelladonnaD7+70C, Benzoic AcidD10+100C, CausticumD8+80C, EquisetumD3+30C, GelsemiumD3+30C, Rhus AromD4+40C, VerbascumD6+60C

Specific Indication:

Bedwetting factors includes heredity, delayed maturation of bladder function, small bladder capacity, stress, emotional problems, constipation and urinary tract infection.

General Indication:

Bedwetting is involuntary discharge of urine during the night. It is not deliberate or controllable. It varies in children, individual to individual. Bedwetting ranges from one wet episode a month to seven or more a week. Boys experience more bedwetting than girls. Bedwetting may be a cause of emotional burden on a child. Bedwetting Compositum No. 151 can help the bedwetters, without embarrassing or hurting the child. It is experienced while developing this product that following measures may help a lot. Avoid chocolates, soft drinks, tea and coffee. Limiting liquids before bed time. Encouraging the child to go to the bathroom before bed time. Praising the child on dry mornings, avoiding punishment & waking the child during the night to empty their bladder.

Dosage:

Children: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 152

(30ml Sealed)

(CHICKEN POX)

Composition:

Sycotic Co.D100+100C, VariolinumD100+100C, AconiteD16+100C, Anti.TartD16+100C, BelladonnaD18+100C, CantharisD18+100C, Dulcamara D18+100C

Specific Indication:

A viral infection. Blister like infection on the surface of skin and mucous membranes. Blisters fill with pus, burst and scab over. Most prominent on face, scalp and trunk, less prominent but present on arms and legs. Severe itching, fever and malaise are the prominent indications of chicken pox.

General Indication:

Chicken pox is a viral infection that causes a blister like rash on the surface of skin and mucous membrane. These blisters usually appear first on the trunk and face then spread to almost everywhere else on the body. Though chicken pox is a mild illness but must be given very much care because sometimes it may lead to some serious problem. Most of the people suffering from chicken pox experience different symptoms but the most common are fever, backache, headache, sore throat, pustular eruption. If some body is suffering from chicken pox in home or neighbourhood the close contact with the diseased person should be avoided until the patient is fully cured.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 153

(30ml Sealed)

(DIURETIC)

Composition:

ApocynumD3+30C, AdonVD2+20C, Apis MellD3+30C, DigitalisD4+40C, ColchicumD6+60C, HelleborusD4+40C, Stigmata MayD2+20C

Specific Indication:


Diuretic Compositum has very important role to treat the patients suffering from cirrhosis of liver, cardiac failure, and certain kidney disease. Diuretic Compositum is also useful in oedema, hypertension and even regulates urine production by the kidney.

General Indication:

Homoeopathic diuretic Compositum tends to increase the flow of urine from the body. Medically it is experienced that diuretics are used to treat heart failure, cirrhosis of the liver and kidney disease. This Compositum alleviate the symptoms of these diseases by causing sodium and water loss through the urine. When the sodium deposits and water retention causes edema then BM Diuretic Compositum is useful to bring more urine produced by the kidney. This Compositum is also helpful in the patients of high blood pressure and dysurea. So this Compositum can be used as a supplement in other diseases to obtain the best results.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 154

(30ml Sealed)

(DYSPEPTIC SYNDROMES)

Composition:

Antimonium CrudumD12+100C, RobiniaD2+20C, Carbo VegetabilisD16+100C, AsafoetidaD100+100C, Sulphuricum AcidumD16+100C, Nux MoschataD6+60C, Chelidonium MajusD2+20C, Hydratis CanD2+20C

Specific Indication:

The broad range of symptoms to be understood very carefully are abdominal distention, frequent awakening by symptoms, feverish, Increased belching, flatulence, heartburn, dyspepsia, nausea and vomiting. Constipation alternating with diarrhoea and sometimes backache and headache in adult patients.

General Indication:

Dyspeptic syndromes is a disorder which directly affects the whole digestive system. Burning pain in the epigastric, slow digestion, feeling of fullness and heaviness, belching, watery or acidic vomiting, flatulence and distention. It is also clinically experienced that dyspeptic syndromes are influenced by emotional factor such as anger, frustration, guilt or resentment and accompanied with neurosis affected by anxiety and depression. Abdominal discomfort usually worse in the morning and better in the evening, diminished appetite, constipation in general, abdominal muscles are tense and gastric symptoms are associated with nervous symptoms such as headache and insomnia.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 155

(30ml Sealed)

EPISTAXIS (BLEEDING FROM THE NOSE)

Composition:

Ferr PicD30+100C, Ferr PhosD6+60C, Kali MurD6+60C, ArnicaD7+70C, BelladonnaD6+60C, HammamelisD7+70C, MillifoliumD7+70C

Specific Indication:

Epistaxis (Nose Bleeding) causes includes excessive nose picking, trauma to nose due to accident, hit on the nose, fracture of the nasal bone, acute sinusitis, viral rhinitis, foreign body in the nose, deviation of nasal septum, atmospheric changes that is movement to high altitude, growth in the nasal cavity, high blood pressure, pregnancy and deficiency in the system responsible for control of bleeding.

General Indication:

Epistaxis (bleeding from nose) is a common complaint presenting an emergency. Epistaxis is often a frightening sight to the patient and the attendants especially if the patient is child. Epistaxis may be due to the local infection, general and other causes. Finger nail trauma due to the excessive nose picking, trauma to nose due to any accident or hit on the nose or fracture of the nasal bone. Epistaxis may be due to acute sinusitis, viral rhinitis. Epistaxis may be due to foreign body in the nose, deviation of the nasal septum, atmospheric changes, growth in the nasal cavity. In general epistaxis is seen in the patients of hypertension, pregnant women and patients using excessive analgesics.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 156

(30ml Sealed)

(FLATULENCE & DYSPEPSIA)

Composition:

Mag PhosD3+30C, ErigeronD3+30C, Nux MosD3+30C, IgnatiaD6+60C, AlstoniaD3+30C, China OffD5+50C, HydrastisD6+60C

Specific Indication:

Indigestion, painful & burning sensation in the upper abdominal region, bloating, belching, diffuse abdominal pain, heart pain, passing gas, nausea and occasionally vomiting. Irritable bowel syndromes, lactose intolerance, depression and anxiety may also be the specific indications.

General Indication:

Dyspepsia and flatulence is definitely treatable even with the little dietary changes. The flatulence and dyspepsia indications may appear because of hurried eating or drinking, smoking or chewing gum, badly fitted denture, gas in large intestine, undigested carbohydrates and lactose intolerance. The very common symptom of the patient are pain, abdominal distention, constipation or diarrhoea, nausea, flatulence, dyspepsia, depression and anxiety in combination of these symptoms may be present.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 157

(30ml Sealed)

HYPOTENSION (LOW BLOOD PRESSURE)

Composition:

Crocus SatD20+200C, PulsatillaD16+100C, Ambra GriseaD12+100C, PhytolaccaD10+100C, Platina MetD16+100C, HeloniasD7+70C, VABD10+100C

Specific Indication:

The specific indications of hypotension (low blood pressure) includes dizziness, lightheadedness, unsteadiness, dimming or blurring of vision, weakness, fatigue, cognitive impairment and nausea. If the hypotension particularly appears in elderly, it may increase the risk of falls leading to bone fractures and other injuries.

General Indication:

Low blood pressure may be physiological and unassociated with symptoms of ill health. It is generally due to failure of blood pressure regulating mechanism. On the other hand abnormal blood pressure may be due to myocardial infarction or reduction in cardiac output due to sluggish circulation. Patient has temporary symptom of fainting or loss of consciousness. When these symptoms persist, patient complaints of insomnia, headache and giddiness.

When the blood pressure drops suddenly the brain is deprived of adequate blood supply. The hypotension includes dizziness, light headedness, unsteadiness, dimming or blurring of vision, weakness, fatigue, cognitive impairment and nausea. If the hypotension particularly appears in elderly, it may increase the risk of falls leading to bone fractures and other injuries.



Dosage:

Adult: 10-15 drops, teenagers half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 158

(30ml Sealed)

(JAUNDICE)

Composition:

ChelidoniumD2+20C, Carduus MarD3+30C, HydrastisD4+40C, Secale CorD7+70C, PodophyllumD10+100C, TerebinthinaeD10+100C, Fel TauriD7+70C, LeptandraD30+100C

Specific Indication:

Catarrhal jaundice, jaundice yellow discoloration of the skin and of conjunctiva, pale skin, pale urine, obstructive jaundice, liver cell jaundice, haemolytic jaundice, tongue is furred, fever, sensitiveness over the liver and offensive stool.

General Indication:

When the accumulation of the pigment in the serum is associated with the yellow discoloration of the skin, the whites of the eyes are yellow, it is the picture of the jaundiced patient. Obstructive jaundice is due to an obstruction in the common bile duct, both hepatic or in biliary duct inside the liver because of the obstruction bilirubin level raises may be upto 30mg/per ml or more. It is usually accompanied by persistent itching, pain in the region of the gall bladder and liver. Pale stools and dark urine. The ultrasound report shows hepatomegaly and sometimes splenomegaly. Liver profiles are raised. It is also important to note that jaundice may appear because of the allopathic drugs like (Phenothiazines). It is also experienced in the clinical practice that most of the antidepressant drugs are also the cause of jaundice. BM Jaundice Compositum is useful to manage difficult kinds of jaundice including toxic and malignant jaundice.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 159

(30ml Sealed)

(LEUCORRHOEA)

Composition:

Aletris FarinosaD3+30C, Aristolochia ClematitisD100+100C, Fluoric AcidD100+100C, Fumaric AcidD100+100C, HydrastisD100+100C, Hydrocotyle AsiaticaD1+10C, Kali BichD100+100C, MedorrhinumD100+100C

Specific Indication:

Any discharge which seems more than normal from vagina is known as leucorrhoea. Pale look, weariness, backache, loss of appetite, dyspnoea of slightest exertion, vaginal discharge may be transparent, greenish, creamy, foul, dark, copious or lumpy.

General Indication:

The women health is affected by the discharge of leucorrhoea. There is normally more discharge at puberty when the sexual functions are becoming established, also before few days of each period. Leucorrhoea is also common during pregnancy, but this type of discharge is never irritant or offensive. Vaginal discharge may be transparent, brown, green, copious, creamy and bloody. It may be associated with the symptoms of backache which may be extended to thighs and calf muscles. Leucorrhoea may be during periods, after periods, and between periods. Excessive vaginal discharge from sexual excitement. Leucorrhoea causes irritation, itching in the vagina or between the lips of vagina.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 160

(30ml Sealed)

(MENOPAUSE)

Composition:

Lachesis MutusD200+200C, SulphurD6+60C, SepiaD2+20C, GraphitesD15+100C, Thuja OcciD3+30C, Mag PhosD6+60C, PulsatillaD3+30C, Magnesia SulphD6+60C, Curprum SulphD6+60C

Specific Indication:

Specific indications of menopause includes menstrual disorder, circulatory disorder, hot flushes, high blood pressure, bone and joint pains and nervous disorder, sensation of heat that spreads over various parts of the body especially chest, face and head. Palpitation, anxiousness, depression, disturb sleep, vaginal and urinary tract infection and discomfort coitus.

General Indication:

According to the international data about 75% of women reports troublesome symptoms during menopause. The severity and frequency of symptoms varies from woman to woman. The most common features are irregular bleeding, hot flushes, vaginal atrophy, mood swings, sexual discomforts. Women approaching to the age of menopause feels hot flushes, produces a sudden sensation over various parts of the body especially the chest face and head. Flushing and sweating usually occurs and followed by a chill. Some women experience palpitation, depression, nervousness, disturb sleep, bed sheet becomes damp with sweat. Women in the age group of menopause have different symptoms at different times there may be involuntary urination, painful urination or UTI, vaginal dryness can also occur along with irritation & itching. Though it is a natural part of ageing and occur when the ovaries stop making hormones called estrogen. BM menopause Compositum can help to manage the menopausal discomfort and indications.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 161

(30ml Sealed)

(MIGRAINE & NEURALGIA)

Composition:

CimicifugaD6+60C, Iris VersD4+40C, SanguinariaD4+40C, GelsemiumD4+40C, Ambra GriseaD7+70C, PhysostigmaD6+60C, CamphorD7+70C

Specific Indication:

Migraine, nervous headache, neuralgia of the head, neuralgia as reflex symptom of a viral disorder, periodic migraine. Intense headache causing occasionally temporary blindness. Alternating heat and shivering. Cerebral congestion.

General Indication:

Neuralgia is caused by irritation or nerve damage from systematic disease, inflammation, infection and compression or physical irritation of a nerve. Neuralgia can result from tooth decay, poor diet, eyes strain, nose infection, exposure to damp and cold. A typical migraine attack produces throbbing pain on the side of the head often accompanied by nausea, sometimes with vomiting. Visual symptoms are common and facial tingling and numbness may occur. Pain sometimes spreads to affect the entire head and is worsened by physical sensitivity, extreme sensitivity to light and noise are common. Patients may feel cold and look pale. Transformed migraines, such headaches resembles tension type headaches.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 162

(30ml Sealed)

(WARTS)

Composition:

AnagallisD4+40C, Anti CrudD10+100C, PenicillinumD20+200C, Sempervivum TectorumD7+70C, ThujaD4+40C, X-RaysD20+200C

Specific Indication:

Warts are the small appears on any part of the body due to infection. Common warts (usually grows on fingers around the nails and on the back of hands). Foot warts (usually appears on the soles of the feet). Flat warts (they are relatively small and smoother than other warts).

General Indication:

Warts probably are passed from person to person, sometimes indirectly. The time between the first contact and time when the warts can be seen is often several months. The risk of catching hand, foot and flat wart is small. Genital warts seem to be more contagious. It is important to take precautions to limit the spread of genital warts. Usually warts are non-cancerous skin growths. The appearance of a skin wart depends on where it is growing. These are usually skin coloured and feel rough to the touch, but can be dark, flat or smooth. There are many kinds of warts which can be treated along with various kinds of symptoms with BM warts compositum drops. The kinds of warts Includes common warts, flat warts and genital warts.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 163

(30ml Sealed)

(CATARRH)

Composition:

AnacardiumD10+100C, Kali MurD7+70C, Kali SulphD7+70C, Kali BichD8+80C, Kali IodD8+80C, Barium IodD10+100C, Pothos FoetidaD7+70C

Specific Indication:

Inflammation of the mucous membrane with constant flow of mucous. Flow of mucous from the nose, ears and sinuses. Runny or viscous fluid brought on by viral or bacterial infection. Watery catarrh, clear catarrh. Thick catarrh or yellow catarrh drips down back of throat and onto vocal cords.

General Indication:

Basically catarrh is a symptom of general toxicity of the body. Catarrh is the body's attempt to rid itself of toxins which are not being adequately dealt with by the liver or properly excreted by the kidneys, bowels and skin. Catarrh of runny or viscous fluid from the nose brought on by viral or bacterial infection, chemical irritants or dry air. All these conditions irritate or inflame the mucous membranes lining of the nasal cavity and sometimes the sinuses as well. The symptoms appears stuffy and blocked nose, coughing, headache, sneezing, feverish feeling, body pains, tenderness in cheeks, headache particularly on forehead, nose dry and sore, loss of smell and taste etc. The catarrh drips down back of throat and onto vocal cords.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 164

(30ml Sealed)

(POLYURIA)

Composition:

PneumococcusD100+100C, CausticumD100+100C, SepiaD100+100C, Helonias DioD7+70C, ChlorpromazineD100+100C, UbiquinonD100+100C, AlloxanD100+100C

Specific Indication:

Common causes of polyuria are diabetes mellitus, diabetes insipidus, chronic nephritis, hypertension, excessive thirst, hyperparathyroidism and hysteria.

General Indication:

Polyuria is mostly a renal disorder characterized by the production of pale dilute urine, often associated with multiple reasons. Different studies shows possible causes and symptoms of polyuria, urinary tract infections, bladder conditions, interstitial cystitis, prostate conditions (enlarged prostate), diabetes, chronic renal failure, hypercalcemia and certain medications.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 165

(30ml Sealed)

(BRONCHITIS)

Composition:

GrindeliaD7+70C, Angelica AtroD7+70C, Silphium LacD6+60C, Balsum Per \varnothing +10C, Kali MurD6+60C, Kali BichD6+60C, Kali IodD6+60C, Barium MurD6+60C

Specific Indication:

Inflammation of the bronchial tubes or bronchi. Inflammation may be caused by virus, bacteria, smoking or the inhalation of chemical pollutants or dust. Acute or chronic bronchitis. Bronchial wall inflammation can occur in asthma, shortness of breath, spasmodic contraction and much production of mucopurulent sputum, frequent attacks on bronchitis may lead to emphysema. Cold attacks, capillary bronchitis and bronchorrhoea.

General Indication:

Bronchitis is the inflammation of bronchi that is the two tubes into which trachea divides at its lower end. The first attack of bronchitis may be caused by viral or bacterial infection which inflames and enlarges the mucous membranes or lubricating glands of the bronchi and fill the air ways with mucous. The prominent symptoms are breathlessness, wheezing and continues coughing with phlegm. This is the stage of acute bronchitis and with the symptoms of fever, cough, spasmodic contraction and mucous production. In all the acute and chronic cases, patient has to pass through three stages. First is initial stage of bronchitis with the symptoms of infection or cold attacks, fever, dry hard deep cough, red hot face, red cheeks, red eyes, intense thirst, quick pulse and restlessness. Second stage is the bronchopneumonia with the symptoms of infection, cold runs down and settles in the chest with the involvement of bronchial capillaries. In chronic cases symptoms of breathlessness, sinuses, cold sweats are very prominent. Third stage of bronchitis is the clearance of much mucous from the chest, no dry cough, except rattling cough with thick, hard, lumpy expectoration of white mucous.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 166

(30ml Sealed)

(DYSENTERY)

Composition:

Aegle FoliaD3+30C, Atista RadixD7+70C, Chapparo AmargosoD3+30C, KurchiD6+60C, Merc CorD10+100C, Prunella VulgarisD6+60C, TrombidiumD30+30C

Specific Indication:

Bacterial or viral infection due to the use of contaminated water and food, abdominal pain, tenesmus, persistent desire to empty the bowel, dysentery with mucous or blood. In case of severity, increasing fever, great thirst, red tongue, rapid breathing but slow pulse are the common symptoms.

General Indication:

Dysentery may be defined as diarrhoea containing mucous or blood. Although there are several organisms which can cause dysentery but out of all Shigella are the most important. Different studies have been done to determine how dysentery is spread. The most likely mode of transmission are contaminated water and food. Dysentery is a disease involving the inflammation of the lining of the large intestine. The inflammation cause stomach pain and diarrhoea. In some cases symptoms of vomiting and fever are also quite pronounced. People suffering from dysentery lose important salts and fluids from the body. This can be fatal if the body dehydrates. Dysentery is most likely a bacterial or viral infection with the symptoms of abdominal pain tenesmus, persistent desire to empty the bowel, dysentery with mucous or blood, fever, loss of appetite, restlessness, sleeplessness, abdominal distention, rapid breathing, slow pulse, patient look pale and emaciated.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 167

(30ml Sealed)

(APPENDICITIS)

Composition:

AbrotanumD200+200C, BelladonnaD200+200C, BryoniaD200+200C, EchinaceaD200+200C, Iris TenaxD200+200C, LachesisD200+200C, Rhus RadicansD200+200C

Specific Indication:

Inflammation of the appendix, abdominal pain, poorly localized pain, pain is difficult to pin point, discomfort in the center of abdomen, pain comes and goes in waves, pain becomes more noticeable after few hours. Pain increased by movement or coughing. Sick and nauseatic feeling.

General Indication:

The appendix is a small worm like pouch attach to the large bowel right after the small intestine. Though the function of the appendix is uncertain and there seems to be no long term problem in living without it. Appendicitis is the inflammation of the appendix. It is thought that appendix begins when the opening from the appendix into the secum becomes blocked. If the inflammation and infection spread through the wall of the appendix, the appendix can rupture. On appearance of the symptom, duly properly diagnosed appendicitis, BM appendicitis compositum is successful in healing the appendicitis without surgical treatment. The symptoms of appendicitis includes, discomfort in the center of abdomen, pain comes and goes in waves, pain is more noticeable in few hours, pain increases by movement or coughing, disturb appetite nausea, sick feeling, raised temperature, flushed complexion and foul breath.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 168

(30ml Sealed)

(MUMPS)

Composition:

ConiumD30+100C, Pilocarpine MuriateD30+100C, Kali SilD7+70C, Kali ArsD7+70C, SulphurD7+70C, Nat MurD7+70C

Specific Indication:

Fever, swelling of the parotid salivary glands, headache, loss of appetite, pain in the parotid glands. Pain gets worse while swallowing, talking, chewing and drinking of acidic juices. Left and right both sides may be affected. Stiff neck, nausea and vomiting, dry mouth are also important symptom of parotiditis.

General Indication:

Mumps is a disease caused by a virus that usually spreads through saliva and can affect many parts of the body especially parotid salivary glands. Mumps usually begins with two days of discomfort and an increasing temperature. This is followed by uncomfortable feeling in the jaw bone and swelling of the parotid glands. It is a contagious infection spread from person to person through direct contact and discharges from the nose and throat of the infected persons. Mumps can also be spread by coughing, sneezing or even talking. The main symptoms are severe swelling and soreness of the cheeks and jaws. Starts with the ear or neck pain, loss of appetite, tiredness, headache, fever and if it is not properly treated then mumps can cause complications like hearing loss, inflammation of brain, testicles or ovary.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 169

(30ml Sealed)

(FEVER)

Composition:

IpecacD7+70C, BryoniaD6+60C, Rhus ToxD3+30C, BaptisiaD1+10C, Arnica MontD2+20C, GelsemiumD6+60C, Eupatorium Perfd3+30C

Specific Indication:

Fever is often a sign of infection or illness. The specific symptoms of fever may vary but these includes muscular pain, backache, headache, shivers, loss of appetite, nausea and vomiting and slow pulse. If fever reappears after the acute phase then it affects the several body systems with the symptoms of severe body pains, burning syndromes, abdominal pain, sore nose and mouth.

General Indication:

Although it is believed that fever helps the body to fight infections by stimulating natural defensive mechanism. Fever is a sign of infection which makes the sufferer uncomfortable and dehydrated. The first acute phase of the fever normally indicates the symptoms of raised body temperature, muscle pain, prominent backache, headache, shivering and hot sweats, loss of appetite, nausea and vomiting. In case the fever reappears in the second phase then it may affects several body systems with the different kind of complaints like abdominal pain, deviated liver and renal profiles, coated tongue, soreness of throat nose and eyes.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 170

(30ml Sealed)

(INDIGESTION)

Composition:

Cup AcetD10+100C, Bismuth MetD12+100C, Argentum NitD12+100C, PhosphorusD12+100C, IpecacD12+100C, Anti CrudD12+100C, Carbo VegD12+100C

Specific Indication:

Indigestion is a common problem. It may be triggered by eating or drinking particular type of food. The specific symptoms of indigestion are pain or burning in the upper belly usually in the middle, nausea, feeling of sickness, bloating, feeling of fullness, heart burns, food is coming up leaving the bitter taste in the mouth.

General Indication:

Indigestion is basically a stomach upset that usually results when people eat too much or eat some particular food which doesn't agree with them. If a proper treatment is not applied a person may have a more serious digestive disorder. The most common causes of the indigestion are eating fast, significant caffeine intake, eating fatty or greasy food, overindulgence in alcohol, tobacco smoking and tobacco chewing, eating spicy foods, emotional nervousness, inflammation of the gall bladder stomach and pancreas, duodenal ulcer, gastric ulcer, drugs such as antibiotics, aspirin and nonsteroidal "anti-inflammatory" drugs. Indigestion symptoms change noticeably these include belching, bloating, nausea, acidity, food coming up, excessive wind, stomach pain, bitter taste in the mouth, feeling of discomfort and finally all these symptoms may worsen by anxiety and depression.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 171

(30ml Sealed)

(MEASLES)

Composition:


Secale CornD6+60C, Anti TartD6+60C, AethusaD6+60C, TerebinthinaD6+60C, Carbo VegD10+100C, SulphurD12+100C, Ferr MetD12+100C

Specific Indication:

Measles spreads very easily by the measles virus. Specific indications are high grade fever, fatigue, runny nose, cough and watery red eyes.

General Indication:

Measles is the most contagious disease spread by respiratory droplets. Measles symptoms generally appear in two stages. In the first stage, the sufferer may have a runny nose, cough and slight fever, the eyes may become red and sensitive to light while the fever consistency rises each day. The second stage begins on the third to the seventh day and consists of a temperature of 103-105°F and a red blotchy rash lasting four to seven days. The rash usually begins on the face and then spreads over the entire body. Little white spots may also appear on the gums and inside the cheeks.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 172

(30ml Sealed)

(TONSILLITIS)

Composition:

IodiumD10+100C, BromiumD10+100C, Cup IodD10+100C, MorphinD10+100C, Aurum Iod.D10+100C, GuaiacumD10+100C, PhytolaccaD10+100C

Specific Indication:


The most common causes of tonsillitis are bacterial tonsillitis, streptococcus and viral tonsillitis. The specific symptoms are pain in the throat, difficult eating, difficult swallowing, enlarged and inflamed tonsils, high to moderate rise in the body temperature.

General Indication:

The possible causes of tonsillitis include bacterial tonsillitis, streptococcus and viral tonsillitis. Streptococcal infections may also be potential underlying causes of tonsillitis. Tonsils produce lymphocytes and antibodies and are situated strategically to protect against invasion of foreign substances that are inhaled or injected. The inflammation is typically caused by viruses and other bacteria. The symptoms are soreness, redness, pain and swelling of the tonsils, difficulty in swallowing hoarseness and coughing. Other possible symptoms are headache, earache, fever and chills, nausea and vomiting, nasal obstruction and discharge and enlarged lymph nodes through out the body. Snoring may be one of the symptom in many children. Swollen glands on either side of the neck or jaw. Sometimes the patient will have bad breath and in several cases there may be a pain extending towards the ear.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 173

(30ml Sealed)

(URTICARIA)

Composition:

Nat SalicylicD30+100C, Urtica UrenD30+100C, Nat MurD30+100C, SulphurD6+60C, SiliceaD6+60C, EchinaceaD6+60C, EuphrasiaD6+60C

Specific Indication:

Most cases of urticaria are acute, lasting from a few hours to less than six weeks. Whereas, the chronic cases lasts more than six weeks. First the skin itches, then it erupts into red welts. The itching may be severe, keeping people away from working or sleeping. Worse by scratching. Urticaria can be classified into two categories, allergic urticaria and non-allergic urticaria.

General Indication:

Allergic urticaria is the least common form, although it is somewhat more common in children than in adults. It is caused by the immune systems overreaction to foods, drugs, infection, insect stings, blood transfusions or other substances. Foods such as eggs, nuts and shellfish, and drugs such as penicillin and sulfa are common causes of allergic or immunologic urticaria. Recent studies also suggest that some cases of chronic urticaria are caused by autoimmune mechanisms, when the patient develops immune reactions to components of his or her skin.

Non-allergic urticaria are those types of urticaria where a clear-cut allergic basis cannot be proven. These take many forms like, dermatographism is urticaria that develops when the skin is stroked with a firm object. Cold-induced urticaria appears after a person is exposed to low temperatures for example, after a plunge into a swimming pool or when an ice cube is placed against the skin. Cholinergic urticaria, which is associated with exercise, hot showers and/or anxiety, is a form of hives that is related to release of certain chemicals from parts of the nervous system that controls such body functions as blood pressure and heart rate. Pressure urticaria



develops from the constant pressure of constricting clothing such as sock bands, bra straps, belts or other tight clothing. Solar urticaria arises on parts of the body exposed to the sun; this may occur within a few minutes after exposure.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 174

(30ml Sealed)

(EASY TEETHING)

Composition:

Ferr MetD15+100C, Calc PhosD6+60C, ChamomillaD3+30C, LecithinumD15+100C, Nat CarbD6+60C, PepsinumD6+60C, Ferr PhosD6+60C

Specific Indication:

Teething is not an illness, so the treatment of this stage means to relieve the child's discomfort. Teething is a normal development can be irritating or painful process with the following specific indications, crying, increased fussing, swollen and inflamed gums.

General Indication:

BM Easy teething compositum has made teething easy for children and now it is not essential to consult your family physician while your baby is on the teething. The baby's gums become more irritable as the new teeth break through. Although the arrival of your infant's early teeth is a normal development and not an illness, it can be an irritating or painful process for your child and a tiring time for you. Indications of teething includes, increased fussing, night time crying and clinging from your baby as teeth start pushing out of the gums, usually at about six months. Drooling and chewing on fingers as more teeth move toward the surface. Swollen and inflamed gums, especially where a tooth is about to emerge. Refusal to suck on breast or bottle, because the sucking action hurts inflamed gums.



Dosage:

Children: 5-10 drops, 3-4 times a day in some water or as prescribed by the homoeopathic doctor.

BM 175

(30ml Sealed)

(CONSTIPATION)

Composition:

ChelidoniumD1+10C, Cascara SagD1+10C, Croton TigD1+10C, BryoniaD1+10C, Croc SatD1+10C, Euonymus EuropaD2+20C, HydrastisD1+10C

Specific Indication:

Mostly there are three types of constipations seen, atonic constipation, that is irregular habit of bowel movement and loss of natural reflexes. Spastic constipation, it is due to irritating foods and nervous disorders, thirdly obstructive constipation, it is because of the obstruction of the large intestine or malignancy of the colon.

General Indication:

Constipation is one of the commonest gastrointestinal symptoms suffered by human beings. This condition is truly universal and seen in all age groups, sexes, classes and races. Incomplete evacuation of hard dried faeces. If the bowel is not cleared well it can lead to a lot of symptoms such as mood disturbances, headache, flatulence, coated tongue, foul breath and lack of appetite. A diet that is low in fruits, vegetables and whole grain, has made constipation a common problem. BM Constipation compositum is quite



helpful in the following causes of constipation such as irregular eating time. Faulty dietary habits like use of highly refined foods. Inadequate intake of water or fluids. Lack of sufficient rest. Change in ones usual routine due to illness, in travel, nervous tension, and worry. Poor muscle tone of small intestines due to lack of exercise in invalids and the aged, Intake of durgs and medicines like antispasmodic, antimotility drugs, codine, opiate, antacids etc. Difficult or painful evacuation due to conditions like fissures, Irregular times of evacuation. Due to an abnormally large colon, decreased movement of intestine as in habitual constipation and pregnancy.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 176

(30ml Sealed)

(PRICKLY HEAT)

Composition:

Aconite NapD6+60C, Ars AlbD6+60C, BelladonnaD6+60C, Bryonia AlbaD6+60C, SulphurD4+40C, ChamomillaD5+50C, Ledum PalD7+70C

Specific Indication:

Prickly heat is an itchy rash which arises from obstruction of the sweat ducts. Typically seen on the backs of the people. Spot develops on skin folds and on the body especially in areas of friction from clothing.

General Indication:

Prickly is also known as sweat rash, heat rash, itchy rash and miliaria. It arises most commonly during humid summer weather, pronounced exposure to perspiration. An attack of prickly heat commonly lasts five to six weeks. The typical spots develop in skin folds and on the body especially in the area of folding and friction. The lesions are minute red, papules which may be present in very large numbers. There is characteristically intense discomfort, not so much itching as an unbearable prickly sensation. In infants, lesions commonly appear on the neck, groins and on the arm pits, also on the face and elsewhere.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 177

(30ml Sealed)

(CHEST PAIN)

Composition:

Arnica MontD6+60C, Cetraria IslandicaD100+100C, StannumD50+ 100C, Bryonia AlbD50+100C, Ferr MetD50+100C, Morgan PureD50+100C

Specific Indication:

There are many different causes of chest pain. Out of all, the specific indications may include gastritis, esophagitis, flatulence, constipation, asthma, bronchitis, pneumonia, anxiety and mental stress. If there is cardiac etiology behind, it must be diagnosed properly, prior to treat the patient of chest pain.

General Indication:

The chest pain is not always with the cause of some cardiac etiology. It is most of the time because of anxiety and mental stress. The chest pain symptoms may be from an infection of pneumonia. It may be because of viral bronchitis or due to pleurisy (inflammation of the lining of the lungs). The chest pain may be an episode of over breathing from exercise or emotions. If there is some cardiac



BM Homoeopathic Combination Drops Series

etiology behind, your family physician may rule out the cause of chest pain. It may be because of the myocardial infarction or congestive heart failure or cardiac asthma. BM Chest pain compositum helps to reduce and eliminate the chest pain symptoms in the above circumstances.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 178

(30ml Sealed)

(VACCINATION AGGRAVATION)

Composition:

ThujaD4+40C, Calcarea Iod.D12+100C, VaccinumD100+100C, AnthracinumD100+100C, Fever Serum NosodeD100+100C

Specific Indication:

All kinds of aggravations caused by various types of vaccinations. Violent reaction of vaccination, skin hot and dry. Feverish symptoms.

General Indication:

This compositum is very useful for all kinds of aggravations caused by various types of vaccinations. Some people react violently to vaccination, others less. However this special BM compositum helps immediately in setting the symptoms. Head pain as if pierced by the nails, left-sided headache. Complete loss of appetite. Dislike for fresh foods. Limbs feel heavy, cracking in the joints. Light-headed feeling. Skin tends to be copper coloured. Hair falls out. Pain in the chest. Children subject to colds, and croup. Flatulence, distension with indigestion. Frontal headache. Skin hot and dry. Nervous depression. Irritability along with the symptoms of fear and fever.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 179

(30ml Sealed)

(ANGINA PECTORIS)

Composition:

Acetylcholine ChlorideD30+30C, AdrenalinD100+100C, AconiteD100+100C, D.N.AD100+100C, Formic AcidD100+100C, GlonoineD100+100C, HistaminumD100+100C, Mag PhosD100+100C

Specific Indication:

Paroxysmal pain, spread centrifugally to the arms, neck, jaw and epigastrium, down to the elbow up to the fingers. Intense emotional situation. Pulse feeble and irregular, acute pain, difficult respiration and spasmodic contraction of heart.

General Indication:

Pain in the region of the heart and originating there. It might run into the arm or the shoulder, often on the left side. The pain generally comes on account of strain exercise or fatigue. The pain is constricting because there is a sudden shortage of blood supply to the heart muscle. An increase in the severity of the pain or an increase in the frequency of the pain should be a sign for immediate professional consultation and great care. A condition with symptoms that are very liable to be mistaken for angina pectoris is the cause of great mental anguish to many men, especially youngish men, who think they have got the true angina. There is pain in the region of the heart, palpitation and sometimes pain down



the left arm. Emotions bring on the attacks in men and women.

Paroxysmal pain, caused by effort and other stimuli, is the cardinal feature of angina pectoris. There is constancy in its pattern. It is more common on the left than the right side of the chest and tends to spread centrifugally to the arms, neck, jaws and epigastrium, down to the elbow up to the fingers. Unusual effort, fast walking, a recent meal, cold air or worry, prolonged talking, argument or an intense emotional situation may bring on the attack.

Dosage:

Adult: 10-15 drops, teenagers half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 180

(30ml Sealed)

(ANXIOUS CONSTITUTION)

Composition:

Aconite NapD7+70C, Argentum NitD18+100C, ChamomillaD4+40C, CyclamenD4+40C, GelsemiumD6+60C, IgnatiaD10+100C, Mag MurD20+200C, MoschusD4+40C, Nux VomicaD1+10C

Specific Indication:

Nervousness, anxiety, or sense of inappropriate fear. Shortness of breath, heart palpitation and tingling sensations in the extremities. Panic attacks.

General Indication:

Anxiety is an unpleasant emotional state ranging from mild unease to intense fear. Anxiety is often accompanied by a variety of symptoms relate to the chest, such as heart palpitation, throbbing or stabbing pains. A feeling of tightness and inability to take in enough air and a tendency to hyperventilate. Tension in the muscles of the back and neck often leads to headache, back pains, and muscle spasms. Other symptoms can include excessive sweating, dryness of mouth, dizziness, digestive disturbances, and the constant desire to urinate. Anxious individuals usually have fear that they have a chronic serious illness. Clinical anxiety, including panic attacks, can be produced as side effect of unsuited drugs. The most significant biochemical disturbance is noted in people with anxiety and panic indications, i.e. elevated blood lactate level.



Dosage:

Adult: 10-15 drops, teenagers half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 181

(30ml Sealed)

(ASCITES)

Composition:

Adonis VernalisD6+60C, Apis MelD7+70C, Ars AlbD7+70C, Carduus MarD1+10C, HelleborusD10+100C, Kali IodD10+100C, PulsatillaD10+100C

Specific Indication:

Mechanisms that produce ascites are complex and incompletely understood. Free fluid within the abdominal cavity. The main causes include liver disease, nephrotic syndrome and tubercal infection.

General Indication:

Ascites is a disease which is also known as free fluid in the peritoneal cavity. Ascites may be of small amount or large amount with the symptoms of abdominal distention, discomfort, anorexia, nausea, gastroesophageal reflux, flank pain and respiratory distress. The patient with the complain of ascites usually have an enlarged belly with prominent feeling of heaviness and discomfort, the legs swell and the patient is breathless perhaps has palpitation. Patient must contact the family physician because this condition can convert into a



BM Homoeopathic Combination Drops Series

serious illness. Ultrasound is the best diagnostic tool to determine the presence of free fluid (Ascites) in the abdominal cavity.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 182

(30ml Sealed)

(CARBUNCLE)

Composition:

AnthracinumD100+100C, LachesisD200+200C, Merc SolD100+100C, Muriatic AcidD200+200C, Fever Serum NosodeD100+100C

Specific Indication:

Carbuncle is an inflammatory condition of the skin which usually appears due to an infection, by the germ known as staphylococcus. A boil suddenly appears, skin swells, and gradually becomes purplish and hard, numerous holes are observed in the raised spots within 5 to 6 days. Very little pus is discharged from these holes with the symptoms of considerable fever, carbuncle complications and skin abscess.

General Indication:

A carbuncle consists of several furuncles that develop close together. They expand and joint together to form a larger mass with multiple drainage points. Sometimes they develop slowly and may be so deep that they do not drain on their own. Carbuncle may develop any where, but they are most common on the back and the nape of the neck. Staphylococcus skin infections are contagious they may spread to other areas of the body and may spread to the other people. It is not uncommon for the several family members to be affected at the same time. Poor hygiene, run down physical condition, friction from clothing or shaving may become the cause of carbuncles. Diabetic patients and the people with suppressed immune system are more prone to development of staphylococcus skin infections. The symptoms Includes raised skin, usually almond size, sometimes as large as golf ball, nodular like eruption, swollen pink or red, may grow rapidly, may develop white or yellow centers, may weep, ooze or crust.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 183

(30ml Sealed)

(CATARACT)

Composition:

AgaricusD200+200C, Baryta CarbD200+200C, Calcarea FluorD30+100C, Cineraria MarD200+200C, Hedera HelixD200+200C, Mag CarbD30+100C, NaphthalineD200+200C

Specific Indication:

The specific symptoms of cataract includes cloudy fuzzy, foggy or filmy vision changes in the way you see colours, driving problems at night, frequent changes in the eye sight number and double vision.

General Indication:

Cataract is detected through a comprehensive eye examination that includes visual acuity test, dilated eye examination and tonometry. The most common type of cataract is related to the ageing of the eye and other causes of cataract includes family history, medical problems such as diabetes, injury to eye, medications especially steroids, long term unprotected exposure to sunlight, previous eye surgery and some unknown factors as well. The most common factors of cataract includes



BM Homoeopathic Combination Drops Series

cloudy and blurry vision, colour seem faded, glare or sunlight may appear too bright, a halo may appear around lights, poor night vision, double vision or multiple images in one eye, if you have any of these symptoms BM Cataract Compositum may be helpful to you.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 184

(30ml Sealed)

CYSTITIS (BLADDER IRRITATION)

Composition:

TriticumD4+40C, ThlaspiD4+40C, BuchuD4+40C, TerebinthinaD4+40C,
Lithium BenzD6+60C, Benzolic AcidD10+100C

Specific Indication:

The specific symptoms of cystitis (bladder irritation) includes enuresis, burning of urethra, irritation of the neck of the bladder, excess of uric acid, uneasiness in the bladder, polyuria, great quantity of colourless urine.

General Indication:

Cystitis is usually caused when bacteria enters the urethra or bladder and causes inflammation and infection. It is very common condition and more often occurs in females because their urethra is shorter and closer to the anus. The symptoms of cystitis include constant feeling of wanting to urinate, even though you might not have any urine to pass. Burning in urethra at the time of urination. Urine cloudy or sometimes have blood in it. Dragging ache in the lower back or abdomen. Other symptoms includes repulsive odour of urine, irritation at neck of bladder, offensive discharges, mucous and pus in the urine, sore eructation and taste.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 185

(30ml Sealed)

(DEFENSIVE STIMULENT)

Composition:

Ferr. IodD12+100C, Acid PhosD12+100C, Sulphur IodD12+100C,
Calc IodD12+100C, Acid NitricD12+100C

Specific Indication:

Irregular blood circulation, general exhaustion, stirs up suppressed conditions, also acts on thyroids and palpitations.

General Indication:

This remedy stimulates the defensive mechanism of the enfeebled organisms. It also increases the resistance obtained through the effectiveness of the remedies included in this Compositum. Irregular blood circulation, pale face, palpitation at least exertion, headache, feeling of weariness, heaviness and numbness of the limbs, vertigo, disturbed viscosity of the blood and nocturnal perspiration are the general symptoms of this remedy.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 186

(30ml Sealed)

(EMOTIONAL SHOCK)

Composition:

ArnicaD6+60C, Ferr. PhosD4+40C, IgnatiaD7+70C, SilicaD6+60C, HypericumD7+70C

Specific Indication:

Emotional shock includes shock of an event, the resulting physiological reaction, the resulting physiological cycle, the persisting physiological pattern and chronic state of body/mind with the symptoms of deep feeling of insecurity, unexplained confusion or sensitivity, irrational distressed or fear, profound grief and feeling of disconnection from soul.

General Indication:

Peter Chappell said: emotional environment that depresses the immune system and allowed the tissue changes to take place, for Peter Chappell the physiological changes that allow illnesses to develop and prevent the natural healing ability of the body from curing them, all are important. In this honest and out spoken book he has drawn not only on his extensive experience as a homoeopathic practitioner but also on his own life and personal exploration with psychotherapy. It is his view that the susceptibility to disease is usually created by a severe emotional shock to the system. This shock may occur at any stage of life.

The homoeopathic approach to the patient varies between two poles. On the one hand the homoeopathic doctor prescribe for the presenting illness, while on the other, he listens in silence waiting for the patient to reveal the true center of his problem. The general signs of the shock in adults includes elevated stress hormones (as measured on the adrenal stress index saliva test), as well as the inability to shift or heal. Further signs are long standing patterns sometimes productive and sometimes not. Patient feels insecurity after a shock, ununderstandable confusion and sensitiveness, distressed and profound grief, and feeling of disconnection from God. etc.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 187

(30ml Sealed)

(ENERGIZING)

Composition:

Aranea DiademaD12+100C, Arsen IodD6+60C, Ceanothus AmericanaD8+80C, China OffD6+60C, Ferrum MurD6+60C, LycopodiumD3+30C

Specific Indication:

The specific symptoms of energizing are anaemia, lack of appetite and after effects of acute ailments.

General Indication:

By the use of BM energizing Compositum it is possible to clean and charge the ailing structure with this healing energy. Homoeopathic energizing Compositum always works in a non-toxic and harmonizing way. One can enjoy and experience one's efficacy to its full potential. The indications of this remedy especially from among the children and as well as among the adults, this energizing Compositum is useful in all kinds of anaemia, lack of appetite and after effects of acute ailments.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 188

(30ml Sealed)

(HAY FEVER)

Composition:

Allium CepaD7+70C, AnthusanthumD200+200C, Arum MaculatumD200+200C, ArundoD30+30C, Mixed PollenD30+30C, Phleum PratenseD6+60C, SabadillaD3+30C, Nat ArsD6+60C

Specific Indication:


The specific symptoms of hay fever includes itchy and watery eyes, frequent sneezing, runny nose, itching on the roof of mouth, coughing, wheezing, burning, sneezing and burning sensation in the throat.

General Indication:

Hay fever is also known as pollen allergy, seasonal allergy, rhinitis or pollinosis. Different microscopic substances get into the nose and cause the body to produce antibodies and release histamine. Histamine irritates the upper respiratory passages, making them swell and producing the typical hay fever symptoms. A tendency to suffer allergies is often hereditary. The general symptoms of hay fever includes tree pollen allergy, grass pollen allergy, house dust allergy and mites allergy causes watery nasal discharge, sneezing, itching of eyes and nose, coughing, wheezing and burning sensation in the throat.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 189

(30ml Sealed)

(HYSTERIA)

Composition:

Artemisia VulgarisD200+200C, Castoreum SibiricumD200+200C, CrocusD200+200C, Kali PhosD200+200C, TarentulaD200+200C

Specific Indication:

A physiological conflict converted into the bodily disturbance is known as hysteria. The specific symptoms include, wants to be center of attention, inappropriate behaviour even sexually, superficial expressions of emotions, easily influenced. etc.

General Indication:

According to the diagnostic and statistical manual of mental disorders 4th edition (DSM-IV), individuals with histrionic possess at least five of the following symptoms and features, conversion disorder affects motor and sensory functions, stomatization affects the gastrointestinal, nervous, cardio pulmonary or reproductive system. Disorders with hysteria features typically begin in adolescence or early childhood. Some further symptoms includes: a need to be the center of attention, inappropriate, sexually seductive, or provocative behavior while interacting with others, rapidly changing emotions and superficial expression of emotions, vague and impressionistic speech (gives opinions without any supporting details), easily influenced by others, believes relationships are more intimate than they are.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 190

(30ml Sealed)

(INSOMNIA IN ADULTS)

Composition:

Avena SativaD1+10C, ValerianaD1+10C, Humulus LupD2+20C, CoffeaD4+40C, IgnatiaD6+60C, Zincum ValD6+60C

Specific Indication:

Specific symptoms of insomnia include vexation, palpitation, dizziness, tinnitus, amnesia, soreness in the loins, oneirogmus, dysphoria with feverish sensation, dry mouth, red tongue and rapid pulse.

General Indication:

Insomnia is a morbid condition with a symptom of no regular sleep. Insomnia is commonly experienced in adults, sleep disorders are associated with and complicate a number of medical conditions. The general symptoms of insomnia includes irritability, amnesia, thirst with preference to drink, red eyes, bitter taste, dark urine, constipation, red tongue with yellow fur, rapid pulse, heavy feeling in head, oppressed feeling in the chest, aversion to food, eruption acidic regurgitation, bitter taste, etc.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 191

(30ml Sealed)

(ITCHING GENITALS)

Composition:

Ambra GriseaD200+200C, MedorrhinumD200+200C, Sulphuric AcidD200+200C, KreasotumD200+200C, Nitric AcidD200+200C

Specific Indication:

Genital itching accompanied by vaginal discharge (in case of female). Genital itching regardless to any gender may be due to allergy of skin condition. Friction and fungus are the two primary causes of genital itching. Dr. William Dvorine says; skin rubbing against skin generates heat and sweat to produce tender, red and itchy patches.

General Indication:

Itching of genitals can be caused by an infection, which you might have caught by having sex with someone who is infectious. Here are some general symptoms which may lead to genital itching that is genital sores, genital ulcers, painful open genital ulcers, genital blister, skin rash around the genital region, penile sores, vaginal soreness, external as well as internal pain after sex. Pain between anus and genital. Genital skin itching is quite a common problem and can be very uncomfortable, distressing and embarrassing as well. BM itching genitals Compositum is quite useful to eliminate these symptoms.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 192

(30ml Sealed)

(KIDNEY AND BLADDER INFLAMMATION)

Composition:

Berberis VulgD4+40C, CantharisD4+40C, EquisetumD6+60C, Eupator.PurpD3+30C, DulcamaraD4+40C

Specific Indication:

Inflammation of the kidney, renal calculi, sharp stinging pain in the kidneys, pains in the sacral region. Peritonitis, metritis, piercing pain in the bladder, inflammation of the bladder, burning pains when urinating, yellow urine and turbid.

General Indication:

Piercing pains in the renal region, worse from pressure, pains in the sacral region, rigidity and numbness of back. Dull pains in the renal region, burning pains when urinating, constant urge to do so. Urine passed in drops, reddish, glairy, tinged with blood, cystitis. Enuresis, bladder irritations (mainly in women). Especially indicated in the cases of bladder irritation. Frequent urine urge, painful with abundance or lack of urine which is coloured, glairy. Irritation of bladder, constant and painful urge to urinate. Paralysed bladder, worse in damp weather. Specific effect on the mucosa of the bladder & smelly urine.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 193

(30ml Sealed)

(NEPHRITIS)

Composition:

HelliboreD3+30C, CantharisD3+30C, Ars. AlbD3+30C, Apis MelD3+30C, Berb VulgD3+30C, LycopodiumD3+30C

Specific Indication:

Specific symptoms of nephritis haematuria, foamy appearance to urine, swelling of any area of the body, elevated blood pressure, sometimes fever, rash and generalized aches.

General Indication:

In general Nephritis is produced by the trapping of antigen-antibodies complexes in the renal parenchyma. This is a process of inflammation and cell proliferation which damages normal renal tissues. Nephritis is an inflammation of the kidney caused by the (SLE) systemic lupus erithmatosus, a disease of the immune system. The SLE causes harm to skin, joints, kidneys and brain. Though the causes of SLE are unknown but many of the factors play a role including gender, hereditary infections, viruses, an environmental causes. Some important symptoms of nephritis are as under. Excess of lactic acid from too much sugar, sore eructation and taste, sore vomiting, flatulence and colic. Jaundice, oxaluria, anaemia, incontinence, bladder irritation, polyuria, diurnal enuresis, croupous nephritis, haemoglobinuria, parenchymatous nephritis with stomatitis, toxæmic conditions of pregnancy, hepatitis, septicaemia, glycosuria and increased urine, nephritis diabetes, degeneration of the liver, high blood pressure and dropsy, diuresis and incontinence, burning in urethra and acid urine, enuresis anuria, albuminous urine, turbid urine and pyrogenic bacteria.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 194

(30ml Sealed)

(PARKINSONS DISEASE)

Composition:

DubolsiaD30+100C, HaloperidolD20+200C, MajeptilD20+200C, Rauwolfia SerpD30+100C, ReserpineD20+200C

Specific Indication:

The specific symptoms of parkinsons disease are tremor, stiffness, slowness of movement, loss of balance, tiredness and depression.

General Indication:

Parkinson develops slowly as the nerves of the substantia nigra gradually degenerate. Usually the start of the symptom is sometimes tremor or slowness of movement. Apart from medication, people with parkinsons can achieve a lot of benefit from a range of self help activities that is exercise, sleep, work simplification and energy conservation. The general symptoms of parkinsons includes tremor in 70% people which usually begin in one hand or one arm. Muscular or rigidity or stiffness is also common early sign and in the later stage the symptoms of loss of balance appears. There may also be the sensitiveness of skin and pain, constipation because of the reduced ability of the bowel, tiredness and approximately one third of the people with parkinsons experience depression at some time.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 195

(30ml Sealed)

(PEPTIC ULCER)

Composition:

Arg NitD20+200C, AspirinD20+200C, Bacterium ProteusD20+200C, EmbeliaD20+200C, Kali BichD20+200C, OrnithogalumD20+200C, SymphytumD20+200C, Uranium NitD20+200C

Specific Indication:

Peptic ulcer specific symptoms are gnawing, burning pain in the upper abdomen. Symptoms frequently occur several hours following a meal after the food leaves the stomach but acid production is still high. Extreme burning sensation, instead of pain some patients experience intense hunger or bloating. Some patients have no pain but have black stools which indicate that ulcer is bleeding.

General Indication:

Peptic ulcer refers to an area of stomach which becomes eroded by the acid. These are known as stomach and duodenal ulcers but collectively saying peptic ulcers. There may be no symptoms although the patient has an ulcer, but frequently they are associated with indigestion or pain in the upper abdomen or lower chest. The pain may be worse before or after eating and even frequently wakes the patient in early hours of the morning. If the ulcer bleeds patient may vomit blood or partially digested food (which looks like coffee grounds) or pass black stools which contains changed blood when the patient goes to the toilet. It is noticed that this disease runs in families, smokers are on increased risk. Heavy drinking, use of certain anti-inflammatory drugs are also the main causes of this disease. BM peptic ulcer compositum is quite helpful and recommended therapy to get rid of this disease.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 196

(30ml Sealed)

(CERVICAL SPONDYLOSIS)

Composition:

Actaea RacemosaD4+40C, LachnantesD10+100C, ArnicaD4+40C, Sangunaria NitD10+100C, ColocynthisD3+30C, MorphinD10+100C

Specific Indication:

The specific symptoms of cervical spondylosis are neck pain, stiffness, numbness, weakness in the arms, hands fingers and legs as well, popping in the neck on moving, muscles spasm or headache may originate in the head.

General Indication:

Cervical spondylosis is a disorder caused by abnormal wear on the cartilage and bones of the neck (Cervical vertebrae) with degeneration and mineral deposit in the cushions between the vertebrae (Cervical disks).

Pain in the neck is common and may be natural consequences of ageing in people over fifty. Bones in the neck (Cervical Spines) progressively degenerate as we grow older. Cervical spondylosis (Arthritis of the neck) may result from bony spurs. Cervical Spondylosis may lead to chronic pain and stiffness in the neck that may also radiate upper extremities. The general symptoms includes pain and stiffness in the neck which may spread to the arms or shoulders, numbness and weakness of the upper extremities, intermittent shooting pain in the neck shoulders and arms, fatigue and irritability, disturbed sleep, ringing in the ears & pain in the back of head.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 197

(30ml Sealed)

(LUMBO-SACRAL)

Composition:

Rhus ToxD4+40C, BryoniaD4+40C, ColocynthisD4+40C, Arsenicum AlbumD7+70C, HypericumD6+60C, ChamomillaD6+60C, GnaphalliumD5+50C

Specific Indication:

Lumbo sacral pain, the specific symptoms are muscular tightness in the lower back, gas pains, chronic tiredness, knees pain, sciatica, poor circulation, legs cramps, cold feet and pain at the end of spine.

General Indication:

Lumbo sacral pain is known as lower back pain. It is caused due to muscular tightness in the lower region of the back. Unfortunately this condition is very common and like many other common problems it also gets worse day by day. The common symptoms are tightness of the muscles in the lower region of the back, stiffness, pain extend from lower back to feet, limiting the external rotation and limiting anterior tilt of the pelvis. In addition to this BM Compositum, it is important to maintain the good posture when sitting for long periods of time. Strengthening exercises of the abdominal muscles, spinal adjustment and soft tissue therapy by a qualified, competent physiotherapist can be beneficial.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 198

(30ml Sealed)

(RHEUMATISM IMPROVEMENT BY MOVEMENT)

Composition:

Rhus Tox D6+60C, Ruta Grave D6+60C, Radium Bromatum D6+60C, Dulcamara D6+60C, Rhododendron D6+60C, Kali Bich D6+60C.

Specific Indication:

Painful articular stiffness which occurs at the start of movement, then disappears as the movement is continued.

General Indication:

Pain is aggravated by damp weather, cold and rest; it improves by changing positions and warm dry weather. Periosteum and the tendons. Joint pain aggravated by cold damp weather, stormy weather, pain of the lumbo-sacral region and knees, feeling of articular weakness as if the joints were about to give away. Disease of muscle, tendon, joint, bone or nerve, resulting in discomfort and disability. It is often used to include rheumatoid arthritis, degenerative, myositis, neuritis, lumbago, sciatica and gout. Inflammation of joints.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 199

(30ml Sealed)

(RHEUMATISM IMPROVEMENT BY REST)

Composition:

BryoniaD7+70C, ColocynthisD6+60C, Nux VomicaD8+80C, Zinc PicD200+200C, Kali PhosD200+200C

Specific Indication:

The specific symptom of this Compositum is rheumatism improvement by rest.

General Indication:

Serous membranes, particularly articular synovia, where it causes irritation and effusion. Pain is throbbing, slightest movement and improved by absolute immobility, acute neuralgia, cramp-like. Pain is improved by flexing, by bending over, by strong pressure, and by heat. It is aggravated by movement. Spasmodic pain, especially in the back and loins, forcing the patient to sit up in bed in order to turn over. Joints are swollen and warm, improved by rest.

Disease of muscle, tendon, joint, bone, or nerve, resulting in discomfort and disability. It is often used to include rheumatoid arthritis, degenerative, myositis, neuritis, lumbago, sciatica and gout. Inflammation of joints.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 200

(30ml Sealed)

(RHEUMATISM IMPROVEMENT BY COLD APPLICATION)

Composition:

Apis MellD3+30C, Ledum Pal D2+20C, KalmiaD2+20C, Actaea SpicataD3+30C, Polygonum Avid2+20C

Specific Indication:

The specific indications of this Compositum is rheumatism improves by cold applications.

General Indication:

Serous membranes, pinkish oedema, accompanied by acute, stinging, and burning pain. Pain is aggravated by touch and pressure, and improved by cold applications. Disease of muscle, tendon, joint, bone, or nerve resulting in discomfort and disability. It is often used to include rheumatoid arthritis, degenerative, myositis, neuritis, lumbago, sciatica and gout. Inflammation of joints.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 201

(30ml Sealed)

(RHEUMATISM IMPROVEMENT BY HEAT)

Composition:

BryoniaD6+60C, ColocynthisD6+60C, Nux VomicaD6+60C, Rhus ToxD6+60C, Ars AlbD6+60C, ChamomillaD6+60C

Specific Indication:

Painful rheumatism improves by heat is the specific indication of this BM Compositum.

General Indication:

Diseases of the muscles, tendons, joints, bones or nerves, resulting in discomfort and disability. Rheumatoid arthritis, neuritis, degenerative changes, lumbago, sciatica and gout, inflammation of joints, all these symptoms get improved by application of heat.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 202

(30ml Sealed)

(MISCARRIAGE)

Composition:

Aletris FarD4+40C, CaulophyllumD3+30C, CimicifugaD2+20C, SabinaD3+30C, Viburnum OpD2+20C, HeloniasD2+20C, China OffD2+20C

Specific Indication:

The specific reasons that contribute miscarriage are multiple pregnancy, maternal age, poorly controlled diabetes, scleroderma, fever 100° F, previous contraceptive pill use after effects.

General Indication:

Early miscarriages in the first trimester are very common. If the female have had the miscarriage she should not get discouraged as majority of women will have successful pregnancy later on. The symptoms of miscarriage includes vaginal bleeding that may start as a brownish discharge, cramps in the pelvic area, lower back or abdomen. A decrease in the usual signs of early pregnancy, such as nausea and breast tenderness, pain in the lower back or abdomen, tissue or blood clots passing from the vagina.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 203

(30ml Sealed)

(SCIATICA)

Composition:

CimicifugaD100+100C, Formic AcidD100+100C, GnaphaliumD100+100C, MedorrhinumD100+100C, ProteusD100+100C, Ranunculus BulbD100+100C, Salicylic AcidD100+100C

Specific Indication:

The specific symptoms of sciatica are pain down into the leg, which travels below the knee and may involve feet. There may be numbness or weakness of the lower leg muscles.

General Indication:

The most common cause of sciatica pain is "Slipped Disc". This pain is caused by irritation of the main nerve into the leg. The pain likely appears in the age of 30-50 years. Another reason is the effects of general wear and tear. Further symptoms includes lower back pain, pain in the buttocks or leg that is worse when sitting, burning or tingling down the leg, weakness, numbness or difficulty moving the leg or foot, a constant pain on one side of the buttocks, a shooting pain that makes it difficult to stand up.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 204

(30ml Sealed)

HYPOTHYROIDISM (Thyroid and Intoxication)

Composition:

Calc PhosD30+30C, IodiumD12+100C, Lycopus VirD8+80C, Baryta CarbD12+100C, MedorrhinumD200+200C

Specific Indication:

Hypothyroidism occurs when the thyroid gland does not produce enough thyroid hormone. The specific indications may include thyrotoxicoses, intoxications of thyroid glands with trembling of hands, slowness, diarrhoea, and emaciation.

General Indication:

The symptoms of hypothyroidism are opposite from hyperthyroidism. The general indications of hypothyroidism and thyrotoxication includes sluggishness, tiredness, gaining of weight more easily, symptoms aggravate with cold weather, less perspiration, have drier skin, thinning hair, mild swelling around eyes, weak heart and slower heart rate, shortness of breath, slower digestion and constipation, in case of female menstrual irregularities and infertility.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 205

(30ml Sealed)

(TRAVEL SICKNESS)

Composition:

CoculusD200+200C, ConiumD200+200C, Mandragora OffD200+200C, PetroleumD50+50C, Cucurbita PepD2+20C, Apomorphin HydroD200+200C

Specific Indication:

Travel sickness occurs when repetitive small movements mean the brain is sending mixed messages. This confusion usually results in feeling of nausea, sometimes vomiting and perspiration.

General Indication:

The symptoms of travel sickness vary a great deal from person to person. Symptoms may appear while traveling by road, water, air or by any other means. The common symptoms are sour eructations, nausea and vomiting, paleness of face, delirium, persistent hicough, jerking and twitching of muscles etc.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 206

(30ml Sealed)

(TREMORS OF HANDS)

Composition:

Aranea DiademaD100+100C, BacillinumD100+100C, ConiumD100+100C, Lolium TemulentumD100+100C, PsorinumD100+100C

Specific Indication:

The specific symptoms/causes of minor tremor may include ageing, stress, tiredness, alcoholic effects, hypoglycemia attack. The symptoms/causes of chronic tremor may include Parkinsons disease, multiple sclerosis, stroke and certain medications.

General Indication:

A tremor of hand is essentially a disease of the old age from 50 to 70 years. Men suffer twice as women. Paucity of movement and muscular rigidity are the initial symptoms. Muscular weakness always accompanies rigidity and tremors. It is a regular rhythmic contraction of muscles and is increased by excitement and self consciousness and ceases during sleep. Constant discomfort which results in lasting depression. There are multiple possible causes of tremors of hands which are mentioned in the specific indications.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 207

(30ml Sealed)

(VOMITING OF PREGNANCY)

Composition:

Aletris FarinosaD100+100C, Cerium OxalicumD30+30C, Gossypium HerbaceumD100+100C, Lac Vaccinum DefloratumD100+100C, Ammonium MurD100+100C

Specific Indication:

Nausea and vomiting of pregnancy commonly known as morning sickness which commonly affects approximately 80% of pregnant women. The specific symptoms includes hormonal and emotional factors by smelling and tasting something unpleasant. Tasteless fluid is vomited each morning on rising.

General Indication:

A feeling of sickness or the feeling that vomiting is about to take place, is known as nausea. This feeling may be caused by looking at an unpleasant sight or by smelling or tasting something unpleasant. The feeling of nausea known as morning sickness which occurs during pregnancy. Pregnancy is a state of being with child. The earliest symptom is the stopping of the periods, the next symptom to be noticed is "morning sickness". A small quantity of clear tasteless fluid is vomited each morning on rising. There may be no feeling of nausea the fluid being simply brought up. Sometimes it happens in the evening instead of morning, if the condition continues after the fourth month, a doctors advice should be sought. Many physical and psychological reasons have been suggested to explain the high incidence of nausea and vomiting during pregnancy. Considering the many hormonal and metabolic changes that occur during pregnancy, the existence of these symptoms are not surprising. However, emotional factors also play role in the perception and severity of the nausea and vomiting.

Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 208

(30ml Sealed)

(ANAEMIA AND DEBILITY)

Composition:

Crocus SatD2+20C, Ferr MetD10+100C, Avena SatD2+20C, AmlokiD3+30C, HemisdesmusD2+20C, EcliptaD6+60C, Calc lod.D8+80C

Specific Indication:

Pallor, fatigued easily, low volume of blood, low level of total red blood cells, extreme fatigue, lack of oxygen.

General Indication:

Anaemia refers to the condition in which the blood is deficient in red blood cells (haemoglobin portion of red blood cells). The primary function of red blood cells is to transport oxygen from the lungs to the tissues of the body in exchange for carbon dioxide. The symptoms of anaemia depends not only on the severity, but also on the speed at which the anaemia has developed, acute/chronic loss of blood, decreased oxygen carrying capacity of blood, palpitation, dyspnoea on exertion, fainting attack, oedema of the ankles, angina pectoris. Patients with pernicious anaemia are more likely to develop gastric carcinoma. Pallor of the mouth membrane, conjunctiva, the nail beds, and palmar creases. Oedema, high pulse pressure, tachycardia & heart failure.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 209

(30ml Sealed)

(HAEMATURIA)

Composition:

Amygdalus PersicaD6+60C, Thlaspi Bursa PastorisD6+60C, CantharisD10+100C, Formica RufaD10+100C, Stigmata MaydisD10+100C, TerebinthinaD10+100C

Specific Indication:

The specific indications of haematuria may include protein in urine, high blood pressure, abnormal renal profiles, renal cystic or kidney stones.

General Indication:

Haematuria means the appearance of blood in the urine. Haematuria most commonly present in very small quantities which is only detectable by microscopic examination of the urine. Haematuria can originate from the kidney itself due to inflammation of the kidney. Apart from the other reasons blockages or stones in the ureter may cause haematuria.

The most common causes of the haematuria includes kidney stones, inflammation of the kidney, urinary tract infection, kidney obstruction or enlarged prostate.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 210

(30ml Sealed)

(LIVER AND INTESTINAL AFFECTIONS)

Composition:

AluminaD30+30C, BryoniaD5+50C, ColocynthisD4+40C, LachesisD10+100C, LycopodiumD4+40C, Merc CorrosD12+100C, Nux VomicaD6+60C

Specific Indication:

The specific Indications of liver and intestinal affections includes flatulence, colic, intestinal colic, abdominal spasm, bilious colic.

General Indication:

Liver and intestinal affections general symptoms may include constipation, stool in small lumps, flatulent colic, bad digestion, intestinal cramps, spasm and colic, watery stool and nausea, abdomen very sensitive to touch, dysmenorrhea.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 211

(30ml Sealed)

(SCABIES)

Composition:

VariolinumD100+100C, Mang ActD30+30C, BoraxD30+30C, Secale CorD30+30C, BromlumD30+30C, MezeriumD30+30C

Specific Indication:

Highly contagious skin disease, pimple like irritation, especially between the fingers, skin folds, elbow, wrist, shoulder blades, breast and male genital organs.

General Indication:

Scabies is an infestation of the skin with the microscopic mite sarcoptes scabei. This infestation is common and found world wide and affects people of all races. Scabies spreads rapidly under crowded conditions where there is frequent skin to skin contact between people such as in schools, hospitals, institutions, child care centers and nursing homes. The general symptoms of the scabies are Pimple-like irritations, burrows or rash of the skin, especially the webbing between the fingers, the skin folds on the wrist, elbow or knee, the penis, the breast or shoulder blades. Intense itching especially at night and over most of the body. Sores on the body caused by scratching. These sores can sometimes become infected with bacteria.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 212

(30ml Sealed)

(DREAD OF ILLNESS)

Composition:

PsorinumD100+100C, Nitric AcidD10+100C, Nat CarbD10+100C, Kali PhosD7+70C

Specific Indication:

Specific symptoms of the dread of illness is basically an obsession. None of us wishes to become ill but when a number of symptoms occur they can merge into dread of becoming ill in some people. This situation can become an obsession as the patient most of the time thinks negative aspects of his disease.

General Indication:

The general symptoms of dread of illness includes desire to keep warm, extreme sensitivity to cold, debility, mental hopeless, despair of recovery, suicidal tendency, skin looks dirty, mentally irritable, sensitive to noise, very anxious and breathless during a thunder storm, sensitive to presence of certain individuals, wakes too early in the morning, feels drowsy during the day, feels hysterical with night terrors and most of the symptoms worse by excitement or mental worry.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 213

(30ml Sealed)

(FAULTY ASSIMILATION OF FOOD)

Composition:

GraphitesD6+60C, Rhus ToxD6+60C, Natrum SulphD3+30C, Carbo VegD10+100C, Nat PhosD7+70C

Specific Indication:

The specific Indication of faulty assimilation of food is the digestive disorder. Faulty assimilation may also be due to allergies, over exertion or slight food poisoning.

General Indication:

Even in the healthiest people the digestive system often becomes disorientated. Though the following symptoms are very important but the basic problem should be investigated by the homoeopathic practitioner. General symptoms includes nauseatic feeling, constipation, pain in the region of ascending colon, abdominal distention particularly after eating meals, bitter taste, coated tongue, yellow complexion and the patient cannot bear tight clothing around waist.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 214

(30ml Sealed)

(ELDERLY WEAKNESS)

Composition:

Carbo VegD50+50C, Ferrum PhosD6+60C, SilicaD6+60C, Kali CarbD50+50C, Calc PhosD6+60C, Nat MurD6+60C

Specific Indication:

This remedy is especially indicated for the people especially near or over 70s. The special symptoms include mental and physical weakness in the elderly people.

General Indication:

This remedy is suitable for those who feel rather weak as the years pass by. The general symptoms includes depressed vital power, slow pulse, desire of fresh air, sudden loss of memory, extremities numbness, tinnitus, restless and sleepless dreams, imperfect assimilation of nutrition, mental anxiety, wrinkled skin and lack of vital heat.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 215

(30ml Sealed)

(BELCHING)

Composition:

Anti CrudD7+70C, CajupatD6+60C, Carbo VegD8+80C, LycopodiumD6+60C, Nux VomicaD2+20C, PulsatillaD3+30C, Arg NitD7+70C

Specific Indication:

Everyone belches or burps at one time or another to relief gas build up in the stomach. It may be often embarrassing but for the vast majority of people occasional belching is not a problem that needs medical attention. The specific symptoms are too much gas in the stomach, drinking gaseous liquids, swallowing too much air, drinking or eating too fast.

General Indication:

Normally, the gas in the stomach is passed down stream into the intestines. Belching occurs when the stomach gas instead of going down, goes up into the oesophagus and is expelled through the mouth. Belching after a meal, especially after a big meal may be normal, it occurs as a result of air being swallowed while eating. The general symptoms of belching includes bloated feeling, abdominal distention and discomfort, regurgitation, heart burn, dyspepsia and indigestion.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 216

(30ml Sealed)

(CARDIAC ASTHMA)

Composition:

Adonis VerD2+20C, Lobelia InfD3+30C, Cactus GrandD2+20C, Crataegus OxyD2+20C, ConvallariaD2+20C, IberisD4+40C, LaurocerasusD4+40C

Specific Indication:

The specific indication of the cardiac asthma includes wheezing, shortness of breath, coughing, pulmonary oedema, symptoms of high altitude and heroine overdose.

General Indication:

Cardiac asthma is one of the signs of the congestive heart failure, it is caused by the inflammation of the airways and constriction of the smooth muscles surrounding the airways. The general symptoms of the cardiac asthma include dyspnoea, wheezing, coughing, palpitation, sinking of heart. Treatment of cardiac asthma includes proper diagnoses using X-Rays of the chest, electrocardiograms and breath sounds. Diuretics are used to reduce blood pressure and fluid in the lungs.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 217

(30ml Sealed)

(TUMOUR)

Composition:

CobraD25+100C, Radium BromatD10+100C, Scrofularia NodD6+60C, Acid LactD4+40C, Calc FluorD6+60C

Specific Indication:

The specific indications of the tumour is, it may be malignant or benign in nature. Tuberculosis ulceration affecting external and internal organs, formation of scales and warts over the skin.

General Indication:

The general indications of this remedy includes depressed defensive mechanism, regeneration of diseased tissues, swelling and inflammation of the tumours, uterine tumours, malignant pollution in all tissues, vertigo and pulsations with irritations of the eyes and ears.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 218

(30ml Sealed)

(CROUP)

Composition:

AconiteD50+50C, Hepar SulphD50+50C, SpongiaD50+50C, MoschusD50+50C, SambucusD50+50C

Specific Indication:

The most typical sign of croup is a cough that sounds like a barking seal or a barking dog.

General Indication:

Croup causes swelling in upper airways making it very difficult to breathe. A pitched noise is often audible when the patient breathes-in. Other symptoms includes hoarse voice, sore throat or fever symptoms.

Dosage:

Infants: 2-3 drops, children 5-7 drops, 3-4 times a day in a spoon of water or as prescribed by a Homoeopathic doctor.



BM 219

(30ml Sealed)

(SLEEPLESSNESS)

Composition:

Kali BromD4+40C, Kali PhosD3+30C, Mag PhosD3+30C, Zinc PhosD30+100C, Cuprum PhosD30+100C

Specific Indication:

The specific indications of sleeplessness include stress and anxiety, prolonged inability to sleep naturally. Disturbed sleep.

General Indication:

General indications of this remedy include night terrors, illusions, active delirium, memory disturbance, neuralgic pains and indigestion.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 220

(30ml Sealed)

(COLITIS)

Composition:

China OffD7+70C, ColocynthisD8+80C, DulcamaraD7+70C, Merc DulD10+100C, PodophyllumD7+70C, BaptisiaD7+70C, ChamomillaD7+70C

Specific Indication:

The specific symptoms of colitis includes pain in the lower part of the colon which spreads upwards, cramping pains in the abdomen and bloody mucous in the stool.

General Indication:

The cause of ulcerative colitis is unknown but it is defined as mild, moderate or severe according to the frequency of diarrhoea, the presence of blood and how generally unwell the person is. Different studies suggest that this and other



BM Homoeopathic Combination Drops Series

Inflammatory bowel diseases may result from an abnormal response by the body's immune system. The general symptoms of ulcerative colitis includes frequent watery diarrhoea, pain on opening the bowel, urgent and frequent need to open the bowel, the sensation of incomplete emptying the bowel, diarrhoea even during the night, nausea, loss of appetite, weight loss and extreme tiredness.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 221

(30ml Sealed)

DEGENERATION (Bones)

Composition:

Arg MetD10+100C, Aurum MurD10+100C, Calc FluorD6+60C, Calc IodD6+60C, Calc PhosD6+60C, IodiumD6+60C, SeleniumD7+70C

Specific Indication:

Degeneration of bones is deterioration in quality and function of bones. Degeneration of bones is deterioration in bones condition with its poor and weak function of hardness and stability. The degeneration diseases are osteoarthritis, athero-sclerosis and altheroma etc. The diseases are caused by the deposition of calcium salts or fats or fibrous tissue in the affected organ, joint or artery.

General Indication:

Bone degeneration is a progressive degeneration that can be halted, or slowed, with proper chiropractic care and homoeopathic treatment. There are three phases of the degeneration which are, 1st is Loss of normal curves and misalignment restrict or exaggerate normal ranges of motion. Ligament and muscle strength is reduced. Even with nerve irritation and soft tissue inflammation, pain or other obvious symptoms may not be present. 2nd is Years of accumulated calcium deposition are now visible. Bone spurs attempt to fuse malfunctioning joints. Adjacent surfaces are rough and uneven. Joint instability is accompanied by continued nerve irritation and disc degeneration. 3rd is after years of neglect, complete fusion has immobilized the joint. Obstructed nerve openings cause permanent nerve irritation as soft tissue degeneration continues. This irreversible condition is usually associated with other chronic health problems.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 222

(30ml Sealed)

(SUPER INFECTIONS)

Composition:

Hepar SulphD10+100C, Arnica MontD7+70C, Euginia JambosaD4+40C, EchinaceaD4+40C, BaptisiaD4+40C

Specific Indication:

In addition to the already existing infection, when there is a microbiological and clinical findings indicate a secondary infection. It is known as super infection. The indication of super infection may appear in the following conditions; lymphatic obstruction, immunocompromised patients, invasive sinusitis, chronic meningitis etc.

General Indication:

As per researchers report the rate of super infection around the world may be higher than previously thought. Dr. Anthony Head of the national institute of allergy and infections



BM Homoeopathic Combination Drops Series

diseases said "superinfection is sobering". That means that although you can mount an adequate response against one virus, the body still does not have the capability to protect you against new infection. Dr. Anthony further says that "I think super infection most of the time is transient and is not detected. It may be that you are frequently infected than you think but you are able to take care of it." The general indications includes formation of papillomatous nodules that tends to ulcerate, itching, lymphatic obstruction, immunocompromised patients, invasive sinusitis, bony necrosis, subcutaneous abscesses, keratitis, lung masses, osteomyelitis, mycotic arthritis, intramuscular endocarditis, brain abscess or chronic meningitis.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 223

(30ml Sealed)

(FRECKLES)

Composition:

Calc PhosD6+60C, SepiaD6+60C, SulphurD7+70C, ThujaD3+30C, Arg NitD7+70C, Anti CrudD7+70C, Iris GermanicaD3+30C

Specific Indication:

A brownish round flat spot on the skin caused by excessive development of skin colour melanin. It is common in young girls having fair complexion, found on arm pit, arms and face. These become more prominent on the dark colour in the sunheat or after exposure in the sunlight. Freckles are flat, brown or black spots that appears over a time.

General Indication:

Freckles are flat, circular spots that typically range in the size of the head of the needle. The spots develop randomly on the skin, especially after repeated exposure to sunlight and particularly in people of fair complexion. Freckles vary in colour. They can be red, yellow, tan, light brown, brown or black. But they are always darker than the skin around them. There are two basic types of freckles i) ephelides ii) lentigines. Ephelides is a hereditary factor and lentigines appears because of excessive development of melanin.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 224

(30ml Sealed)

(FROZEN SHOULDER)

Composition:

Arnica MontD6+60C, SanguinariaD7+70C, KalmiaD6+60C, Ranunculus BulbD10+100C, ColchicumD7+70C, SumbulD10+100C, ChelldoniumD7+70C

Specific Indication:

Frozen shoulder affects about 2 in 100 adults at some stage in their life. It is most common in the people aged between 40 to 60 years. Specific symptoms Includes pain, stiffness and limitation in the range of movement.

General Indication:

The general indications of frozen shoulder includes the movement and rotation of the arm is typically and severely affected. The symptoms typically have three phases 1st Phase typically lasts 2-9 months. Pain and stiffness gradually build up. The pain is typically worse at night and when lying on the affected side. 2nd phase typically lasts 4-12 months. Pain gradually ceases but stiffness and limitation in movement remain. The muscles around the shoulder may become weak a bit as they are not used. 3rd phase typically lasts 5-24 months. The pain and stiffness gradually



BM Homoeopathic Combination Drops Series

go, and movement gradually returns to normal. The cause of frozen shoulder is not clear. It is thought that some scar tissues appear in the shoulder capsule. This is a thin tissue that covers and protects the shoulder joint. The scar tissues may cause the capsule to thicken, contract and reduce the movement of the shoulder. The reason why the scar tissue is formed is not known. The complications of frozen shoulder includes persistent stiffness and pain despite therapy.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 225

(30ml Sealed)

(QUINSY)

Composition:

Allianthus GlandulosaD30+100C, Amygdalus AmaraD30+100C, GuaiacumD20+200C, Kali PermanganatumD30+100C, Phytolacca BerryD6+60C, Streptococcus HemoD100+100C

Specific Indication:

The specific symptoms of quinsy (Peritonsillar Abscess) includes fever, headache, sore throat, lymphoditis around neck. In case of complication inability to open the mouth, swelling of the face and neck are common symptoms.

General Indication:

Though quinsy is now rare because most of the people get effective treatment for tonsillitis early enough to prevent it. But even then this disease is found in the remote areas and it can require a stay in the hospital. Quinsy is known as a peritonsillar abscess. The abscess is always on one side only and the swelling appears above the tonsil near the soft palate. The small floppy tissue hanging down in the middle of the soft palate (The uvula) is pushed across to the side without the abscess. Further general symptoms includes very painful sore throat; fever; headache; generally feeling unwell; speech may be impaired; there may be salivation and dribbling; swelling of the throat; neck lymph nodes are enlarged and tender.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 226

(30ml Sealed)

(ECZEMA OF EARS)

Composition:

SarsaparillaD100+100C, Scrofularia NodosaD100+100C, GraphitesD30+100C, MezeriumD30+100C, EchinaceaD30+100C

Specific Indication:

Ear eczema can happen to someone if he or she is a chronic sufferer of atopic eczema. This skin disease mostly affects the people with dry and sensitive skin along with the history of allergies, asthma and hay fever. The specific symptoms are crazy itching, dry, patchy, scaly or crusted skin around and back of ears.

General Indication:

Sometimes eczema starts from the scalp and moves down to the ears or it can first appear on the ears. Ear eczema is usually found behind the ear as red patches of dry skin. The patches of skin will even appear to be scaly or crusted. In addition to these symptoms, some further symptoms include inflammation of skin, crazy itching, skin scratching, breaking of the skin and it can even cause a



risk of a secondary infection to your ear eczema.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 227

(30ml Sealed)

(GINGIVITS)

Composition:

BelladonnaD7+70C, BoraxD7+70C, ChamomillaD7+70C, KreasoteD7+70C, Merc SolD10+100C, Acid NitD7+70C, StaphysagriaD7+70C

Specific Indication:

Gingivitis is a disorder involving inflammation of the gums. The specific symptoms includes mouth sores, swollen gums, red and purple red appearance of gums, gums bleeding and gums are tender when touched.

General Indication:

Although bacteria play a role in all forms of gingivitis, the primary cause of chronic gingivitis is inadequate oral hygiene. Use of alcohol and tobacco are thought to be a risk factor along with poor sanitation and diet. Gingivitis is a condition caused by a bacterial plaque which results in inflammation of the marginal gum tissue. Daily and adequate plaque control can reverse gingivitis. The general sign and symptoms are gum bleeding while brushing of teeth, red swollen and tender gums, and detachment of gums from the teeth, loose teeth, chronic bad breath or bad taste.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 228

(30ml Sealed)

(GROWTH)

Composition:

Baryta CarbD25+100C, Calc PhosD25+100C, IodiumD25+100C, MedorrhinumD100+100C, PsorinumD100+100C, ThujaD25+100C

Specific Indication:

Growth hormones are responsible to promote the deficient factors in different ways to meet the growth requirements. The specific symptoms includes delayed growth, poor growth, slow weight gain and slow height gain.

General Indication:

Growth and size depends on environmental conditions as well as genetic endowment. The first year is characterized by rapid physical growth. A normal baby doubles its birth weight in six months and triples in a year. During that time, there is great expansion of the head and chest, thus permitting development of the brain, heart, and lungs, the organs most vital to survival. The bones, which are relatively soft at birth, begin to harden, and the fontanelles, the soft parts of the newborn skull, begin to calcify, the small one at the back of the head at about 3 months, the larger one in front at varying ages up to 18 months. Brain weight also increases rapidly during infancy: by the end of the second year, the brain has already reached 75% of its adult weight. The conditional growth symptoms also includes short stature, growth retardation, delayed growth, lack of growth, severe dwarfing, slow weight gain and slow height gain.



Dosage:

Teenagers: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 229

(30ml Sealed)

(HYPERACIDITY)

Composition:


Verat AlbD6+60C, Bryonia AlbD6+60C, PulsatillaD6+60C, TerebinthinaD6+60C, Calc PhosD6+60C, Argentum NitD10+100C

Specific Indication:

Hyperacidity is mainly caused due to hypersecretion of hydrochloric acid and pepsin, which otherwise are normally present in the stomach. The specific symptoms include heart burn, belching, stomach cramps, nausea and bitter taste.

General Indication:

There are several juices produced by our stomach to digest the foods. Hydrochloric acid is necessary to break down the food particles in their minute form. Gastrin is a hormone responsible for stimulation of acid secretion, whereas, somatostatin suppresses acid secretion in the stomach. The excessive secretion of acid in the stomach leads to formation of ulcer. Further general symptoms include flatulence (burping and belching), heart burn, early repletion or satiety after meals, bloated feelings, vomiting of blood or blood in the stool and bitter taste in the mouth.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 230

(30ml Sealed)

(HEEL PAIN)

Composition:

Acid BenzD20+200C, CimicifugaD20+200C, ColchicumD20+200C, LedumD20+200C, PulsatillaD20+200C, Ruta Gr.D20+200C, Calc PhosD20+200C

Specific Indication:

Heel pain one of the most common forms of the foot pain in adults. It often occurs as a result of daily activities and exercises. The specific symptoms of heel pain includes sharp localized pain, heel pain worse on arising in the morning and after rest, aggravation by prolonged weight bearing. This problem is most commonly seen in the middle age and over weight adults.

General Indication:

Heel pain is generally a result of faulty biomechanics (walking gait abnormalities) that place too much stress on the heel bone and the soft tissues that attach to it. The stress may also result from injury or a bruise incurred while walking, running or jumping on a hard surface. The general symptoms include heel pain because of standing for prolonged periods, obesity, heel bone bruises, sharp pain in the bottom, and/or inside margin of the heel often worse when getting up in the morning or after rest. Patient feels little better on continuous walk and in some patients it gets worse.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 231

(30ml Sealed)

(MARASMUS)

Composition:

Kali lodD20+200C, PhosphorusD20+200C, Ars.lod D20+200C, Anti lodD20+200C, Ferr MetD20+200C, Aurum lodD20+200C, SiliceaD20+200C, AbrotanumD20+200C

Specific Indication:

Marasmus represents multiple deficiencies and multiple etiologies. This problem usually appears in children because of protein and caloric deficiencies. The specific symptoms include anorexia, protein deficiency, dry skin, loose skin folds hanging over the glutei axillae, irritability etc.

General Indication:

Marasmus is a childhood nutritional disorder characterized by protein and energy deficiency. A child with marasmus looks emaciated and the body weight may reduce to less than 80% of normal weight for that height. Drastic loss of adipose tissue from normal areas of fat deposits like buttocks and thighs. The child is fretful, irritable and may show voracious appetite. It is essential to treat not only the symptoms but also the complications of the disorder like infections, dehydration and circulation disorders, which are frequently lethal and lead to high mortality if ignored.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 232

(30ml Sealed)

(MENSTRUAL PAIN)

Composition:

RatanhiaD4+40C, Mag PhosD6+60C, PulsatillaD4+40C, Lobelia Inf.D4+40C, SenecioD3+30C, Viburnum Op.D4+40C, Ferr MetD15+100C

Specific Indication:

No two women are affected by periods in exactly the same way. The specific symptom include backache, premenstrual bloating feeling, fatigue and headache.

General Indication:

You may feel no more than a passing discomfort from your period, or you could be doubled up by it. Usually the pain comes in the cramp like spasm. It could start in the lower abdomen, and may radiate up the spine and down the legs, or center in your lower back. If you get it really badly, you may feel really dizzy or nauseous and get diarrhoea and vomiting. Most women find that the pain comes on a few hours before their periods start and begins to cease once the flow begins. But in few female pain continues into the second and even the third day of their period. Some other symptoms include; fatigue, headache, backache, premenstrual bloated feeling, and occasional diarrhoea.



Dosage:

Adult: 10-15 drops, teenager half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 233

(30ml Sealed)

(COUGH SPASMODIC)

Composition:

AconiteD6+60C, BelladonnaD6+60C, DroseraD6+60C, IpecacD6+60C, MephitisD6+60C, ThymusD6+60C, Verat AlbD6+60C

Specific Indication:

Spasmodic cough/cough is one of the most common reasons for visits to the family physician. The specific symptoms of spasmodic cough include URI (upper respiratory tract infection), PND (post nasal drip), chest wheezing.

General Indication:

Excessive coughing may mean you have an underlying disease or disorder. Cough generally falls into two categories, acute cough and chronic cough. Generally the signs and symptoms depending on the conditions causing it, a cough may be accompanied by the upper respiratory tract infection, post nasal drip, wheezing sound in chest, heart burn, vomiting, fever, chills, night sweats and oedema or fluid retention.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 234

(30ml Sealed)

(INFLUENZA)

Composition:

AconiteD6+60C, BelladonnaD6+60C, BryoniaD6+60C, GelsemiumD6+60C, Eupatorium PerfD6+60C, Ars AlbD6+60C, PyrogenumD10+100C

Specific Indication:

Influenza is a respiratory infection characterized by fever, cough and severe muscle aches. Some other specific symptoms includes fever, headache, tiredness, dry cough, sore throat, nasal congestion, sneezing and body aches.

General Indication:

Influenza virus is responsible for acute upper respiratory disease, usually accompanied by fever and myalgia. Influenza effects are much more severe and last longer than those of a cold. The virus attacks the respiratory tract and is transmitted from person to person by droplets and causes the following symptoms; fever, headache, tiredness, dry cough, sore throat, nasal congestion, sneezing and body aches.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 235

(30ml Sealed)

(HYPOGLYCEMIA)

Composition:

AconiteD7+70C, CactusD3+30C, CrataegusD2+20C, AlfalfaD2+20C, ChionanthusD2+20C, P. GlycolD1+10C

Specific Indication:

Hypoglycemia means deficiency of glucose in blood stream. The blood glucose in healthy individuals fluctuate depending greatly on the duration of fasting. The specific symptoms includes anxiety, sweating, tremor, palpitation, nausea and pallor.

General Indication:

Hypoglycemia means low blood sugar. The normal range is 70 to 120 mg/dl after an over night (12 hours) fast. In healthy men, the blood glucose can drop to 55 mg/dl after 24 hours of fasting and to 48 mg/dl after 72 hours of fasting. Whereas, in healthy women, glucose level can be as low as 35 mg/dl after only 24 hours of fasting. Hypoglycemia causes the body to release adrenaline. The adrenaline functions to restore and maintain blood glucose levels by mobilizing stored glycogen and fat, converting them into glucose. In return, the released adrenaline causes symptoms of nervous symptoms stimulation, such as anxiety, sweating, tremor, palpitations, nausea and pallor. Hypoglycemia also starves the brain of glucose energy, which is essential for the proper brain function. Lack of glucose energy to the brain can cause symptoms ranging from headache, mild confusion, abnormal behavior, loss of consciousness, seizure and coma. Severe hypoglycemia can cause death.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 236

(30ml Sealed)

(INTERCOSTALGIA)

Composition:

Arg. MetD25+100C, Arnica MontD10+100C, Ranunculus BulbD10+100C, Ruta GravD6+60C, Rhus ToxD6+60C, BryoniaD4+40C, ChamomillaD4+40C

Specific Indication:

Intercostalga means, pain in the intercostal muscles. These muscles occupy the spaces between the ribs. The muscles may cause pain while motion, deep breathing or on expanding the chest.

General Indication:

In human physiology, any of a series of short muscles that extend between the ribs and serve to draw them together during inspiration and forced expiration or expulsive actions. A set of external and internal intercostalis muscles is found between each vertical pair of ribs on each side of the chest. The Intercostales (intercostal muscles) are two thin planes of muscular and tendinous fibers occupying each of the intercostal spaces. They are named external and internal from their surface relations, the external being superficial to the internal. The Intercostales externi (External intercostals) are eleven in number on either side. They extend from the tubercles of the ribs behind, to the cartilages of the ribs in front, where they end in thin membranes, the anterior intercostal membranes, which are continued forward to the sternum. Intercostalga pain appears while motion, deep breathing or on expanding the chest.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 237

(30ml Sealed)

TONSILS (INFLAMED/RED, PAINFUL)

Composition:

Atropin SulphD7+70C, Hepar SulphD7+70C, Kali BichD4+40C, SiliceaD7+70C, Merc Iod RubD7+70C, Merc Iod FlavD7+70C, Baryta CarbD10+100C

Specific Indication:

Tonsillitis is an infectious condition with symptoms characterized by inflamed tonsils, fever, painful swallowing, sore throat, and a slight voice change. Other tonsillitis symptoms include a white or yellow coating on the tonsils, swollen lymph nodes, headache and bad breath. Nausea, vomiting and abdominal pain may occur in younger children. Throat infection (pharyngitis) often occurs along with tonsillitis.

General Indication:

Tonsils are lymph glands or lymph nodes located at the back of the throat where they catch incoming germs before they enter the breathing passage. It is believed that tonsils fight infection in the body by filtering bacteria and other micro-organisms. During this filtering process, however, the tonsils themselves may become infected. All forms of tonsillitis are contagious and generally spread from person to person in cough, sneeze, and nasal fluid. Tonsillitis refers to acute inflammation of the tonsils, which lie, one on each side of the throat, chronic tonsillitis is a term applied to cases in which there is enlargement of the tonsils accompanied by repeated attacks of infection. The main symptoms of tonsillitis are sore throat, fever, headache, and pain in various parts of the body, difficulty in swallowing and general weakness. The tonsils are seen to be inflamed and red when the mouth is opened wide. In many cases, spots of pus exude from them. Externally, the tonsillar lymph glands, which lie just behind the angle of the jaw, are tender and enlarged. In severe cases, there may be pain in the ear.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 238

(30ml Sealed)

WORMS (ROUND, TAPE OR THREAD)

Composition:

SantonineD6+60C, CinaD6+60C, SiliceaD6+60C, IndigoD6+60C, AmbrosiaD6+60C, Cucurbita CitD3+30C, Cucurbita PepD3+30C

Specific Indication:

There can be over 100 different types of parasite worms living in human bodies. Some are microscopic in size while others can be seen quite easily. These common organisms can be found everywhere in our environment, in the air we breath, in the water we drink, or in the food we eat. BM Compositum 238 may help to eliminate round, tape and thread worms.

General Indication:

Worm infestations constitute an important health problem, especially in the children. Worm infestations are generally not noticed but can sometimes lead to significant problems, which



affect many organ systems. Most of these are a result of unsanitary living conditions and poor food preparation. In countries like ours, these constitute an important public health problem because infestation by hookworms is the cause of anaemia in a significant number of children. Apart from the characteristic itching in the anal area produced by pinworm infection most of the symptoms of worm infections are non characteristic. These include: anaemia, diarrhoea, nausea, vomiting, changes in appetite, fatigue, wheezing, coughing or other breathing difficulties.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 239

(30ml Sealed)

(BLOOD CIRCULATION)

Composition:

CrataegusD2+20C, LaurocerasusD3+30C, OleanderD3+30C, ScopoliumD2+20C, China OffD2+20C

Specific Indication:

Weakness of the conduction and hypotony as the after effects of phases of reotoxicant impregnations. Exhaustion of the heart and lassitude ensue. The combined effects of the remedy already shows, after a few days treatment, in a correction of the venous tension and a regularization of the blood pressure. This preparation is ideal for feminine anaemia following upon loss of blood in child birth, or in cases of low blood pressure following upon infectious illnesses, i.e. influenza, angina, etc; also in general vegetative dystonia coupled with a lowering of blood pressure.

General Indication:

The symptoms that are experienced can depend on which artery is affected and how much the blood flow is reduced. Some of the symptoms include: Claudication (this is a dull cramping pain in the calf muscle that comes on after walking a certain distance - it is relieved by rest). Numbness or tingling in the foot, or toes can occur. Changes in the colour of the skin (it becomes more pale, bluish, or reddish). Changes in skin temperature (the foot becomes cooler.) Skin breakdowns, infection and sores do not heal as well as they should.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 240

(30ml Sealed)

(CHRONIC GYNAECOLOGICAL INFECTIONS)

Composition:

KreosotumD7+70C, Merc SolD15+100C, Merc CorrD15+100C, Nitric AcidD7+70C, Hydrastis CanD6+60C, Kali BichD4+40C, PulsatillaD4+40C, Ars AlbD4+40C

Specific Indication:

The specific symptoms of the chronic gynaecological infections includes vaginitis, chlamydia, gonorrhoea, pelvic inflammatory disease, cervicitis, menstrual disorder, molluscum.

General Indication:

Vaginitis: Vulvar itching with a thick vaginal discharge; burning upon urination; redness and white patches at the sites of infection; occurrence of pain during penetrative sexual intercourse.



Chlamydia: Unusual vaginal discharge and burning when urinating. Later symptoms include lower abdominal pain; pain during penetrative intercourse; bleeding between periods and low-grade fever.

Gonorrhea: Pus-like discharge from cervix; lower abdominal pain; fever.

Pelvic Inflammatory Disease: Chronic, moderate-to-severe pain in the abdomen; irregular menstrual cycles; non-menstrual bleeding; increased vaginal discharge; painful and frequent urination; nausea and fever.

Cervicitis: May have no symptoms. When present, symptoms may include intermenstrual bleeding; vaginal discharge that increases after menstruation; bleeding after penetrative intercourse; painful urination; low back pain.

Menstrual Disorders: Absence or suppression of menstruation (amenorrhea); irregular periods; abnormally heavy or light periods; intermenstrual bleeding; worsening of symptoms associated with PMS.

Molluscum: Small dome-shaped, flesh-colored bumps (papules) on face or in the groin or genital skin. May cause itching and rapid spreading.

Dosage:

Adult: 10-15 drops 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 241

(30ml Sealed)

(VERTIGO)

Composition:

ErgotinumD200+200C, HistaminumD200+200C, Lac-CD200+200C, Lac- HumD200+200C, LeprominiumD200+200C, PenicillinumD200+200C, PsorinumD200+200C, TuberculinumD200+200C

Specific Indication:

Vertigo is an abnormal sensation that causes you to feel as though you and your environment is moving or spinning. Sometimes the attack of vertigo is so powerful that the person falls to the ground as a bag of sand. The specific symptoms of vertigo lead to severe nausea, vomiting and sweating. It is very important to remember that all of these symptoms are predictable.

General Indication:

Vertigo is a sensation of moving or spinning within stable surrounding, and it may be accompanied by loss of balance and nausea. Vertigo may last for few moments, several hours or even days. Vertigo is most common in elderly people, but can affect both sexes at any age.

Vertigo occurs most often due to affection particularly if the ear is involved. The cause of vertigo includes high blood pressure, high cholesterol, diabetes, thyroid disease, anaemia, loss of blood and calcium disorder.

Infectious diseases such as syphilis may also cause vertigo. The general symptoms includes blurred vision, fatigue and reduced stamina, headache, heart palpitations (rapid fluttering of the heart), imbalance, inability to concentrate, increased risk for motion sickness, muscle ache (especially of the neck and back), nausea and vomiting, reduced cognitive function i.e., thinking and memory, sensitivity to bright lights and noise, sweating etc.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 242

(30ml Sealed)

(ANAL PROLAPSE)

Composition:

Aesculus GlabD2+20C, Aesculus HipD2+20C, AloesD20+200C, IgnatiaD20+200C, PodophyllumD7+70C, SepiaD7+70C, Ferr MetD7+70C

Specific Indication:

Anal (Rectal) prolapse is protrusion of rectal tissue through the anus to the exterior of the body. The rectum is a final section of the large intestine. Rectal prolapse can be either partial or complete. Specific symptoms includes unexpected release of mucous stool or blood from the anus. However, other conditions can also cause these symptoms. This is often associated with constipation, cystic fibrosis or some kind of parasites.

General Indication:

There are several factors which contribute to the development of anal (Rectal) prolapse. It may come from a life long habit of straining to have bowel movements or as a result of stresses involved in child birth. In very rare cases there may be a genetic predisposition in some families. Anal (Rectal) prolapse is a condition in which rectum drops down and turns inside out. In the early stage, the rectum stays inside the body but as the condition worsens it may protrude out through the anus. There is often weakness of the anal muscles and this may result in leakage of stools or mucous. This disease is quite common in women than men. The general symptoms includes constipation, diarrhoea, cystic fibrosis, parasitic infections and symptoms of multiple sclerosis.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 243

(30ml Sealed)

(SCHIZOPHRENIA)

Composition:

AnacardiumD2+20C, AbsinthiumD2+20C, Can IndD3+30C, HyoscyamusD2+20C, OpiumD2+20C, StramoniumD2+20C

Specific Indication:

It has long been known that schizophrenia runs in families. There is no known single cause of schizophrenia, scientists do not yet understand all the factors necessary to produce schizophrenia. But all the tools of modern biomedical research are being used to search for genes critical moments in brain development and others factors that may lead to illness. The specific symptoms include delusions, hallucinations, disordered thinking, catatonic behavior and flat affect.

General Indication:

Schizophrenia is thought to affect about 1% of the population world wide. The risk factors include a family history of schizophrenia. It appears to occur in equal rates in men and women but women have a later onset. Childhood-onset schizophrenia begins after 5 years of age and in most cases after relatively normal development. Childhood schizophrenia is rare and can be difficult to differentiate from other pervasive developmental disorders of childhood such as autism. People with schizophrenia can have a variety of symptoms. Usually the illness develops slowly in months or even in years. At first the symptoms may not be noticed. For example people may feel tense, may have trouble sleeping or have trouble concentrating, they become isolated and withdrawn, and they do not make or keep friends. As the illness progresses, following psychotic symptoms develop by false beliefs or thoughts with no basis in reality, hearing, seeing, or feeling things that are not there, thoughts "jump" between completely unrelated topics (the person may talk nonsense), bizarre



motor behavior marked by a decrease in reactivity to the environment, or hyperactivity that is unrelated to stimulus, an appearance or mood that shows no emotion.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 244

(30ml Sealed)

(MYOPIA)

Composition:

Carbo VegD7+70C, Calc PhosD6+60C, Calc CarbD7+70C, Nat MurD6+60C, RutaD6+60C, PhysostigmaD6+60C

Specific Indication:

Myopia is also known as near-sightedness. It is an inherited condition usually detected in the children between the ages of 8 and 12. The specific symptoms of myopia are blurred distance vision, eye discomfort, squinting and eye strain.

General Indication:

There are two schools of thoughts regarding the progression of myopia, the geneticist school believes that myopia is 100% inherited. The environmentalist school believes myopia is 100% environmentally induced. We believe that both genetic and environmental factors play role in the presence and progression of myopia. The general symptoms of myopia includes difficulty in seeing distant objects, colour blindness, refractive errors, changes while reading, etc.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 245

(30ml Sealed)

CLD (CHRONIC LIVER DISEASE)

Composition:

Amoora RohitakaD10C, InsulinD20+200C, Lactuca VirosaD30+100C, LinariaD30+100C, ChelidoniumD20+200C, Carduus MarD10+100C, CeanothusD5+50C

Specific Indication:

CLD is a term used for chronic liver disease. It means the gradual destruction of liver tissues over time. Several liver diseases fall under this category, including cirrhosis of liver and fibrosis of liver. The specific symptoms though vary but the following are most common anorexia, weight loss, ascites, viral hepatitis, drowsiness, muscular or joint aches etc.

General Indication:

CLD is a medical condition in which liver damage has occurred over a period of time. This can happen because of prolonged viral infection of the liver, drug and/or alcohol abuse and inherited and metabolic disease.

When there is an ongoing damage to the liver, it may worsen the liver function, progressively the liver becomes hardened. A hardened liver will be less able to carry out its usual important functions. The general symptoms of CLD range from minimal to severe, including fatigue, jaundice, fever and weight loss. Some other symptoms are poor appetite, excess urination and excess drinking of water, fluid in the abdominal cavity, curling of fingers, breast enlargement in men, hair loss, itching, muscle loss, portal hypertension, redness of palms, small spider like veins in skin and weakness.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 246

(30ml Sealed)

(HERNIA)

Composition:

Aurum MetD200+200C, AesculusD200+200C, CocculusD200+200C, Nux VomicaD200+200C, PituitrinumD200+200C, SulphurD200+200C, MorphInD200+200C

Specific Indication:

A hernia can literally develop in anyone from a new born baby to a senior citizen. The specific symptoms include increase in the abdominal pressure, reflex oesophagitis and discomfort feeling after having meal.

General Indication:

There are multiple factors which can increase a risk of developing a hernia or increasing pressure on the abdominal wall. Following are the most common symptoms: a chronic cough, such as smokers cough, obesity, straining during bowel movements or while urinating, pregnancy, straining to lift heavy objects, persistent sneezing, such as that caused by allergies. There are different types of abdominal hernias such as inguinal hernia, epigastric hernia, umbilical hernia, femoral hernia, and incisional hernia. Hernia usually first becomes noticeable as a bulge somewhere in the abdomen or pelvic area or in the scrotum for men. If the bulge is reducible it may enlarge when the person is standing and becomes smaller when the person lies down. The changes in the hernias size are due to the increased pressure on the abdominal wall caused by gravity when we stand. A hernia may cause sharp or dull pain that worsens when having a bowel movement, during urination or while lifting a heavy object. This particular compositum may relieve the discomfort.

In the case of strangulated hernia that contains intestine, the herniated section of the intestine might become blocked. This blockage may cause blood in the stool, constipation, fever, severe pain, vomiting and even shock. If these symptoms are experienced emergency medical attention is needed.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 247

(30ml Sealed)

(OBESITY)

Composition:

Amm. BromD10+100C, Phytolacca BerryD1+10C, ThyroidinumD2+20C, Fucus VesD1+10C, PulsatillaD1+10C, Kali BromD10+100C

Specific Indication:

Obesity is a condition of excess body fat. It is most common form of malnutrition. Obesity, however, has many causes. The reason for the imbalance between the caloric intake and consumption vary by individual age, gender and genes, psychological make-up and environmental factors all may contribute to the obese symptoms.

General Indication:

The mechanism for excessive weight gain is quite clear, more calories are



consumed than the body burns. So the excess calories are stored as fat tissues. The majority of the obese patients complain of shortness of breath during mild exercise, pain in the back, hip or knees, depression or other emotional problems, difficulty in walking or moving around, heart burn, rashes in the folds of skin and snoring. BM Compositum 247 is not only useful to eliminate the symptoms of obesity but also helps to control the extra hunger.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 248

(30ml Sealed)

(OSTEOPOROSIS)

Composition:

Dysentery Co.D200+200C, CortisoneD200+200C, Mucor MucedoD200+200C, Calc PhosD200+200C, Crocus SatD200+200C, Cup MetD200+200C, Zinc MetD200+200C

Specific Indication:

Osteoporosis means porous bones causes bones to become weak and brittle. The specific symptoms of osteoporosis, may be that you may have no symptoms. In some cases you may have dull pain in bones and muscles, particularly low back pain or neck pain.

General Indication:

Osteoporosis is a bone disorder, the bone can become thinner, lose its strength and are more likely to break. People with osteoporosis have a high risk of fractures. Their bones can fracture with even the routine day movement. Such as bending or coughing. Osteoporosis is not a form of arthritis although it can cause fractures that lead to arthritis. Other symptoms include height loss, curving of the spine is also called kyphosis. This can become so severe that the chin is forced on to the chest and can cause breathing problem and unexplained back pain.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 249

(30ml Sealed)

(FOUL BREATH)

Composition:

Merc SolD200+200C, IlliciumØ, CinnamonØ, Aqua RosaØ.

Specific Indication:

Many children and adults have a bad breath problem. Manufacturer of mouthwashes, tooth paste, breath mints and chewing gums sell million of dollars worth products. These products mask the odour temporarily but most of those suffering from bad breath problem have found little or no relief.

General Indication:

If we experience a bad taste and odour when we first wake up in the morning, we have morning breath. This does not necessarily mean that we have a bad breath problem. When we sleep the glands that produce saliva also rest and the amount of wetness in the mouth is minimal. This amount is not enough to wash away some of the food debris that has been left on or between the teeth even after careful brushing. These conditions allow odour-producing bacteria



to grow rapidly on the tongue and teeth. Morning breath is a temporary condition that can be easily eliminated with a good tooth brushing and breakfast. Though there are many factors that contribute to the bad breath but most often because you have not brushed and flossed your teeth. If you don't keep your teeth and gum free from the bacterial built up, you may have bad breath caused by eating certain foods. We eat a meal and then suffer from embarrassing bad breath later on. The culprits or sulfur compound found in certain foods like garlic and cabbage are a cause of bad breath. BM Compositum 249 (foul breath) helps to eliminate this factor and provides you a fresh natural odour in breath.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 250

(30ml Sealed)

(HYDROCELE)

Composition:

Actea RacemosaD30+30C, Altingia ExcellsaD30+30C, Apis MelD3+30C, Calc CarbD200+200C, GraphitesD200+200C, Natrum MurD200+200C, RhododendronD30+100C, SamariumD3+30C, PulsatillaD3+30C

Specific Indication:

A hydrocele is a fluid filled sack along the spermatic cord within the scrotum. This problem is common in new born (infants) the fluid build up can be on one or both sides of the scrotum. Hydrocele is mostly painless, swollen testicles on one or both sides, which feels like a water filled balloon.

General Indication:

Hydrocele can be easily demonstrated by shining a flash light through the enlarged portion of the scrotum. Hydrocele may also be caused by the inflammation or trauma of the epididymis or testicles within the spermatic cord. This type of hydrocele is more common in the older men. The general signs and symptoms of hydrocele includes scrotum, may be firm and swollen. There may be no pain in older men, hydrocele may cause pain in the scrotum and groin. If hydrocele is enlarged much, there may be feeling of pain in the lower back.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 251

(30ml Sealed)

(HYDROCEPHALUS)

Composition:

ApocynumD1+10C, Atropine SulphD200+200C, BacillinumD200+200C, IodoformD30+100C, Kali IodD6+60C, Veratrum VirideD30+100C, Zincum MetD30+100C

Specific Indication:

Hydrocephalus is a condition in which fluids build up in the brain. The specific signs and symptoms includes, unusual large head, a rapid increase in the size of head, vomiting, sleepiness, irritability, seizures, eye fixed downwards and developmental delay.

General Indication:

The term Hydrocephalus is derived from the Greek words (Hydro means water and cephalus means head). Hydrocephalus may be congenital or acquired. Congenital Hydrocephalus is present at birth and may be caused by either environmental influences during fetal developmental or genetic predisposition.



Acquired Hydrocephalus develops at the time of birth or at some point afterwards. This type of Hydrocephalus can affect individuals of all ages and may be caused by injury or disease.

Symptoms of Hydrocephalus vary with age, disease progression, and individual difference of tolerance of CSF. For example an infants ability to tolerate CSF's pressure differs from an adults.

Infancy, the most obvious indication of Hydrocephalus is often the rapid increase in head circumference or an unusually large head size. Other general symptoms may include vomiting, sleepiness, irritability, down ward deviation of the eyes and seizures.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 252

(30ml Sealed)

(ARTERIOSCLEROSIS)

Composition:

Viscum AlbD1+10C, Crataegus OxyD1+10C, Baryta CarbD6+60C, Aurum MurD6+60C, Ars AlbD6+60C, Aurum IodD6+60C, Baryta IodataD6+60C

Specific Indication:

Arteriosclerosis (ahr-tir-ee-oh-skluh-roh-sis) is a term used to describe several diseases that involve the cardiovascular system and the many arteries and vessels which make it up. Atherosclerosis invades both the superficial and deep layers of the vessel walls. Arteriosclerosis is often referred to as "hardening of the arteries." In fact, interestingly enough, the word arteriosclerosis is a Greek word which actually means "hardening of the arteries."

General Indication:

Arteriosclerosis is a term applied to a number of pathological conditions in which there is thickening, hardening and loss of elasticity of the walls of arteries. The actual cause is yet not known and the early signs are also not always present but circulatory disturbances are the first manifestations of Arteriosclerosis. Symptoms includes leg cramps while walking, changes in skin temperature and colour, and altered pulse, headache, dizziness and memory defects. The brain symptoms includes headache, dizzy spells, ringing of ear, memory problems, poor concentration and mood changes.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 253

(30ml Sealed)

(EASY-CHILD BIRTH)

Composition:

Calc FluorD6+60C, Calc PhosD6+60C, Ferr PhosD6+60C, Kali MurD6+60C, Kali PhosD6+60C, Mag PhosD6+60C, Nat MurD6+60C

Specific Indication:

Easy child birth compositum is particularly build up for the painless delivery.

General Indication:

It is quite obvious that cesarian are done when vaginal delivery is dangerous. Like any type of surgery, have a C-section does have its setbacks. Recovery is more painful and takes longer than that of a viginal delivery. To manage the painless delivery, difficult labors, foetal distress, childs breach presentation, BM easy child birth compositum is quite useful.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 254

(30ml Sealed)

(SUNSTROKE)

Composition:

Apis MelD3+30C, BryoniaD3+30C, GelsemiumD3+30C, Nat MurD6+60C, PulsatillaD3+30C

Specific Indication:

Sun stroke is a life threatening condition in which the body's heat regulatory system fails due to exposure to high temperature. The specific symptoms includes palpitation, a high body temperature, skin dry and hot, loss of consciousness, dizziness and headache.

General Indication:

Sun stroke is the most severe form of heat illness and is a life threatening emergency. It is the result of long, extreme exposure to the sun, in which a person does not sweat enough to lower body temperature. The elderly, infants & persons who work outdoors and those on certain types of medications are most susceptible to heat stroke. It is a condition that develops rapidly and requires immediate treatment. Although, each individual experiences different symptoms. Some common symptoms may include headache, disorientation, agitation or confusion, sluggishness or fatigue, seizure, hot, dry skin that is flushed but not sweaty, a high body temperature, loss of consciousness, rapid heart beat, hallucinations.

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.



BM 255

(30ml Sealed)

(VARICOSE VEIN)

Composition:

Aesculus HipD2+20C, Apis MelD2+20C, Calc FluorD3+30C, Calc IodD6+60C, HamamelisD2+20C, LycopodiumD2+20C, Ruta GravD2+20C

Specific Indication:

Varicose vein are dilated tortuous, elongated, superficial veins that are usually seen in the legs. Specific symptoms of Varicose vein includes presence of the bulging, enlarged and twisted vein in part or all of a leg. Feeling of pain tiredness and weakness in the legs.

General Indication:

Although the exact cause of Varicose vein is not known but this problem is being treated on the basis of the symptoms experienced by different persons. In many patients varicose vein cause no symptoms other than the appearance of bulging, twisted vein beneath the skin. However, in some patients symptoms includes; aches in the affected area, swelling of the feet and ankles due to the fluid from stagnant blood leaking through the walls of the veins into the surrounding tissues. A feeling of heaviness, tiredness and aching especially at the end of the day or after periods of prolonged standing, persistent itching of skin over the affected area, changes in the skin colour over the affected area. Varicose vein are often progressive which means that symptoms may worsen over time.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM 256

(30ml Sealed)

(ANTI LICE ORAL DROPS)

Composition:

StaphysagriaD5+50C, Fillix MasD5+50C, EmbeliaD5+50C, SantonineD5+50C, CinaD5+50C

Specific Indication:

There are three forms of lice; the nit, the nymph and the adult. The specific symptoms include tickling feeling of something moving in hair, itching caused by an allergic reaction to the bites, irritability, sores on the head caused by scratching, these sores can sometimes become infected.

General Indication:

Head lice are wingless insects that live on the scalp and neck. They are grey or brown, have six legs and are about 2mm long when fully grown. There can be up to 12 adult head lice on an infested scalp at any one time. They may be embarrassing and occasionally uncomfortable, but head lice are not generally a cause of illness. Head lice infestation can cause an itchy head or neck, or a rash, which is often worse behind the ears or on the back of the neck. However, a person may have been infested for several months before the itchiness is noticed, and some people may not report itching at all. It's important to check anyone who has been in contact with someone with confirmed head lice so that all cases can be treated and reinfestation prevented. Other signs of head lice infection are nits stuck to the hairs as they grow out, and louse dropping, which look like a fine black powder and may be seen on pillows or sheets.



Dosage:


Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

BM Specialities Drops

BM has a well qualified and professional team to develop the products on scientific basis. BM also offers some most important specialities for some specific diseases, like, Kidney Stones, Arthritis, Hair & Nails care, and Diabetes etc. All these products are backup by clinical trial studies like all other BM products.



Quality Control Parameters
BM Specialities drops are being analysed



BM Specialities Filling & Sealing line

BM Specialities Drops

ARTHRIBID DROPS

(20ml Sealed)

**(ARTHRITIS, OSTEOARTHRITIS, MUSCULAR RHEUMATISM
HIGH URIC ACID)**

Composition:

Ammonium Phos D3, Bryonia D4, Caulophyllum D3, Colchicum D2, Ledum Pal D3, Rhus Tox Ø, Urtica Uren Ø

General Indication:

Arthribid is the composition of well established remedies which posses analgesic and antipyretic properties. Helps in the treatment of arthritis, rheumatoid arthritis, osteoarthritis & gout. Occasionally, it also helps in fever and aches.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

DIOCARDE GOLD DROPS

(20ml Sealed)

(CARDIAC INSUFFICIENCY, TACHYCARDIA ANGINA PECTORIS)

Composition:

Cactus Grand D2, Camphora D2, Crataegus D2, Ether D4, Strophanthus D3, Valeriana Ø.

General Indication:

May help in the symptoms of organic & functional affections of the heart, cardiac insufficiency, nervous perturbations, tachycardia, dilation of the heart, constriction, angina pectoris etc.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

HAIR SUPPORT DROPS

(20ml Sealed)

(HAIR CARE NOURISHMENT WITH NATURAL INGREDIENTS)

Composition:

Acid Phos D5, Arnica Mont D7, Ars Alb D6, Graphites D12, Jaborandi D4, Lycopodium D6, Phosphorus D7, Sulphur D6

General Indication:

Hair support drops contains natural homoeopathic ingredients. Its active composition has special effect on the hair, stimulates the hair follicles, controls and prevents dandruff, stops falling of hair, premature grey hair and hair with split ends. These problems may be the result of dietary abnormalities or atmospheric pollution. This BM-remedy may be helpful for better growth, repair of roots and ultimately all the problems of hair are removed.



BM Specialities Drops

Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

INFANT RELAX DROPS

(15ml Sealed)

(RESTLESSNESS COLIC & DENTITION)

Composition:

Cardamom D2, Chamomilla D6, Colocynthis D3, Fennel D2, Mag Phos D10

General Indication:

Colicky children crying with gas and bloatedness over sensitiveness to pains distention, neuralgias, earache & enteralgia etc. This remedy is also indicated when there are violent pains of neuralgic paroxysmal character. The remedy INFANT RELAX also controls the symptoms of fever & diarrhoea.



Dosage:

New Born: 1-2 drops in the half teaspoon of water three times a day.

6 Month age: 3-4 drops in teaspoon of water three times a day or as prescribed by a homoeopathic doctor.

NEU RENE-CAL DROPS

(60ml Sealed)

(HELPS TO REMOVE THE STONE(S) FROM KIDNEY, URETER AND BLADDER WITHOUT SURGERY)

Composition:

Gravel Laurel(TM), Lytta Vesicatoria(TM), Pipperdge Bush(TM), Seven Bark(TM), Smilax Ornata(TM), Stigmata(TM), Terebinthinae(TM), Thlaspi BP(TM)

General Indication:

Kidney stone, neuralgic pains, nephritis, constant desire to urinate, cutting before, during and after urine, urine is passed drop by drop, inflammation in the kidney, sensation as if some urine is remained, turbid urine with thick mucous, irritable condition of urinary tract, gravel in kidney, haematuria.



Dosage:

Adult: 20-25 drops in some water 3-4 times a day, Children: Half of the same or as prescribed by a Homoeopathic Doctor.

OLEUM JECORIS DROPS

(20ml Sealed)

(UNWANTED FACIAL HAIR)

Composition:

Echinacea D4, Oleum Jeco D8, Thuja Occi D7

General Indication:

Hirsutism (Excess Hair) is a condition in which too much hair grows on face, chest or other body parts. It is usually only a problem for women. It is usually due to the too much production of male hormone (androgen). It is caused by excess androgen secretion or increase sensitivity of the hair follicle. Additionally some medications that have similar characteristics as androgen, birth control pills and anabolic steroids. However, the specific cause is not identified. It tends to run in families. It does not necessarily indicate a hormonal imbalance.

Women often worry that hairiness means that they have male hormones and are not fully female. In-fact, all women have a small amount of the male hormone, testosterone, circulating in their bodies. It is produced mainly by the adrenal glands which are situated over the kidneys. If the skin is extra sensitive to it, testosterone encourages hair growth on the upper lip, chin, chest and lower abdomen. Women with this problem gradually develop more body hair from puberty until the menopause, after which the amount of body hair slowly lessens - except for facial hair which continues to increase.

BM conducted a clinical trial study on this particular product for hirsutism condition. This product is helpful for females to reduce the prominent facial & chest areas symptoms.



Dosage:

Adult: 10-15 drops in some water 3-4 times a day or as prescribed by a Homoeopathic doctor.

RAUWOLFIA DROPS

(20ml Sealed)

(SECONDARY, RENAL & ARTERIAL HYPERTENSION)

Composition:

Ammomum Subulatum D2, Coriandrum Sativum D2, Crataegus Oxy D1, Lavandula D2, Piper Nigrum D3, Rauwolfia Serp D1, Santalum Alb D3.

General Indication:

May help in the symptoms of hypertension (High blood pressure) reasoning metabolic malfunctioning, hereditary factors, secondary hypertension, renal hypertension and arterial hypertension.



Dosage:

Adult 10-15 drops in some water, Teenagers: half of the same 3-4 times a day or as prescribed by a Homoeopathic doctor.

BM Specialities Drops

RENECURE DROPS

(20ml Sealed)

(UTI AND KUB CALCULUS)

Composition:

Berberis Vulg Ø, Cantharis D2, Epigeae Rep D1, Hydrangea D1, Pareira Brava D2, Rubia Tinc D1, Sarsapilla D2.

General Indication:

May help in the symptoms of nephrolithiasis, urinary tract infection, cystitis, cystopyelitis, hydronephrosis and colic in the region of kidneys.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

SYZ JAMBOL DROPS

(20ml Sealed)

(TO CONTROL DIABETES MELLITUS)

Composition:

Momordica CharantiaD1, NigelliaD1, Santalum AlbD2, Syzygium JambolD1, Uranium NitricumD2, Valeriana R.D2

General Indication:

Diabetes Mellitus and associated symptoms.



Dosage:

Adult: 10-15 drops, children half of the same, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

TENSION RELIEF DROPS

(30/60ml Sealed)

(KEEPS YOU DEFINITELY TENSION FREE)

Composition:

Bignonia (TM), Ginkgo Biloba (TM), Hawthorn (TM), Kava Kava (TM), Licorice (TM), Moschus (TM), Omega 3S (TM), St.Ignatis Bean(TM), St.Johns Worts(TM), Valerian (TM)

General Indication:

Timid, Drowsy and droopy, Bad effects from fear, Dread of falling, Fear of doctors, Alzheimer's disease, Dementia, Diminution of mental faculties, Increased absent mindedness, Energy loss, Depression, Dizziness and tinnitus, Tranquilizer addiction, Loss of concentration, Anxiety of overwork, Worry of overdue bills, Tension of screaming siren, Depression to see an ambulance, Muscle spasm and tension, Headache, Nervousness,



BM Specialities Drops

Chronic fatigue Syndrome, Brain Fog, Unsatisfied and visits doctor after doctor, Rapidly falling B.P, Low level of corticosteroids In the blood, Desperate because of recent retirement from job, Violent anger, Mood and brain aggressive behavior, Depressive Rheumatism, always surrounded by different supposed worries, Desire to be alone, Effects of grief, Negative attitude, Insomnia from grief, Suppressed menses from grief, Takes deep breath, Sinking of stomach, Mild to moderate depression, Mood swings, Energy drained, Emotional fear, Disturbed sleep, Lack of activity, Fear of crossing road, Conflict while driving, Fear of having an accide, Biting of nails in tension, Mania, Inferiority complex, Tension of unexpected bad news, Afraid to fly, Fear of long drive, Fear of business, Fear of illness, Heart weakness with oppression, Sinking of heart or palpitation, Dyspnoea on least exertion, Irritability, Fear of evening, Fear in the mind that the heart will fail, White coat blood pressure, Fear of darkness, Fear of job, Fixed ideas, and Stress and restlessness.

Dosage:

Adult: Half teaspoon in some water two times a day. Teenagers: Half of the same or as prescribed by a Homoeopathic doctor.

VITAGENE FORT DROPS

(20ml Sealed)

(AZOOSPERMIA)

Composition:

Acid Phos Ø, Agnus Castus D4, Agaricus Mus D3, Damiana D6, Ginseng Panax D2, Sabal Serr D2, Scutellaria Lat D2, Selenium D8, Yohimbinum D3.

General Indication:

May help in symptoms of after effects of debilitating illness, Azoospermia, Spermatorrhoea, Sexual asthenia (impotence), abnormal semen reports, low sperm count, low sperm motility & general sexual male complaints.



Dosage:

Adult: 10-15 drops, 3-4 times a day in some water or as prescribed by a Homoeopathic doctor.

CARDIAC CARE DROPS

(30ml Sealed)

(REGULATOR OF ELEVATED LIPIDS)

Composition:

Bedellium Ind. (TM), Citrin (TM), Flores Carthami (TM), Porrum Sativum (TM), Pentaptera Angustifolia (TM).



Dosage:

Adult: Half teaspoon or 25 drops, 2 times a day in some water.
Teenagers: Half of the same or as prescribed by a Homoeopathic doctor.

Homoeopathic Medicated Syrups Regular / Sugar Free

BM manufactures fourteen homoeopathic medicated syrups for different kind of diseases. BM also prepares the most famous tonics as well, i.e. Alfalfa Tonic, and Ginseng Tonic. BM's all syrups are also very popular in the market and public because of its very pleasant taste and efficacy.

Packing: 60 & 120ml syrup standard quality packing.

BM manufactures a series of sugar free syrups for the diabetic patients to manage the diseases like reduced appetite, lack of immunity, fever, cough, diarrhoea & dyspepsia.

Packing: 120ml syrups standard quality packing.



QC Parameters medicated Syrups are being analyzed



BM Automatic Filling and Sealing Line for BM Syrup Series

Homoeopathic Medicated Syrups (Regular)

ALFALFA & GINSENG

(120 ml Sealed)

(REVITALIZATION & DEFENCE STIMULATOR)

Composition:

Alfalfa \emptyset , Ginseng \emptyset , Lacticum Acidum D2

General Indication:

May help to stimulate the body defence and helpful tonic for intoxication the defensive system and revitalize the cellular phases. It is useful tonic in general rheumatism, weakness and lethargy phases.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

ALFALFA TONIC

(60/120 ml Sealed)

(RECOMMENDED TO IMPROVE APPETITE AND DEFENSIVE MECHANISM)

Composition:

Alfalfa \emptyset , Avena Sat \emptyset , Cinnamonum D1, Cuminum Cyminum D2, Elaterium Carda D2, Gentiana D3, Hyoscyamus Niger D2, Illicium Anisatum D1

General Indication:

May help to stimulate the general physical and mental efficiency also support the defensive mechanism. BM Alfalfa Tonic provides strength & increases appetite. It is a remedy for anaemia and supports the convalescence after infections or operations .It also shortens the time of recuperation.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

ASOKA CORDIAL SYRUP

(120 ml Sealed)

(IRREGULAR & PAINFUL MENSTRUATION, LEUCORRHOEA)

Composition:

Aletris Farinosa D1, Ashoka Janosia \emptyset , Cimicifuga D2, Gossypium D2, Helonias \emptyset , Xanthoxylum D1.

General Indication:

May help in the symptoms of leucorrhoea, irregular and painful menstruation, profuse and premature menstruation, frequent miscarriages resulting sterility.



Dosage:

One tablespoon three times a day or as prescribed by a Homoeopathic doctor.

Homoeopathic Medicated Syrups (Regular)

BABY TONIC

(60/120 ml Sealed)

(CHILDREN'S GENERAL TONIC)

Composition:

Abrotanum \emptyset , Chamomilla \emptyset , Calcium Phos D3, Cinnamomum \emptyset , Hyoscyamus Niger D2, Illicium Anisatum \emptyset .

General Indication:

May help in the symptoms of dentition, restlessness, loss of appetite, abdomen colic and general tonic for children.



Dosage:

Teenagers: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

BAPTISIA SYRUP

(60/120 ml Sealed)

(FOR TYPHOID & MALARIA)

Composition:

Aconite Nap \emptyset , Baptisia Tinc \emptyset , China Off \emptyset , Eupatorium Perf \emptyset , Filipendula Ulmaria \emptyset .

General Indication:

May help in the symptoms of infections, flu, malaria, intermittent rheumatic and typhoid fever with symptoms of body aches, nausea and vomiting.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

BAPTISIA PLUS SYRUP

(60 ml Sealed)

(ANTIPYRETIC -ANALGESIC)

Composition:

Ac.sali D2, Baptisia Tinc \emptyset , Chininum Sulph D2, Cinnamomum \emptyset , Filipendula Ulm \emptyset , Fumaria \emptyset , Phenacetinum D2, Plumbago Zeylanica \emptyset .

General Indication:

As Antipyretic: Reduces fever, diaphoretic, pain with fever and cold, puerperal fever, typhoid fever, headache after mental labour with chilliness, chills runs up and down with shivering.

As Analgesic: Used in neuralgias, toothache, headache, pain in ear, pain in bladder, pains in joint, cramping of muscles with radiating pain, pain in lower limbs, and for cramps.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

Homoeopathic Medicated Syrups (Regular)

BRYONIA COUGH SYRUP

(60/120 ml Sealed)

(IMMEDIATE COUGH RELIEF)

Composition:

Bryonia Alb \emptyset , Ipecacuanha \emptyset , Justicia Adhatoda \emptyset , Liquirita Officinalis \emptyset ,
Mentha Piperita D4, Papaver Somnifera D1

General Indication:

May help in the symptoms of irritating cough, whooping cough, catarrhal influenza and spasmodic cough.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

CHESTY COUGH SYRUP

(120 ml Sealed)

(EXPECTORANT, LOOSENS PHLEGM AND MUCUS)

Composition:

Ammonium Mur D2, Ephedra Distachya D3, Ipecacuanha D1, Liquiritia Officinalis D1,
Mentha Piperita D4, Senega D1.

General Indication:

May help to make cough more productive, loosens phlegm and stubborn chest mucus. Suits to asthmatic patients.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

GINSENG TONIC

(120 ml Sealed)

(NERVOUS DEBILITY & ANAEMIA)

Composition:

Avena Sativa \emptyset , Calc Phos D3, Ferr Met D6, Ginseng \emptyset , Kali Phos D3, Nat Phos D3,
Zinc Phos D6.

General Indication:

May help in the symptoms of nervous debility, anaemia, imbecility, melancholy, impotency, ill-effects of sexual excesses (male or female) and a helping remedy for convalescence and rheumatism.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

Homoeopathic Medicated Syrups (Regular)

HEPATOLIVE (S.M.) SYRUP

(120 ml Sealed)

(LIVER, BILIARY & DIGESTIVE DISORDERS)

Composition:

BoldoD3, ChelidoniumD2, Fel TauriD2, Silybum MarianumD2, TaraxacumD3

General Indication:

May help in the symptoms of functional hyperbilirubinaemia and post hepatic hyperbilirubinaemia, Supplementary treatment for cholecystitis, cholangitis and biliary dyskinesia, burning syndrome and digestive disorders.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

NUX DS. SYRUP

(120 ml Sealed)


(ACUTE AND CHRONIC INDIGESTION & GASTRITIS)

Composition:

Cinnamon D1, Hyoscyamus Niger D2, Mentha Piperita D6, Natrum Carb D1, Nux Vomica D2, Ornithogalum D1, Papaya Vulgaris D2, Robinia D1.

General Indication:

May help in the symptoms of acute and chronic indigestion, gastritis, pyrosis, tympanites. It also stimulates the defence of mucous membranes of alimentary canal with or without ulcers.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

NUX-VOMICA SYRUP

(120 ml Sealed)


(FLATULENCE, INDIGESTION AND ACIDITY)

Composition:

Cinnamon D1, Cuminum Cyminum D2, Hyoscyamus Niger D2, Illicium Anisatum D1, Mentha Piperita D6, Nux Vomica D3.

General Indication:

May help in the symptoms of dyspepsia, colic, intestinal inflammation, flatulence, indigestion, hyperacidity, gastric depression and constipation.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

Homoeopathic Medicated Syrups (Regular)

PODOPHYLLUM SYRUP

(60/120 ml Sealed)

(DIARRHOEA & DYSENTERY)

Composition:

Aegle Marmelos \emptyset , Myrtus Communis \emptyset , Podophyllum D1, Veratrum Album D3

General Indication:

May help in the symptoms of diarrhoea, dysentery with or without mucous, watery stool with the indication of tenesmus. Undigested stools with the indication of rumbling in intestines.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

RENE CURE SYRUP

(120 ml Sealed)

(UTI AND KUB CALCULUS)

Composition:

Berberis Vulg \emptyset , Cantharis D2, Epigaea Rep D1, Hydrangea D1, Pareira Brava D2, Rubia Tinc D1, Sarsaparilla D2.

General Indication:

May help in the symptoms of nephrolithiasis, urinary tract infection, cystitis, cystopyelitis, hydronephrosis and colic in region of kidneys.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

ALFALFA TONIC

(120 ml Sealed)

(RECOMMENDED TO IMPROVE APPETITE AND DEFENSIVE MECHANISM)

Composition:

Alfalfa, Avena Sat, Cinnamonum D1, Cuminum Cyminum D2, Elaterium Carda D2, Gentiana D3, Hyoscyamus Niger D2, Illicium Anisatum D1.

Indications:

May help to stimulate the general physical and mental efficiency also support the defensive mechanism. BM Alfalfa Tonic provides strength & increases appetite. It is a remedy for anaemia and supports the convalescence after infections or operations. It also shortens the time of recuperation.

Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.



BRYONIA COUGH SYRUP

(120 ml Sealed)

(IMMEDIATE COUGH RELIEF)

Composition:

Bryonia Alb, Ipecacuanha, Justicia Adhatoda, Liquirita Officinalis, Mentha Piperita D4, Papaver Somnifera D1.

Indications:

May help in the symptoms of irritating cough, whooping cough, catarrhal influenza and spasmodic cough.

Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.



BAPTISIA SYRUP

(120 ml Sealed)

(FOR TYPHOID & MALARIA)

Composition:

Aconite Nap, Baptisia Tinc, China Off, Eupatorium Perf, Filipendula Ulmaria.

Indications:

May help in the symptoms of infections, flu, malaria, intermittent rheumatic and typhoid fever with symptoms of body aches, nausea and vomiting.

Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.



Homoeopathic Medicated Syrups (Sugar Free)

CHESTY COUGH SYRUP

(120 ml Sealed)

(EXPECTORANT, LOOSENS PHLEGM AND MUCUS)

Composition:

Ammonium Mur D2, Ephedra Distachya D3, Ipecacuanha D1, Liquiritia Officinalis D1, Mentha Piperita D4, Senega D1.

Indications:

May help to make cough more productive, loosens phlegm and stubborn chest mucus. Suits to asthmatic patients.



Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

NUX VOMICA SYRUP

(120 ml Sealed)

(FLATULENCE, INDIGESTION AND ACIDITY)

Composition:

Cinnamon D1, Cuminum Cyminum D2, Hyoscyamus Niger D2, Illicium Anisatum D1, Mentha Piperita D6, Nux Vomica D3.

Indications:

May help in the symptoms of dyspepsia, colic, intestinal inflammation, flatulence, indigestion, hyperacidity, gastric depression and constipation.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

PODOPHYLLUM SYRUP

(120 ml Sealed)

(DIARRHOEA & DYSENTERY)

Composition:

Aegle Marmelos \emptyset , Myrtus Communis \emptyset , Podophyllum D1, Veratrum Album D3.

Indications:

May help in the symptoms of diarrhoea, dysentery with or without mucous, watery stool with the indication of tenesmus. Undigested stools with the indication of rumbling in intestines.



Dosage:

Adult: One tablespoon three times a day. Children: Half of the same or as prescribed by a Homoeopathic doctor.

BM General Items

BM also offers few general items of common use; like, medicated Arnica oil & Shampoo, Skin (Acne) Care Lotion, Dental Remedy, Ear Remedy Bestcose -D (Energy Providing pulver) etc.

All these general item have also been passed through the Clinical trial studies as well.



QC Parameters BM General Items are being analysed

General Items

ARNICA HAIR OIL

(140ml standard quality packing)

(FOR FALLING HAIR, DANDRUFF AND PREMATURE GREYING)

Composition:

Pilocarpus ∅, Arnica Mont ∅, Crataegus Berry ∅, China Off ∅, Natural Sika Kai.

General Indication:

BM Arnica Medicated Oil is specially formulated from the Natural Homoeopathic medicines. It is very useful to stop falling of hair, cures & prevents dandruff, premature greying & encourages new growth, stimulates the hair follicles also effective in headache and insomnia.



How to use:

For best results massage and absorb into the scalp in the night and wash the hair with BM Arnica Shampoo following morning or use whenever required.

ARNICA SHAMPOO

(140ml standard quality packing)

(FOR FALLING HAIR, DANDRUFF AND GENERAL ALIMENTS)

Composition:

Arnica Root ∅, Jaborandi ∅, Saponin ∅, Hawthorn Berry ∅, China Off∅.

General Indication:

BM Arnica Shampoo is a Natural Homoeopathic ingredient based formula. Its active ingredients have special effect upon the hair, that covers almost all the problems of hair. Especially useful to stop falling of hair, controls & prevents dandruff which may be the result of dietary abnormalities or atomospheric pollution. It promotes the growth of hair & repairs the roots of hair and ultimately all the problems of hair are eliminated.



How to use:

Wash the hair with BM Arnica Shampoo daily basis or use whenever needed.

B.AQUIFOL DROPS & LOTION

Lotion: 25ml standard quality packing

Drops:20ml standard quality packing

ACNE CURE (LOCAL AND ORAL USE)

Composition:

Lotion: Sulphur SubD1, Echinacea∅, Hydrocotyle∅, Ber Aquifol∅

Drops: EchinaceaD3, Kali BromD2, Berb Aquifol∅, HydrocotyleD2

General Indication:

Acne, pimples, white patches and facial scars.



How to use:

Drops: 10-15 drops in some water three times a day or as prescribed by a Homoeopathic doctor.

Lotion: 1-2 application daily, wash the face with soap prior to use.

General Items

MULLEIN EAR DROPS

(15ml drops Standard quality pack)

(OTALGIA & OTORRHOEA)

Composition:

Aconite Ø, Belladonna D1, Calendula Ø, Echinacea Ø, Glycerinum Ø, Hydrastis Ø, Mullein Oil Ø, Viola Odorata Ø.

General Indication:

May help in the symptoms of otalgia, otorrhoea, hard of hearing, otitis and offensive pus discharge.



How to use:

Instill 4-5 drops twice a day or as prescribed by a Homoeopathic doctor.

PLANTAGO DENTAL LOTION

(15ml drops Standard quality pack)

(GINGIVITIS & SENSITIVE TEETH FOR EXTERNAL USE ONLY)

Composition:

Acid Carbohc D1, Aconite Nap D1, Belladonna Ø, Camphora Ø, Kreasotum Ø, Plantago Ø, Xanthoxylum Ø.

General Indication:

May help in the symptoms of sensitive teeth, gingivitis, tooth cavities, infections and foul breath etc.



How to use:

Apply with a cotton bud in cavities or over the gums or as advised by a Homoeopathic doctor.

EUPHRASIA EYE DROPS

(15ml drops Standard quality pack)

(INFLAMMATION, ULCERATION, WEAK VISION ETC)

Composition:

Boric Acid Ø, Calendula Offici Ø, Euphrasia Offici Ø, Ruta Grav Ø

General Indication:

May help in the symptoms of eye inflammation, ulceration of lids and cornea, purulent discharge, bad effects of eye strains and ophthalmitis.



How to use:

Two drops topically in the eye(s) three or four times a day or as prescribed by a Homoeopathic doctor.

General Items

BESTCOSE D

(100gm Sealed jar)

(NATURAL VITALIZER-PULVER)

Composition:

Medicinal Glucose 99%, Calcium Phos D3, Kalium Phos D3, Beta Carotene, (Vitamin A, Vitamin D)

General Indication:

Bestcose-D is a natural source of energy which stimulates the defensive mechanism against toxins in blocked and defective enzymatic systems. The active ingredients of this pulver provides quick energy and even controls anaemia and malnutrition. The source Kalium Phos D3 controls neurasthenia, Prostration mental Vigor and muscular debility. The source Calcium Phos D3 is best to keep the teeth and bones healthy.

Precaution:

Not suitable for Diabetic Patients

Dosage:

Adult: 2 teaspoon in a glass of water two times a day, Children half of the same or as prescribed by a Homoeopathic doctor.



FAIRY FACE LOTION

(25ml Lotion Standard Quality Pack)

(FOR ACNE & PIMPLE)

Composition:

Berb Aquifol \emptyset , Echinacea \emptyset , Hydrocotyle \emptyset , Sulphur Sub D1.

General Indication:

To maintain the complexion fair and lovely, to cure Acne & Pimples.



How to use:

1-2 application daily or as prescribed by a Homoeopathic doctor.

Ointments, Cream and Massage Oil

Though the external applications are not in the strict principle of homoeopathy.

Dr. Samuel Hahnemann gives some arguments against the external application in his "Organon of Medicine" (5th edition) in section 196 to section 203. But later on he saw the importance of external application, while advocating the administration of medicine by mouth. He feels that oral route is not the only route for administration of medicine. So, he clearly explains, in the 6th edition of Organon of Medicine in section 284 and section 285, about the use of external application. He said that curative remedy should be continued internally while the remedy is used externally as an ointment, liniment, lotion, cerate etc. So BM has offered three ointments and one cream and one massage oil for external application and there are many more to come.



QC Equipment



BM's Ointment, Creams and Massage oil preparation Unit

CALENDULA OINTMENT

(40gm)

(GENERAL SKIN AILMENTS)

Composition:

Aloe Vera \emptyset , Calendula \emptyset , Chamomilla \emptyset , Psorinum3X.

General Indication:

May help in the symptoms of skin problems like allergy, rashes, redness, spotting, urticaria (red & raised areas on skin) local

Specifically very much suitable for severe and delayed

wounds. With the use of this ointment such type

problems can be resolved successfully. Moreover the cure period may be shorten with the use of this ointment. It saves the wounds from further complications.



How to use:

Apply gently to the affected area, cover with plain lint & badage if necessary.

ECZEMA OINTMENT

(40gm)

(ECZEMA & OTHER SKIN PROBLEMS)

Composition:

Calendula \emptyset , Echinacea \emptyset , Sulphur4X, Graphites2X,

General Indication:

All types of eczema cause itching, redness and some will

blister, weep or peel. A general description of skin eruptions

mostly not a disease, could be an allergic reaction, vesicles,

thickened skin, itchy, pustular. It is also known as tetter, a

clear psoric eruption and always a chronic symptoms with

different indications. Pus is discharged from infection, inflamed skin, skin turned red, blister and ooze. This disorder

of eczema runs in families typically affects the inside of the elbows, back of the knees and the face, but can cover

most of the body.



How to use:

Apply to the affected area. Cover with plain lint and bandage, if necessary.

PIMPLES CURE CREAM

(40gm)

(ACNE TREATMENT)

Composition:

Berb Aquifol \emptyset , Hydrocotyle \emptyset , Kali Brom \emptyset .

General Indication:

May help in the symptoms of tropical acne, infantile acne, acne

vulgaris or acne due to increased level of androgen hormone

thus makes the complexion fair & lovely. Its continuous use

makes the skin free from spots which may develop due to acne

& pimples. During the use of this cream one should use simple food less in fats to get better results.



How to use:

Apply twice daily on the face after washing with soap.

RHUS TOX OINTMENT

(40gm)

(INSTANT ACHE RELIEF)

Composition:

Bellis Per \emptyset , Bryonia Alb \emptyset , Camphor \emptyset , Cinnamon \emptyset , Colchicum \emptyset , Rhus Tox \emptyset .



General Indication:

Due to the inflammation of the joints lining, there is a feeling of pain, swelling, stiffness and problem of movement.

Muscular strain & stress is also a clear indication for pain, Joints become tender warm & swell. This product is very much helpful for such problems like neck, shoulders, elbows, knees, ankle pains etc.

How to use:

Apply gently to the affected area, cover with plain lint & bandage if necessary. Maximum two application in a day.

BOSWILLOW ARTHICARE MASSAGE OIL

(FOR TOPICAL USE ONLY)


Composition:

Boswellia D1, Capsicum D2, Cinnamon \emptyset , Linum Usitatissimum \emptyset , Nigella Sativa \emptyset , Olea Europaea \emptyset , Sesamum Ind \emptyset , White Willow D1.

General Indication:

Topical Analgesic: Analgesic are meant to relieve pain. These pain relieves when applied topically do not get rid the root cause what causes pain, rather they relieve pain. Or any agent that reduces pain when applied topically.

Topical Anti-rheumatic: An agent when applied topically temporarily relieves the manifestations of rheumatic disease, or agents that are capable of delaying progression of the basic disease process in inflammatory rheumatic disorder.



How to use:

Massage over the affected area with little amount of massage oil in the morning and evening followed by covering with bandage or piece of clean cloth.

Homoeopathic Medicated Tablets & Placebos

BM manufactures about eighteen homoeopathic medicated tablets. Some of them are sugar coated, few are film coated and some are plane. This section is fully equipped with state of the art machinery and the process passes through binding, mixing, granulation and reaches to the state of compression. BM offers these medicated tablets for different kind of ailments; the detail is given in the following pages.

BM Tablet Section comprises the following state of the art machinery & Equipment



Dry Mixer

Wet Granulator



Tablet Hardness Tester



Friability Test Apparatus



Polydirectional Dry Mixer



Dry Granulator



A Chain of Rotary Machines in Operation Compressing the Homoeopathic Tablets



Blister Unit in operation



Shrink wrap unit in operation

VEHICLES IN HOMOEOPATHY

In Homoeopathy vehicle is a substance in which remedies are prepared or mixed and given for their internal administration. Homoeopathic vehicles are prepared from sugar of milk (Saccharum Lactis, lactose) or from pure cane sugar. Vehicles are commonly known as.

- ★ Diskettes (Un-medicated Tablets made of pure cane sugar).
- ★ Globules (Un-medicated globules made of pure cane sugar).
- ★ Blankettes (Un-medicated Tablets made of Lactose).

BM Produces Top Quality Un-medicated Homoeopathic Placebos (Diskettes & Blankettes) in the different shapes and colours. BM offers Placebos (Diskettes & Blankettes). Available in 450gm (Sealed Jar Packing) and paper carton pack as well.



BM Automatic Tablet Filling Unit (Jar Pack)



BM Automatic Tablet Filling Unit (Carton pack)

ARTHRIBID

(ARTHRITIS, OSTEOARTHRITIS, MUSCULAR, RHEUMATISM, HIGH URIC ACID)

Composition:

Ammonium Phos D3, Bryonia D4, Caulophyllum D3, Colchicum D2, Ledum Pal D3, Rhus Tox Ø, Urtica Uren Ø.

General Indication:

Arthribid is the composition of well established remedies which posses analgesic and anti pyretic properties. Helps in the treatment of arthritis rheumatoid arthritis, osteoarthritis, gout, occasionally it also helps in fever and aches.

Dosage:

Adult: One tablet three times a day Children: Half the same or as prescribed by a Homoeopathic doctor.

(30 blistered tablets standard quality packing)



BIO- CALCIUM

(CALCIUM DEFICIENCY, SKIN AILMENTS)

Composition:

Calc Fluor D3, Calc Phos D3, Echinacea D2.

General Indication:

Calcium is a vital mineral in our diet. Most people do not take enough calcium. Calcium deficiency is a silent killer. Osteoporosis is the most common result of calcium deficiency. At the initial stage bones become lighter, hollow and porous. This is the origin of osteoporosis. Since calcium is also found in teeth and nails, a calcium deficiency can cause tooth decay and brittle nails. Moreover muscle cramps, muscle spasms in the arms and legs, back and leg cramps, numbness, tingling and joint pain all are the result of calcium deficiency. Calcium deficiency may be treated with BM-Bio Calcium.

Dosage:

Adult: One tablet three times a day Children: Half the same or as prescribed by a Homoeopathic doctor.

(30 blistered tablets standard quality packing)



DOLOEX

(ANTI NEURALGIC TABLETS)

Composition:

Fumaria Parviflora D1, Filipendula Ulm Ø, Chirata D2, Caffeine D4, Elaterium D3, Magnesia Phos D2, Calcium Phos D2

General Indication:

Headache, toothache, menstrual pains & general rheumatism etc.

Dosage:

Adult two tablets with water or as prescribed by a Homoeopathic Doctor.

(30 blistered tablets standard quality packing)
(500 tablets in Sealed Jar Pack)



DOLOEX PLUS

(ANTIPYRETIC-ANTIRHEUMATIC & ANALGESIC)

Composition:

Ac.a. Sali D2, Acid Uric D2, Caffeinum D2, Chininum Sulf D2, Cinnamomum D1, Filipendula Ulm D1, Lithium Carb D2, Magnesia Phos D2, Phenacetinum D2.

General Indication:

As Antipyretic: Reduces fever, diaphoretic, pain with fever and cold, puerperal fever, typhoid fever, headache after mental labour with chilliness, chills runs up and down with shivering.

As Analgesic: Used in neuralgias, toothache, headache, pain in ear, pain in heart, pain in bladder, ankle pain while walking, pains in joint, cramping of muscles with radiating pain, menstruation painful, pain in lower limbs, sciatica, and for cramps

As Antirheumatic: Chronic rheumatism, rheumatic nodes, gout, rheumatic pains through shoulder joint, nodular swelling in joint, arthritis, swelling and tenderness of finger and toe joint, rheumatism and uric acid diathesis, rheumatoid arthritis, osteoarthritis and big joint pain.

(30 blistered tablets standard quality packing)
(120 tablets in Sealed Jar Pack)



Dosage:

Adult: Two tablets with water twice a day or as prescribed by a Homoeopathic doctor..

FEMOLIN

IRREGULAR MENSTRUATION, TUMOURS
(OVARIAN & UTERINE)

Composition:

Aletris Far D3, Asoka D1, Caulophyllum D4, Cimicifuga D4, Pulsatilla D6, Senecio D3, Vibur-Op D3.

General Indication:

Irregular menstruation, excessive or insufficient flow, heavy or painful bleeding, fullness and pressure in the pelvic area, low back pain. Researchers assume the fibroids as hormonal problems running in the families, environmental or a combination of all these but no one knows the actual cause. Fibroids disturb the shape of uterus and cause fertility problem. Most fibroids do not cause any symptom but some women complain heavy bleeding, increased urination, infertility and miscarriage. One may get rid of the above said problems with proper consultation and use of this BM-Femolin tablets.

(30 blistered tablets standard quality packing)



Dosage:

One tablet three times a day or as prescribed by a Homoeopathic doctor.

GINSENG

(SEXUAL ASTHENIA & NIGHT POLLUTION)

Composition:

Agnus Cast D5, Avena Sat D2, Damiana D5, Ginseng D2, Salix Caprea D3.

General Indication:

Sexual asthenia, spermatorrhoea, premature ejaculation, impotency and night pollution etc.

Dosage:

One tablet three times a day with water or as prescribed by a Homoeopathic doctor.

(30 blistered tablets standard quality packing)



GOLDEN STROKES

(FUNCTIONAL DEBILITY)

Composition:

Acid Phos D3, Agnus Castus Ø, Ambra D5, Antimonium Crud D3, Avena Sat D1, Damiana D1, Lycopodium D4, Sabal Serrulata D5, Selenium D6, Staphysagria D4, Yohimbinum Ø

General Indication:

The most common sexual problems in men are ejaculation disorders, erectile dysfunction and inhibited sexual desire. Premature ejaculation is often due to nervousness over how well he will perform during sex. Certain drugs (anti-depressants) may affect ejaculation. Certain medications, particularly those used to treat mood disorders may cause problems with ejaculation. Causes of erectile dysfunction include blood flow, nerve disorders, stress, depression, anxiety, nervousness over his ability to sexually perform, chronic illness etc. Inhibited desire has been associated with low level of testosterone, anxiety, depression, diabetes, HBP etc. During the clinical study of this BM-Researched product, it has been reported by many physicians that Golden Strokes tablets have specific effect on sexual vitality in men, impotency, physical exhaustion, functional debility and neurasthenia. It is experienced that this product change the meaning of word (orgasm) for men. It is also proved an effective treatment for erectile disorders.

Dosage:

Two tablets before going to bed or as prescribed by a Homoeopathic doctor.

(20 blistered tablets standard quality packing)



HAIR SUPPORT

(HAIR CARE & NOURISHMENT WITH NATURAL INGREDIENTS)

Composition:

Acid Phos D5, Arnica Mont D7, Ars Alb D6, Graphites D12, Jaborandi D4, Lycopodium D6, Phosphorus D7, Sulphur D6.

General Indication:

Hair support tablet contains natural homoeopathic ingredients. Its active composition has special effect on the hair, stimulates the hair follicles, controls and prevents dandruff, stops falling of hair, premature grey hair and hair with split ends. These problems may be the result of dietary abnormalities or atmospheric pollution. This BM-remedy may be helpful for better growth, repair of roots and ultimately all the problems of hair are removed.

Dosage:

Adult: Two tablets after breakfast, Children: half of the same with water or as prescribed by a Homoeopathic doctor.

(60 blistered tablets standard quality packing)



HEPATO LIVE

(30 blistered tablets standard quality packing)

(LIVER BILIARY & DIGESTIVE DISORDERS)

Composition:

BoldoD3, ChelidoniumD2, Fel TauriD2,
Silybum MarianumD2, TaraxacumD3

General Indication:

May help in the symptoms of functional hyperbilirubinaemia and post hepatic hyperbilirubinaemia, Supplementary treatment for cholecystitis, cholangitis and biliary dyskinesia, burning syndrome and digestive disorders.

Dosage:

Adult: One tablet three times a day Children: Half the same or as prescribed by a Homoeopathic doctor.



HOMOEOLAX

(30 blistered tablets standard quality packing)
(500 tablets in Sealed Jar Pack)

(ACUTE & HABITUAL CONSTIPATION)

Composition:

Aloes SocoD1, AlumenD3, BryoniaØ, Croton TigD1,
HydrastisØ, Mag MurD3

General Indication:

Acute and habitual constipation. Constipation due to dryness in intestines and rectum. Constipation due to indigestion, emotional or nervous tension.

Dosage:

Adult: One/two tablet at bed time, Children: half of the same or as prescribed by a Homoeopathic doctor.



NUX-VOMICA

(30 blistered tablets standard quality packing)

(FLATULENCE, INDIGESTION AND ACIDITY)

Composition:

Cinnamon D1,Cuminum Cyminum D2,
Hyoscyamus Niger D2,Illicium Anisatum D1,
Mentha Piperita D6,Nux Vomica D3.

General Indication:

May help in the symptoms of dyspepsia, colic, intestinal inflammation, flatulence, indigestion, hyperacidity, gastric depression and constipation.

Dosage:

Adult: One tablet three times a day, Children half of the same or as prescribed by a Homoeopathic doctor.



RAUWOLFIA

(SECONDARY, RENAL & ARTERIAL HYPERTENSION)

Composition:

Ammomum Subulatum D2, Coriandrum Sativum D2, Crataegus Oxy D1, Lavandula D2, Piper Nigrum D3, Rauwolfia Serp D1, Santalum Alb D3.

General Indication:

May help in the symptoms of hypertension (High blood pressure) reasoning metabolic malfunctioning, hereditary factors, secondary hypertension, renal hypertension and arterial hypertension.

Dosage:

Adult: One tablet three times a day, teenagers half of the same or as prescribed by a Homoeopathic doctor.

(30 blistered tablets standard quality packing)



SEPIA

(LEUCORRHOEA BACKACHE & TIREDNESS)

Composition:

Agrimonia D6, Alumina D12, Hydrastis D4, Kali Bich D6, Pulsatilla D5, Sepia D4.

General Indication:

Helpful in the symptoms of leucorrhoea acid, burning, creamy and transparent. Congested heavy feeling. Nausea & Down-ward pressure. Pain in back and womb. Pain in the muscles of thighs.

Dosage:

One tablet three times a day or as prescribed by a Homoeopathic doctor.

(30 blistered tablets standard quality packing)



SEXOVIT FORTE

(GENERAL & SEXUAL TONIC)

Composition:

Acid Phos30, Agnus Castus30, Anti Crud30, Ambra Gr30, Avena Sat30, Damiana30, Lycopodium30, Sabal Serrulata30, Selenium30, Staphysagria30, Yohimbinum30

General Indication:

This product is a nerve tonic and claimed to be valueable in the treatment of sexual Impotence, neurasthenia and functional debility. It can be used in all conditions where a general tonic is needed specially to strengthen the CNS and hormonal system. In the writings of physicians this product is considered to have specific effect to enhance the sexual vitality in men. In some patients it has incredible results. It is also considered as an effective treatment for erectile performance. This remedy is given to the patients of poor nutrition, asthenic state and instability of the nervous system. It is useful remedy, increases energy, mental activity and sensation of buoyancy. It is also benefited in the treatment of senility and sexual weakness.

Dosage:

Two tablets twice a day before meal or as prescribed by a Homoeopathic doctor.

(40 blistered tablets standard quality packing)



SYZ-JAMBOL

(30 blistered tablets standard quality packing)

(TO CONTROL DIABETES MELLITUS)

Composition:

Momordica Charantia D1, Nigellia D1, Santalum Alb D2, Syzgium Jambol D1, Uranium Nitricum D2, Valeriana R. D2.

General Indication:

Diabetes mellitus can cause long term complications & can affect the functioning of major body parts. The important symptoms includes, frequent urination, irritability changes in appetite, weight loss, un-usual thirst, vision problem (blurring spots), tiredness, fatigue, numbness or tingling feeling in the hands or feet, repeated infection, slow healing of wounds, impotence, disorientation or confusion. This BM remedy may be helpful for the sufferer of above mentioned indications.

Dosage:

Adult: One tablet three times a day. Children: Half the same or as prescribed by a Homoeopathic doctor.



VERMIFUGE

(30 blistered tablets standard quality packing)

(ROUND, THREAD, TAPE, WHIP & HOOK WORMS)

Composition:

Cina D3, Cinnabaris D4, Chamomilla D12, Chelone G. D1, Santonine D6, Teucrium M.V. D3, Cuprum Oxy Nig D2.

General Indication

Worms can create serious health problem, especially in children. Most of these are the result of unsanitary living conditions and poor food preparation. hookworm can cause anaemia in a significant number of children. Apart from the characteristic itching in the anal area produced from pin-worm infection, most of the symptoms of worm infection are non characteristic. Human worms cause constipation, stomach bloating, anaemia, asthma, diarrhoea, fatigue, low immune system etc. This BM-remedy may be helpful to expel these worm and may cure the affected local symptoms.

Dosage:

Adult: One tablet three times a day. Children: Half the same or as prescribed by a Homoeopathic doctor.



Un-Medicated Homoeopathic Placebos

BM produces top quality Un-Medicated Homoeopathic Placebos (Diskettes & Blankets) in the following different shapes and colours. BM Homoeopathic Placebos (Diskettes & Blankets) are available in 450 gms (sealed jar packing) and (paper carton pack).



BM Homoeopathic Placebos (Diskettes/Blankets)
Available in 450gms (Sealed Jar Packing) and (Paper Carton Pack)

Item	Shape	Available Colors
Grain - 1		
Grain - 2		
Grain - 3		
Grain - 4		
Grain - 5		
Grain - 5		



BM Homoeopathic Globules
Available in 450gms (Sealed Jar Packing)

Item	Shape
No. 10	
No. 15	
No. 20	
No. 30	
No. 40	



Bio-Combination Nos 1-28 (Prepared from Tissue Salt)

BM prepares 28 Bio-Combination numbers in tablet and liquid form.

"The inorganic substances found in blood and tissues are sufficient to cure all diseases that can be cured" (Wilhelm Heinrich Schüccler). This statement is of course true, it would be more appropriate to say that Biochemic tissue salts help to cure all diseases that can be cured and in particular they help to regulate constitutional disturbances. Schüccler based his Biochemic therapeutics on the cell activity. So in the light of above statement, diagnosis shows that the case is treatable biochemically. One of these cell salts will generally be sufficient to aid recovery. But it is essential to choose the proper remedy, and this is not always easy. Therefore it may necessary sometimes to combine two or more of these cell salts. It is on whole comparatively easy to choose the correct remedy among the Bio-Combination numbers.

Packing: 25, 120 & 450gms tablets (sealed jar pack).
Also available in 30ml (liquid).



Bio Combination Nos 1-28

Bio Combination No. 1

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(ANAEMIA)

Composition:

(Calc Phos, Ferr Phos, Kali Phos, Nat Mur)6x

General Indication:

Lack of blood due to undigestible food and to living in unhealthy quarters. Continuous loss of blood from any part of the body. Cerebral and spinal anaemia. A general wasting of the tissues, waxy appearance of the skin: chlorosis, palpitation, tremor and weakness. Anaemia of the brain from prolonged mental strain.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 2

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(ASTHMA)

Composition:

(Kali Phos, Mag Phos, Nat Mur, Nat Sulf)6x

General Indication:

Nervous asthma accompanied by cough, gasping, irregular pulse. Asthma with troublesome flatulence or spasms, convulsive tickling cough. Bronchial asthma with yellow sputum, worse in the evening and in warm rooms, better in cool air.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 3

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(COLIC)

Composition:

(Calc Phos, Ferr Phos, Mag Phos, Nat Sulf)6x

General Indication:

Colics of infants that cause them to draw up their legs, especially during teething. Colic of children and adults from blockage of the intestines caused by flatulence or constipation with formation of gas. Spasmodic pains causing the patient to double up.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 4

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(CONSTIPATION)

Composition:

(Calc Fluor, Kali Mur, Nat Mur, Silicea)6x

General Indication:

Bowels constipated without apparent cause, liver torpid, stools dry, hard and black, dull headache, foul breath and bad taste in mouth, tongue coated.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 5

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(CORYZA)

Composition:

(Ferr Phos, Kali Mur, Nat Mur, Kali Sulf)6x

General Indication:

Pain in the head, sneezing, continuous thick white discharge from the nose or discharge from the bronchial tubes due to an irritation and severe inflammation of the mucous membranes. Fever, white or grey coated tongue.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 6

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(COUGH COLD & CATARRH)

Composition:

(Ferr Phos, Kali Mur, Mag Phos, Nat Mur, Nat Sulf)6x

General Indication:

Cold in the head; acute catarrh, rattling hollow cough; painful respiration, pain in chest, bronchitis.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 7

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(DIABETES)

Composition:

(Calc Phos, Ferr Phos, Kali Phos, Nat Phos, Nat Sulf)6x

General Indication:

Increased micturition, pain in calves, thirst, dry lips, sleeplessness, nervous prostration. All chronic cases with liver disorders. Recommended as a remedy to support the patient's state of health by assimilating the glucose. The kidney and nerve functions impaired by diabetes are improved.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 8

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(DIARRHOEA)

Composition:

(Calc Phos, Ferr Phos, Kali Phos, Kali Sulf, Nat Sulf)6x

General Indication:

Thin watery stools with undigested food, thirst, caused by fat or too rich food. White coated tongue. Prostration. Recommended in convalescence.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 9

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(DYSENTERY)

Composition:

(Ferr Phos, Kali Mur, Kali Phos, Mag Phos)6x

General Indication:

Pain when stool begin to pass.They contain mucus and blood.There is a constant urge to empty the bowels.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 10

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(ENLARGED TONSILS)

Composition:

{Calc Phos, Ferr Phos, Kali Mur}6x

General Indication:

Fever, a feeling of lassitude, pains in the back and limbs; throat lined with a white coating. Tonsils swollen. Tongue coated, bad breath, no appetite.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day, or as prescribed by a Homoeopathic doctor.

Bio Combination No. 11

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(FEVER)

Composition:

{Ferr Phos, Kali Mur, Kali Sulf, Nat Mur, Nat Sulf}6x

General Indication:

All kinds of fever, chills, initial stages of inflammatory diseases. In quick sudden swellings; pneumonia, Pleurisy and other inflammatory affections that tend so suppuration.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day, or as prescribed by a Homoeopathic doctor.

Bio Combination No. 12

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(HEADACHE)

Composition:

{Ferr Phos, Nat Mur, Kali Phos, Mag Phos}6x

General Indication:

Headaches due to congestion and a rush of blood to the head, neuralgia. Better from heat, worse from cold. Nervousness as a consequence of worries sleeplessness, or a low-functioning liver. Worse in the evening or in a warm room, better in the open air.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets Children half of the same, 3-4 times a day, or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 13

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(LEUCORRHOEA)

Composition:

(Calc Phos, Kali Sulf, Kali Phos, Nat Mur)6x

General Indication:

All forms of leucorrhoea during puberty, pregnancy and in the climacteric, in states of general weakness and hysteria.

Dosage:

DROPS:Adult: 10drops. Teenagers half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Teenagers half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 14

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(MEASLES)

Composition:

(Ferr Phos, Kali Mur, Kali Sulf)6x

General Indication:

Sneezing and thin discharge from nose, eyes ware watery, fever. A help in all stages of the disease.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 15

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(MENSTRUATION TROUBLES)

Composition:

(Calc Phos, Kali Phos, Ferr Phos, Kali Sulf, Mag Phos)6x

General Indication:

Menses painful and irregular, scanty and late in young women. Menses early, long-lasting and profuse in middle aged women.

Dosage:

DROPS:Adult: 10drops. Teenagers half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Teenagers half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 16

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(NERVOUS EXHAUSTION)

Composition:

{Calc Phos, Ferr Phos, Kali Phos, Mag Phos, Nat Mur}6x

General Indication:

Nervous exhaustion and fatigue from any cause. A general weakness of the heart, stomach and nervous system Sleeplessness.

Dosage:

DROPS:Adult: 10drops. Teenagers half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Teenagers half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 17

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(PILES)

Composition:

{Calc Fluor, Kali Phos, Ferr Phos, Kali Mur}6x

General Indication:

An approved remedy against heamorrhodial knots, all kinds of piles. External piles with stinging pains. Bleeding piles with or without pain.

Dosage:

DROPS:Adult: 10drops. Teenagers half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Teenagers half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 18

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(PYORRHOEA)

Composition:

{Calc Fluor, Silicea, Calc Sulf}6x

General Indication:

Gums are spongy, swollen and inflamed; they bleed easily. Pus in the gums, foul breath.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 19

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(RHEUMATISM)

Composition:

{Ferr Phos, Mag Phos, Kali Sulf, Nat Sulf}6x

General Indication:

Shooting and stabbing pains in the joints of legs or arms, worse at night. Fever, lumbago, sciatica, muscular rheumatism.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 20

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(SKIN DISEASES)

Composition:

{Calc Fluor, Calc Sulf, Kali Sulf, Nat Mur, Nat Sulf}6x

General Indication:

Scurfy eruptions on the scalps and in the faces of children; eczemas due to uterine disorders, acne, pemphigus, herpes, erysipelas, crusta lactea and similar eruptive diseases.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 21

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(TEETHING TROUBLES)

Composition:

{Calc Phos, Ferr Phos.}6x

General Indication:

Children are crying, obstinate and naughty during the time of teething. These tablets make the cutting of teeth easy and quick by supplying important salts to the baby. The appetite is improved and the digestion favoured. The tablets build the babies and abolish griping.

Dosage:

DROPS:Children/Infants: 5drops, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Children: 2 tablets, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 22

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(SCROFULA)

Composition:

(Calc Phos, Ferr Phos, Kali Mur, Silicea)6x

General Indication:

Both dry and suppurating scrofulous glandular abscesses. Almost all symptoms of the disease are covered.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 23

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

(TOOTHACHE)

Composition:

(Ferr Phos, Mag Phos, Calc Fluor)6x

General Indication:

Recommended especially in neuralgic cases. Favourable effect in rheumatic toothache.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 24

**25, 120 & 450gm tablets (jar pack)
100 tablets in blister packing
30ml (liquid)**

TONIC NERVES & BRAIN (FIVE PHOS)

Composition:

(Calc Phos, Ferr Phos, Kali Phos, Mag Phos, Nat Phos)6x

General Indication:

If the mental, physical, general and nervous weakness due to loss of vital fluid occur, then **Five Phos** is considered a useful remedy. These symptoms may also appear because of any sudden shock. **Five Phos** is also useful when the physical, mental & general strength becomes weak because of the sexual abuses. **Five Phos** regulates the lost strength. It also increases haemoglobin of lactating mothers and elderly women. **Five Phos** is used as a general tonic for those people who are busy most of the time in mental work. The use of **Five Phos** keeps the person tired free all the day long.

A general tonic for all chronically wasting diseases; anaemia of young quickly growing people.

Recommended for women who have been weakened by frequent childbearing. General debility and exhaustion with a lack of vitality.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 2 blister tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination Nos 1-28

Bio Combination No. 25 **(ACIDITY FLATULENCE & INDIGESTION)**

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

Composition:

(Nat Phos, Nat Sulf, Silicea)6x

General Indication:

Gastric disturbances, acidity, flatulence, dyspepsia, acid, sour risings, feeling of weight in abdomen, bilious vomiting, flatulent colics, headache, jaundice.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 26 **(EASY PARTURATION)**

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

Composition:

(Mag Phos, Calc Phos, Kali Phos, Calc Fluor)6x

General Indication:

If taken during the entire time of pregnancy these tablets will greatly relieve the pains of labour. They also favour the mothers general state of health and assist in the development and health of the child. They may also prevent miscarriage.

Dosage:

DROPS: 10drops, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS: 4 tablets,3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 27 **(LACK OF VITALITY)**

25, 120 & 450gm tablets (jar pack) 30ml (liquid)

Composition:

(Nat Mur, Kali Phos, Calc Phos)6x

General Indication:

Lack of vitality, debility, trembling and weakness. To improve the vital force.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

Bio Combination No. 28 **(GENERAL TONIC)**

25, 120 & 450gm tablets (jar pack)
100 tablets in blister packing
30ml (liquid)

Composition:

All Twelve Tissues (6x)

General Indication:

These tablets contain the twelve Tissue Remedies found in the human organism. They are of great help for those suffering from consumption and other debilitating diseases, for convalescents from fever, pneumonia, diarrhoea etc. As they help to build up the system by supplying the necessary tissue nutrition. Weak and old people take them as a tonic after meals. The continuous use of these tablets will keep off disease.

Dosage:

DROPS:Adult: 10drops. Children half of the same, 3-4 times a day in some water, or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 4 tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

TABLETS:Adult: 2 blister tablets. Children half of the same, 3-4 times a day , or as prescribed by a Homoeopathic doctor.

BM's Therapeutic Index

Page Numbers are in Red

A	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Abdominal Distress	BM 12 (49), Carbo Veg 3x, Bio Combination No. 25 (197), Nat Phos 6x, BM 154 (106), BM 156 (107), Nux Vomica Syp (168).
	Acidity	BM 12 (49), BM 229 (143), Nux Vomica Tablet (184), Carbo Veg 3x, Bio Combination No. 25 (197), Nat Phos 6x, BM 154 (106), Nux Vomica Syp (168).
	Acne	BM 38 (58), BM 5 (47), Graphites 3x, Sulphur 3x, Nat Mur 6x, Silicea 6x, B. Aquifol Drops/Lotion (173), Fairy Face Lotion (175), Sulphur Iod 3x, Pimples Cure Cream (177).
	Acute Renal Failure	BM 61 (68), BM 222 (139), China Sulph 3x, BM 5 (47), BM 29 (55).
	Adenoids	BM 96 (82), BM 9 (48), BM 5 (47), BM 1 (46), Anti Sulph Aur 3x, Kali Sulph 6x, Silicea 6x.
	Allergic Eruption	BM 7 (48), BM 20 (52), BM 173 (115), Graphites 3x, Gun Powder 3x, Skookum Chuck 3x.
	Alopecia	BM 63 (69), BM 185 (121), Five Phos 6x, Hair Support Drops (159), Hair Support Tablet (183).
	Amenorrhoea	BM 14 (50), Asoka Syp (165), Femolin Tablet (182), Nat Mur 6x, Bio Combination No.15 (193).
	Anaemia & Debility	BM 208 (133), BM 33 (56), BM 107 (87), Five Phos 6x, Alfalfa Tonic (165), Ferr Phos 6x, Laceltinum 3x, Bio Combination No.1 (189).
	Anal Prolapse	BM 242 (150), BM 21 (52), BM 175 (116), Silicea 6x.
	Angina Pectoris	BM 179 (118), BM 16 (51), BM Diocarde Gold Drops (159), Bio Combination No.16 (194).
	Anti Lice (Oral Drops)	BM 256 (157).
	Anti Smoking	BM 55 (65).
	Antibiotics Reaction	BM 57 (66), BM 5 (47), BM 222 (139).
	Anxiety	BM 17 (51), BM 180 (119), Ginkgo Biloba 3x, Kali Phos 6x, Five Phos 6x, Tension Relief Drops (162).
	Anxious Constitution	BM 17 (51), BM 180 (119), BM 118 (93).
	Aphonia	BM 28 (55), Ferr Phos 6x.
	Aphthae	BM 115 (91), BM 12 (49), Kali Sulph 6x, Bio Combination No.25 (197).
	Appendicitis	BM 1 (46), BM 5 (47), BM 167 (112), Calc Sulph 6x, Mag Phos 6x.
	Appetite Increased	BM 19 (52), BM 247 (152).
	Appetite Lost	Alfalfa Tonic (165), BM 41 (49), Carbo Veg 3x, Calc Phos 6x, Bio Combination No.28 (197).
	Arteriosclerosis	BM 252 (155), BM 1 (46), BM 5 (47).
	Arthritis	Arthribid Drops (159), Arthribid Tablet (181), BM 99 (83), BM 15 (50), Doloex Tablet (181), Antipyrine 3x, Calc Fluor 6x, Bio Combination No.19 (195), Doloex-Plus Tablet (182).
	Ascites	BM 181 (119), Nat Sulph 6x.

A	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Asthma	BM 26 (54), BM 97 (82), Naphthalinum 3x, Calc Sulph 6x, Chesty Cough Syp (167), Bio Combination No. 2 (189).
	Asthma Bronchial (Chronic)	BM 109 (88), BM 165 (111), Naphthalinum 3x, BM 233 (140), Calc Sulph 6x, Kali Sulph 6x, Chesty Cough Syp (167), Bio Combination No. 2 (189).
	Asthma Cardiac	BM 216 (137), BM 16 (51), BM 165 (111), Naphthalinum 3x.
	Azoospermia	BM 69 (73), BM 84 (81), Vitagene Drops (163), Damiana 3x Tablet Yohimbinum 3x Tablet, Orchitinum 3x Tablet.
B		
	Back ache (in women)	BM 110 (89), BM 15 (50), Doloex Tablet (181), Mag Phos 6x, BM (57), Doloex Plus (182).
	Baldness	BM 63 (69), Hair Support Drops (159), Hair Support Tablet (183), Arnica Hair Oil (173).
	Barber's Itch	Sulphur 3x, BM 20 (52), BM 7 (48), Skookum Chuk 3x.
	Bed Wetting	BM 23 (52), BM 151 (91), Nat Phos 6x, Nat Sulph 6x, Calc Phos 6x.
	Belching	BM 215 (136), BM 12 (49), Nux Vomica Syrup (168), Nux Vomica Tablet (184).
	Bladder Irritation (Cystitis)	BM 184 (121), BM 29 (55), China Sulph 3x.
	Bleeding from Nose	BM 155 (106), BM 27 (54), Ferr Phos 6x.
	Blood Circulation	BM 239 (148), BM 185 (121), BM 107 (87).
	Blood Poisoning	BM 222 (139), BM 20 (52), BM 5 (47). Gun Powder 3x, Calc Sulph 6x.
	Blood Pressure (High)	BM 116 (92), Rauwolfia Drops (161), Rauwolfia Tablet (185), BM 153 (105).
	Blood Pressure (Low)	BM 157 (107), BM 22 (53), Ginseng Tonic (167), Five Phos 6x, Bio Combination No. 28 (197).
	Blood Sugar	BM 138 (103), BM 10 (49), Syz Jambol Tablet (186), Syz Jambol Drops (162), BM 131 (99), Uranium Nit 3x, Bio Combination No. 7 (191).
	Breast wasting or Less Developed	BM 49 (62), Calc Phos 6x, Bio Combination No. 28 (197), Five Phos 6x.
	Bronchitis	BM 165 (111), BM 13 (50), Bryonia Cough Syrup (167), Corallium Rub 3x, Naphthalinum 3x.
	Bubo	BM 5 (47), BM 9 (48), Calc Fluor 6x, BM 217 (137), BM 20 (52).
C		
	Calculi Renal	Rene Cure Syrup (169), Rene Cure Drops (162), BM 124 (96), BM 67 (72), BM 29 (55), Neu-Renecal Drops (160).
	Cancer Rectum	BM 79 (78), BM 75 (76), BM 222 (139).
	Cancer Stomach	BM 78 (78), BM 75 (76), BM 222 (139).
	Cancer Tongue	BM 75 (76), BM 222 (139).
	Carbuncles	BM 182 (120), BM 222 (139), Gunpowder 3x, Silicea 6x, Kali Sulph 6x.

C	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Cataract	BM 183 (120), BM 18 (51), Calc Fluor 6x.
	Catarrh	BM 163 (110), BM 5 (47), Bio Combination No. 5 (190), Nat Sulph 6x, Silicea 6x, Kali Sulph 6x, Calc Sulph 6x.
	Cervical Spines	BM 196 (127), BM 15 (50), Doloex Tablet (181), Antipyrinum 3x.
	Chest Oppression	BM 177 (117), BM 17 (51).
	Chest Pain	BM 177 (117), BM 16 (51), BM 17 (51).
	Chicken Pox	BM 152 (105), BM 5 (47), BM 222 (139), Calc Sulph 6x.
	Cholecystitis	BM 65 (71), BM 3 (46), BM 5 (47), Cholestrinum 3x, Mag Phos 6x.
	Chorea	BM 206 (132), BM 107 (87), BM 187 (122), Five Phos 6x, Bio Combination No. 28 (197).
	Chronic Liver Disease	BM 245 (151), BM 3 (46), Hepatolive Tablet (184), Hepatolive Syrup (168).
	Chronic Renal Failure	BM 64 (70), BM 5 (47), BM 222 (139), Nat Phos 6x.
	Cirrhosis (Liver)	BM 62 (69), BM 3 (46), Hepatolive Tablet (184), Hepatolive Syrup (168).
	Climacteric Symptoms	BM 98 (83), BM 160 (109).
	Colic	BM 12 (49), Carbo Veg 3x, Nux Vomica Syrup (198), Nux Vomica Tablet (184), Bio Combination No. 3 (189), Mag Phos 6x.
	Colitis	BM 220 (138), BM 222 (139), Mag Phos 6x.
	Colon Cancer	BM 77 (77), BM 75 (76).
	Conjunctivitis	BM 18 (51), BM 5 (47), Euphrasia Eye Drops (174).
	Constipation	BM 21 (52), BM 175 (116). Homoeolax Tablet (184), Silicea 6x, Bio Combination No. 4 (118).
	Convulsions	BM 102 (85), BM 30 (55).
	Cough	BM 13 (50), BM 253 (155), Bryonia Cough Syrup (167), Chesty Cough Syrup (167), Corallium Rub 3x, Bio Combination No. 6 (190), Naphalinum 3x.
	Cough Spasmodic	BM 233 (140), BM 13 (50), Corallium Rub 3x, Bryonia Cough Syrup (167).
	Croup	BM 218 (138), BM 13 (50).
	Cystitis	
	D	
	Dandruff	Arnica Hair Oil (173), Arnica Hair Shampoo (173), Hair Support Drops (159), Hair Support Tablet (183).
	Deafness	BM 117 (92), BM 239 (148), Calc Sulph 6x, Kali Phos 6x.
	Debility	BM 185 (121), BM 187 (122).
	Defensive Stimulent	BM 185 (121), Alfalfa Tonic (165), Five Phos 6x, Bio Combination No. 28 (197).
	Degeneration (Bones)	BM 221 (139), Arthribid Drops (159), Arthribid Tablet (181), Calc Fluor 6x, Selenium 3x.
	Dentition	BM 46 (61), Calc Phos 6x, Bio Combination No. 21 (195).
	Depression	BM 118 (93), BM 17 (51), Five Phos 6x, BM 180 (119), Tension Relief Drops (162).
	Diabetes	BM 10 (49), Syz Jambol Drops (162), Syz Jambol Tablet (186), BM 131 (99), Uranium Nit 3x, Bio Combination No. 7 (191), BM 138 (103).
	Diarrhoea	BM 4 (47), Podophyllum Syrup (169), BM 166 (112), Bio Combination No. 8 (191).

D	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Diphtheria	BM 225 (141), BM 5 (47), BM 1 (46), BM 9 (48).
	Diuretic	BM 153 (105), BM 5 (47).
	Dread of Illness	BM 212 (135), BM 17 (51).
	Dropsical Swelling	BM 153 (105), BM 5 (47), BM 181 (119).
	Dysentery	BM 166 (112), BM 4 (47), Podophyllum Syrup (169), Bio Combination No.9 (191).
	Dysmenorrhoea	BM 14 (50), Asoka Cordial Syrup (165), BM 120 (135).
	Dyspepsia	BM 154 (106), BM 12 (49), Nux Vomica Syrup (168), Nux Vomica Tablet (184), Carbo Veg 3x, Bio Combination No.25 (197).
	Dyspeptic Syndrome	BM 154 (106), BM 12 (49), Nux Vomica Syrup (168), Nux Vomica Tablet (184), Carbo Veg 3x, Bio Combination No.25 (197).
E		
	E.S.R Increased	BM 5 (47), BM 222 (139), Gun Powder 3x.
	Ear Noises (Tinnitus)	BM 71 (74), Five Phos 6x, BM 185 (121), Ginkgo Biloba 3x, Mullion Ear Drops (174).
	Ear, Nose & Throat (ENT) Disorder	BM 59 (67), BM 5 (47), BM 8 (48), BM 1 (46), BM 172 (115).
	Earache	Mullion Ear Drops (174), Doloex Tablet (181), Mag Phos 6x, BM 1 (46), BM 5 (47), Doloex Plus (182).
	Easy Teething	BM 174 (116), Bio Combination No. 21 (195), Calc Phos 6x.
	Easy-Child Birth	BM 253 (155), Bio Combination No. 26 (197).
	Eczema	BM 111 (89), BM 7 (48), BM 20 (52), Sulphur 3x, Sulphur Iod 3x, Graphites 3x, Nat Mur 6x, Eczema Ointment (177), Bio Combination No. 20 (195).
	Eczema of Ears	BM 226 (141), Graphites 3x, Skookum Chuk 3x.
	Elderly Weakness	BM 214 (136), BM 107 (87), BM 185 (121), BM 187 (122).
	Emotional Shock	BM 186 (121), BM 17 (51), BM 137 (102), Bio Combination No.16 (194).
	Energizing	BM 187 (122), BM 107 (87), BM 185 (120), Alfalfa Tonic (165).
	Epilepsy	BM 102 (85), BM 30 (55), Five Phos 6x.
	Epistaxis	BM 155 (105), BM 27 (53), Ferr Phos 6x.
F		
	Falling of Hair	Hair Support Drops (159), Hair Support Tablet (183), BM 63 (69), Arnica Hair Oil (173), Arnica Shampoo (173), Calc Phos 6x.
	"Faulty Assimilation of Food"	BM 213 (135), BM 12 (49), BM 170 (114), Nux Vomica Syrup (168), Nux D.S Syrup (168), Pepsinum 3x.
	Fever	BM 42 (59), BM 169 (113), Baptisia Syrup (166), China Sulph 3x, Antipyrinum 3x, Calc Sulph 6x, Kali Sulph 6x, Bio Combination No.11 (192), Doloex Plus Nux (182), Baptisia Plus Syrup (170).
	Fibroid Tumors	BM 217 (137), Femolin Tablet (182), Calc Fluor 6x.
	Fistula	BM 134 (101), BM 5 (47), BM 222 (139), Calc Sulph 6x, Silicea 6x.
	Fistula Dentalis	Heka Lava 3x, Calc Fluor 6x, Silicea 6x.
	Fistula Rectum (In Ano)	BM 133 (100), BM 222 (139), BM 5 (47), Calc Fluor 6x, Silicea 6x.

F	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Flatulence	BM 12 (49), BM 156 (107), Bio Combination No. 25 (197), Nux Vomica Syrup (168), Nux Vomica Tablet (184), Carbo Veg 3x.
	Forgetfulness	Nat Phos 6x, Nux D.S Syrup (168), Pepsinum 3x, BM 24 (53), Kali Phos 6x, Five Phos 6x, Bio Combination No. 28 (197), Bio Combination No. 24 (196), Ginkgo Biloba 3x, BM 107 (87).
	Foul Breath	BM 249 (153), Kali Mur 6x, Bio Combination No. 25 (197), BM 12 (49).
	Freckles	BM 223 (140), Fairy Face Lotion (175), B-Aquifol Lotion & Drops (173), Ars Sulf Flav 3x, Calc Sulph 6x.
	Frozen Shoulder	BM 224 (140), BM 15 (50), Arthribid Drops (159), Arthribid Tablet (181), Selenium 3x.
	G	
	Gall-Stone Colic	BM 65 (71), BM 3 (46), Hepatolive Syrup (168), Hepatolive Tablet (184), Cholestrinum 3x, Mag Phos 6x, Carbo Veg 3x.
	Gall-Stone	BM 58 (67), BM 3 (46), Cholestrinum 3x, Carbo Veg 3x, Mag Phos 6x, Hepatolive Syrup (168), Hepatolive Tablet (184).
	Gangrene	BM 73 (75), BM 222 (139), BM 5 (47), Gunpowder 3x, Silicea 6x.
	Gastritis	BM 12 (49), BM 156 (107), Carbo Veg 3x, Nat Phos 6x, Bio Combination No.25 (197), Pepsinum 3x.
	Gastroduodenal Ulcer	BM 103 (85), BM 12 (49), Uranium Nit 3x, Carbo Veg 3x.
	Gingivitis	BM 227 (142), BM 46 (61), Silicea 6x, Bio Combination No.18 (194), Bio Combination No.23 (195).
	Glaucoma	BM 85 (81), BM 185 (121), Calc Fluor 6x.
	Gleet	BM 112 (90), BM 5 (47), Ginseng Tablet (183), Selenium 3x.
	Goitre	BM 101 (84), BM 37 (58), Calc Fluor 6x.
	Gonorrhoea	BM 112 (90), BM 5 (47), Ginseng Tablet (183), Selenium 3x.
	Gout	Arthribid Drops (159), Arthribid Tablet (181), BM 99 (83), Calc Fluor 6x, Kali Phos 6x, Bio Combination No.19 (195), Doloex Tablet (181), Doloex Plus (182).
	Gouty Arthritis	Arthribid Drops (159), Arthribid Tablet (181), BM 99 (83), Calc Fluor 6x, Kali Phos 6x, Bio Combination No.19 (195), Doloex Plus (182).
	Grey Hair (Premature)	BM 70 (73), Hair Support Drops (159), Hair Support Tablet (159), Calc Phos 6x.
	Growth Hormones	BM 228 (142), BM 50 (62), Five Phos 6x, Calc Phos 6x.
	Gynaecological Infections	BM 240 (148), BM 222 (139), BM 5 (47), BM 6 (47).
	H	
	Haematuria	BM 29 (55), BM 209 (133), China Sulph 3x.
	Haemorrhoids	BM 2 (46), BM 106 (87), Calc Fluor 6x, Bio Combination No.17 (193).
	Hair Grey(Premature)	BM 70 (73), Hair Support Drops (158), Hair Support Tablet (159), Kali Phos 6x, Calc Phos 6x, Ferr Phos 6x.
	Hair Growth(Unwanted)	Oleum Jecoris Drops (161).
	Hay-Fever (Allergies)	BM 188 (123), BM 5 (47), BM 222 (139), Nat Mur 6x, Calc Sulph 6x, Kali Sulph 6x, Bio Combination No.6 (190), Bio Combination No.11 (192).
	Headache	BM 11 (49), BM 161 (109), Antipyrinum 3x, Doloex Plus Tablet (182), Nat Mur 6x, Bio Combination No.12 (192).

H	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Heart Burn	BM 12 (49), Carbo Veg 3x, BM 229 (143), Bio Combination No. 25 (197), Nux Vomica Syrup (168), Nux Vomica Tablet (184), Papsinum 3x.
	Heel Pain	BM 230 (143), Calc Fluor 6x.
	Hepatitis (A,Band E)	BM 51 (63), Hepatolive Syrup (168), Hepatolive Tablet (183), BM 3 (46), BM 5 (47).
	Hepatitis C	BM 52 (63), Hepatolive Syrup (168), Hepatolive Tablet (183), BM 222 (139), BM 5 (47).
	Hernia	BM 246 (152), Bio Combination No. 3 (189), Mag Phos 6x, Nux Vomica Syrup (168), Nux Vomica Tablet (184).
	Herpes (Simplex Virus)	BM 121 (94), BM 222 (139), BM 5 (47).
	Herpes Zoster	BM 125 (96), BM 222 (139), BM 5 (47).
	High Blood Pressure	BM 116 (92), Rauwolfia Drops (161), Rauwolfia Tablet (185), BM 153 (105).
	High Lipid Profiles	BM 135 (101), BM 5 (47), BM 153 (105).
	Hoarseness	BM 28 (154), Ferr Phos 6x.
	Hydrocele	BM 250 (154), BM 5 (47), BM 222 (139).
	Hydrocephalus	BM 251 (154), BM 5 (47), BM 222 (139), Nat Sulph 6x.
	Hyper-Acidity	BM 12 (48), Carbo Veg 3x, BM 229 (143), Bio Combination No. 25 (197), Nux Vomica Syrup (168), Nux Vomica Tablet (184), Papsinum 3x.
	Hypertension	BM 116 (92), Rauwolfia Drops (161), Rauwolfia Tablet (185), BM 153 (104).
	Hypoglycemia	BM 235 (146), Alfalfa Tonic (165), Alfalfa & Ginseng (165).
	Hypotension	BM 157 (107), BM 22 (53), Ginseng Tonic (167), Five Phos 6x, Bio Combination No.28 (197).
	Hypothyroidism	BM 204 (131), Nat Mur 6x.
	Hysteria	BM 189 (123), Alfalfa Tonic (165), Alfalfa & Ginseng (165), BM 17 (51), BM 137 (102), BM 16 (51).
I		
	Impotence	Vitagene Drops (163), Ginseng Tablet (183), Golden Strokes Tablet (183), Sexovit Tablet (185), Damiana 3x, Selenium 3x, Bio Combination No.27 (197).
	Indigestion	BM 12 (49), BM 154 (106), BM 156 (107), Nux Vomica Syrup (168), Nux Vomica Tablet (183), BM 170 (114), Carbo Veg 3x, Pepsinum 3x.
	Influenza	BM 234 (185), BM 8 (48), Calc Sulph 6x, Kali Mur 6x, Bio Combination No.5 (190), Bio Combination No.6 (190).
	Insomnia	BM 190 (124), BM 25 (54), Kali Phos 6x, Bio Combination No.16 (194).
	Intercostalga	BM 236 (146), Mag Phos 6x, Doloex Tablet (181).
	Intestinal Obstruction	BM 21 (52), BM 154 (106), BM 175 (116), Nux Vomica Syrup (168), Nux Vomica Tablet (183), Bio Combination No.25 (197).
	Itching of Genitals	BM 191 (146), BM 20 (52), Bio Combination No.20 (195), Sulphur Iod 3x, Graphites 3x Gun Powder 3x.
	Itching of Skin	BM 7 (48), BM 20 (52), BM 173 (115), BM 211 (134), Sulphur 3x, Sulphur Iod 3x, Skookum Chuk 3x.
J		
	Jaundice	BM 158 (108), BM 3 (46), Hepatolive Syrup (168), Hepatolive Tablet (184).
	Joint Pain	BM 99 (83), Arthribid Drops (159), Arthribid Tablet (181), Doloex Tablet (181), Bio Combination No.19 (195), Antipyrinum 3x, Doloex Plus Tablet (182).

K	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	"Kidney & Bladder Inflammation"	BM 192 (125), BM 29 (55), BM 5 (47), BM 222 (139).
	Kidney Pain	Doloex Tablet (181), Rene Cure Syrup (169), Rene Cure Drops (162), Mag Phos 6x, Antipyrinum 3x, Doloex Plus (182).
	Kidneys Stones	Rene Cure Syrup (169), Rene Cure Drops (162), BM 124 (96), BM 67 (72), BM 29 (55), BM 153 (105), Neu Renecal Drops (160).
L		
	"Left sided Abdominal Affections"	BM 54 (64), BM 5 (47), BM 222 (139).
	Leucoderma	BM 66 (71), BM 185 (121), Ars Sulf Flav 3x, Calc Phos 6x.
	Leucorrhoea	BM 6 (47), BM 159 (108), Sepia Tablet (185), Ova Tasta 3x, Calc Sulph 6x, Kali Mur 6x, Asoka Cordial Syrup (165), Bio Combination No,13 (193).
	Lice	BM 256 (157).
	"Liver & Intestinal Affections"	BM 210 (129), BM 3 (46), BM 220 (138).
	Liver Cancer	BM 74 (76), BM 75 (76).
	Lumbago	BM 15 (50), BM 35 (57), BM 110 (89), Doloex Tablet (181), Antipyrinum 3x, Mag Phos 6x, Doloex Plus Tablet (182).
	Lumbo-Sacral	BM 197 (127), Arthribid Drops (159), Arthribid Tablet (181), Doloex Plus Tablet (182).
M		
	Malaria Fever	BM 42 (59), Baptisia Syrup (166), China Sulph 3x, BM 169 (113), Bio Combination No.11 (192), Doloex Tablet (181).
	Malignant Growth	BM 75 (76), BM 5 (47), BM 222 (139).
	Mania	BM 137 (102), BM 17 (51), BM 80 (80).
	Marasmus	BM 231 (144), Baby Tonic (166), Calc Sulph 6x, Calc Phos 6x.
	Marrow System	BM 81 (79).
	Masturbation	BM 105 (86), Ginseng Tablet (183).
	Measles	BM 171 (114), BM 48 (61).
	Memory Weak	BM 24 (53), Kali Phos 6x, Five Phos 6x.
	Menopausal Trouble	BM 160 (109), BM 98 (83).
	Menorrhagia	BM 27 (54), Ferr Phos 6x.
	Menstrual Pain	BM 232 (144), BM 14 (50), Antipyrinum 3x, Doloex Tablet (181), Bio Combination No.15 (193), Mag Phos 6x.
	Migraine	BM 11 (49), BM 161 (108), Antipyrinum 3x, Doloex Tablet (181), Bio Combination No.12 (192), Doloex Plus (182).
	Miscarriage	BM 202 (130), Asoka Cordial Syrup (165).
	Multiple Sclerosis	BM 136 (102).
	Mumps	BM 168 (113), BM 9 (48), BM 5 (47), BM 222 (139).
	Myopia	BM 224 (151), BM 18 (51).
N		
	Nasal Polyps	BM 100 (84), BM 8 (48), Anti Sulph Aur 3x, Silicea 6x.
	Nephritis	BM 193 (125), BM 29 (55), BM 5 (47), BM 222 (139).

N	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Nervousness	BM 16 (51), BM 17 (51), BM 118 (93), BM 180 (118), Five Phos 6x, Bio Combination No,16 (194).
	Night Blindness	BM 132 (100).
	Nocturnal Emission	BM 113 (90), Ginseng Tablet (183), Vitagene Fort Drops (163).
	Nose, Bleeding	BM 155 (106), BM 27 (54), Ferr Phos 6x.
	Nose, Polyps	BM 100 (84), BM 5 (47), BM 9 (48), BM 222 (139), Calc Fluor 6x, Anti Sulf Aur 3x, BM 8 (48).
	Nose, Sinuses	BM 56 (65), BM 8 (48), BM 5 (47), BM 222 (139), Kali Phos 6x, Kali Sulph 6x, Kali Mur 6x, Bio Combination No,6 (190).
	Nose, Sneezing	BM 234 (185), BM 8 (48), BM 5 (47), BM 222 (139), Bio Combination No,6 (190).
	Numbness	BM 239 (148), BM 107 (87), BM 187 (122), Five Phos 6x, Bio Combination No,28 (197), Alfalfa Tonic (165).
O		
	Obesity	BM 19 (52), BM 247 (152), BM 153 (105).
	Oedema	BM 153 (105), BM 1 (46), BM 5 (47), Nat Sulph 6x.
	Oily Skin	Graphites 3x, Kali Mur 6x, Nat Sulph 6x.
	Ophthalmia	BM 18 (51), Calc Sulph 6x, Kali Sulph 6x, Silicea 6x, Euphrasia Eye Drops (174).
	Osteoarthritis	BM 114 (91), BM 15 (50), Arthribid Drops (159), Arthribid Tablet (181), Doloex Tablet (181), Doloex Plus Tablet (182), Antipyrinum 3x.
	Osteoporosis	BM 248 (153), Bio Calcium Tablet, Calc Phos 6x.
	Otalgia	BM 1 (46), BM 5 (47), Antipyrinum 3x, BM 59 (67), Anti Sulf Aur 3x, Mag Phos 6x, Mullein Ear Drops (174), Doloex Plus Tablet (182).
P		
	Pain, Chest	BM 177 (117), BM 16 (51), BM 17 (51).
	Palpitation	BM 16 (51), BM 17 (51).
	Pancreatitis	BM 1 (46), BM 5 (47), BM 129 (98), Nat Sulph 6x, Mag Phos 6x.
	Paralysis, Facial	BM 68 (72), BM 187 (122), BM 185 (121), Five Phos 6x.
	Paralysis General	BM 108 (72), BM 187 (122), BM 185 (121), Five Phos 6x.
	Parkinson's Disease	BM 194 (126), BM 187 (122), BM 185 (121), BM 107 (87), Five Phos 6x.
	Peptic Ulcer	BM 195 (126), BM 12 (49), Uranium Nit 3x, Nux Vomica Syrup (168), Nux Vomica Tablet (184), Pepsinum 3x.
	Peritonitis	BM 1 (46), BM 5 (47), BM 222 (139), Kali Sulph 6x.
	Piles	BM 2 (46), BM 106 (87), Calc Fluor 6x, Bio Combination No.17 (194).
	Pimples	BM 38 (58), BM 5 (47), Graphites 3x, Sulphur 3x, Sulphur Iod 3x, Nat Mur 6x, Silicea 6x, Fairy Face Lotion (175), B. Aquifol Drops/ Lotion (173).
	Pneumonia	BM 34 (57), BM 127 (97), Naphthalinum 3x, Kali Sulph 6x, Calc Sulph 6x.
	Pollutions (Night)	BM 113 (90), Ginseng Tablet (183), Damiana 3x, Nat Phos 6x, Nat Sulph 6x.
	Polyuria	BM 164 (111), Uranium Nit 3x, Nat Phos 6x, Nat Sulph 6x.
	Preventives	BM 1 (46), BM 5 (47), BM 222 (139).
	Prickly Heat	BM 176 (117), BM 20 (52), Sulphur 3x, Sulphur Iod 3x, Graphites 3x, Bio Combination No.20 (195).
	Prolapsus of Anus	BM 242 (150), BM 5 (47), Calc Fluor 6x.
	Prolapsus of Rectum	BM 242 (150), BM 5 (47), Calc Fluor 6x.

P	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Prostate Disorder	BM 104 (86), BM 45 (60), BM 130 (99), BM 126 (97).
	Prostate Enlarged	BM 130 (99), BM 104 (86), BM 45 (60).
	Prostate Hypertrophy	BM 122 (95), BM 45 (60), BM 5 (47), BM 222 (138).
	Prostatitis	BM 126 (97), BM 45 (60), BM 1 (46), BM 222 (138), BM 104 (86).
	Psoriasis	BM 7 (48), BM 20 (52), Graphites 3x, Skookum Chuck 3x, BM 111 (89), Sulphur 3x.
	Pulmonary Weakness	BM 127 (97), BM 185 (121), BM 187 (122), Kali Sulph 6x.
	Pyelonephritis	BM 128 (98), BM 29 (55), Nat Sulph 6x.
Q		
	Quinsy	BM 225 (141), BM 28 (55), BM 1 (46), BM 5 (47), BM 222 (138).
R		
	Rectum Cancer	BM 79 (78), BM 5 (46), BM 222 (138).
	Renal Calculus	Rene Cure Drops (162), Rene Cure Syrup (169), BM 124 (96), BM 67 (72), Neu Renecal Drops (160).
	Rheumatism	BM 15 (50), BM 99 (83), BM 47 (61), Doloex Tablet (181), Doloex Plus (182), Arthribid Drops (159), Arthribid Tablet (181), Bio Combination No.19 (195).
	“Rheumatism (Improvement by Cold)”	BM 200 (129).
	“Rheumatism (Improvement by Heat)”	BM 201 (129).
	“Rheumatism (Improvement by Movement)”	BM 198 (128).
	“Rheumatism (Improvement by Rest)”	BM 199 (128).
	Rheumatoid Arthritis	BM 139 (103), BM 15 (50), Bio Combination No.19 (195), BM 47 (60), Doloex Tablet (181), Antipyrinum 3x.
	“Right Side Abdominal Affections”	BM 53 (64), BM 5 (46), BM 222 (138).
S		
	Scabies	BM 211 (134), BM 20 (52), Graphites 3x, Sulphur 3x.
	Schizophrenia	BM 243 (150), BM 17 (50), Ginkgo Biloba 3x, Tension Relief Drops (162).
	Sciatica	BM 35 (57), BM 203 (130), Doloex Plus Tablet (182).
	Seminal Emission	BM 105 (86), BM 113 (90), Selenium 3x, Ginseng Tablet (183).
	Shingles	BM 121 (94), BM 125 (96), BM 222 (139).
	Sinusitis	BM 56 (65), BM 8 (48), BM 5 (47), Anti Sulph Aur 3x, Calc Sulph 6x, Silicea 6x.
	Sleeplessness	BM 25 (54), BM 219 (138), BM 190 (124).
	Sore Throat	BM 1 (46), BM 5 (47), BM 9 (48), BM 172 (115), BM 222 (139).
	Sperm System	BM 84 (81), Vitagene Fort Drops (163), Golden Strokes Tablet (183).
	Spleen Disorder	BM 32 (56), BM 5 (47), BM 3 (46), BM 222 (139).
	Spondylosis	BM 140 (104), BM 15 (50), Bio Combination No.19 (195).
	Sterility (Female)	BM 80 (80), BM 44 (60), Femolin Tablet (182), Asoka Cordial Syrup (165).
	Sterility (Male)	BM 69 (73), Vitagene Fort Drops (163), BM 84 (81).
	Stomach Malignancy	BM 78 (78), BM 75 (76), BM 222 (139).

S	Symptoms/ Disease	BM's Clinically Proven Homoeopathic Remedies /Page Numbers
	Stomatitis	BM 15 (50), Nux Vomica Syrup (168), Nux Vomica Tablet (184), BM 12 (49), Bio Combination No.25 (197), Carbo Veg 3x, Pepsinum 3x (1CM).
	Sun Stroke	BM 254 (155).
	Supper Infections	BM 222 (139), BM 5 (47), Gun Powder 3x.
	T	
	Tinnitus	BM 71 (74), BM 185 (121), Five Phos 6x, Ginkgo Biloba 3x, Mullein Ear Drops (174).
	Tiredness	BM 185 (121), BM 187 (122), BM 107 (87), Alfalfa & Ginseng (165), Alfalfa Tonic (165).
	Tonsillitis	BM 172 (115), BM 1 (46), BM 5 (47), Ferr Phos 6x, Kali Phos 6x.
	Tonsils (Inflamed/Painful)	BM 237 (147), BM 1 (46), BM 5 (47), BM 9 (48), BM 172 (115).
	Travel Sickness	BM 205 (131), Carbo Veg 3x.
	Tremors	BM 206 (132), BM 187 (122), BM 185 (121), BM 107 (86).
	Trigeminal Neuralgia	BM 123 (95), BM 11 (49), Antipyrinum 3x, Doloex Tablet (181), Doloex Plus Tablet (182), Mag Phos 6x.
	Tuberculosis	BM 5 (47), BM 76 (77), BM 185 (121), BM 187 (122), BM 222 (139).
	Tumour	BM 217 (137), BM 9 (48), Calc Fluor 6x, BM 5 (47), Bio Combination No.22 (196).
	Typhoid Fever	Baptisia Syrup (166), BM 42 (59), BM 169 (112), Bio Combination No.11 (192), Doloex Plus Tablet (182).
	U	
	Uric Acid (High)	Arthribid Drops (159), Arthribid Tablet (181), Doloex Plus Tablet (182).
	Urticaria	BM 173 (115), BM 39 (58).
	Uterine Fibroids	BM 60 (68), Femoline Tablet (182), Calc Fluor 6x, BM 217 (137).
	UTI & KUB Calculus	BM 29 (55), BM 124 (96), BM 67 (72), Rene Cure Drops (162), Rene Cure Syrup (169).
	V	
	Vaccination Aggravation	BM 178 (118), BM 5 (47), BM 222 (139).
	Vericose Veins	BM 255 (156), BM 31 (56), Calc Fluor 6x.
	Vertigo	BM 241 (149), BM 187 (122), BM 185 (121), Five Phos 6x.
	Vitamin Deficiency	BM 107 (87), BM 185 (121), BM 187 (122), Five Phos 6x, Bio Combination No.24 (196), Bio Combination No.28 (197).
	Vomiting in Pregnancy	BM 207 (132), Bio Combination No.26 (197), Calc Phos 6x.
	W	
	Warts, Skin	BM 162 (110), BM 5 (47), BM 222 (139).
	Wetting the Bed	BM 23 (53), BM 151 (91), Nat Phos 6x, Nat Sulph 6x, Kali Phos 6x, Calc Phos 6x.
	Worms	BM 238 (147), BM 43 (60), Vermifuge Tablet (186), Santonine 3x, Cup Oxy Nig 3x.
	Wrinkles (Face)	BM 82 (80), Ginseng Tonic (167), BM 107 (87).
	Wrinkles (Forehead)	BM 83 (80), Calc Phos 6x, BM 107 (87).

Contact Us

Head Office

BM Private Limited

22-Main Anam Road Industrial Estate,
Glaxo Town, 20th KM Feroze Pur Road, Lahore, Pakistan.

Tel: +92-42-3527 2002, 3527 4355, 3527 4098

Hotline: +92-300-8459938

Fax: +92-42-3527 2156, 3636 5144

e-mail:

bmhp@brain.net.pk

export@bm-hp.com

bmhp_export@yahoo.com

Website

www.bm-hp.com

Overseas Office

BM Private Limited

Mr. Mohammad Saeedullah
Chairman

Email: msk@london.com

BM (Private) Limited

22-Anum Road, Industrial Estate, 20th KM Ferozepur Road,
Lahore-Pakistan. Tel: +92 42 35950401, +92 42 35950402,
Fax: +92 42 35950404, e-mail: sales@bm-hp.com,
www.bm-hp.com