



ماہنامہ



# دی ہومیو پیٹھ نیوز

Regd. No. T-158/16188-CPL No. 85

||||| مارچ 2019 |||||



بی ایم ہومیو پیٹھ کے زیر اہتمام گوجرانوالہ میں تاریخ ساز ہومیو پیٹھ نالج شیرنگ کا انعقاد  
ہومیو پیٹھ معا الجین کی بھرپور شرکت، سوال وجواب کا دلچسپ سلسلہ بھی جاری رہا



گوجرانوالہ ہومیو پیٹھ نالج شیرنگ پروگرام میں بی ایم ہومیو پیٹھ کے چیف ایگزیکٹو سکالر ہومیڈ اکٹر امان اللہ علی،  
ائیس ایس پی آپریشنر گوجرانوالہ ثاقب سلطان، اسٹنٹ کمشنر گوجرانوالہ میڈیم ماریہ اور اللہ شافی ہومیو پیٹھ کے ڈائریکٹر ہومیڈ اکٹر ندیم اللہ شیخ





# اداریہ

## ڈپٹی ایڈیٹر ڈاکٹر محمد افضل تبسم علی

2019

### پاک سعودی معاشری شراکت داری

"مجھے سعودی عرب میں پاکستان کا سفیر تھیں" سعودی ولی عہد شہزادہ محمد بن سلمان کے یہ الفاظ جوانہوں نے اسلام آباد میں وزیرِ اعظم عمران خان کی جانب سے سعودی مملکت میں مقیم پاکستانیوں کو درپیش مسائل کے حل کی درخواست پر کہے پاکستان سے ان کے لگاؤ یا گفت اور قربت کا بھرپور اظہار ہیں۔ سعودی سلطنت کی ولی عہدی کے منصب پر فائز ہونے کے بعد ان کی جانب سے اپنے پہلے باضابط غیرملکی دورے کے لئے پاکستان کا انتخاب بھی اسی حقیقت کا عکاس ہے جبکہ پاکستان ان کے فقید المثال استقبال کی شکل میں برادر مسلم ملک کے ساتھ اہل پاکستان کی محبت و اخوت کا ناقابل فراموش مظاہرہ یکساں چذبات کی ترجیحی کرتا ہے۔ قیام پاکستان کے بعد یوں تو دونوں ملکوں میں روز اول ہی سے گھرے برادرانہ تعلقات قائم ہیں لیکن شہزادہ محمد بن سلمان کے حالیہ دورہ پاکستان سے یہ روابط معاشری اور ترویجی شراکت داری کے نئے دور میں داخل ہو گئے ہیں۔ سعودی ولی عہد کے دورے کے پہلے روز دونوں ملکوں کے درمیان مختلف شعبوں میں تعاون اور سرمایہ کاری کے میں ارب ڈالر مالیت کے سات معاہدوں اور معاہدتوں کی یادداشتیوں پر دستخط کئے گئے جن کے تحت سعودی عرب مقابل توانائی، ریفارمنزی، پیٹر و کیمکل پلانٹ، معدنی وسائل، بھلی کی پیداوار، کھلیل اور معیار بندی کے شعبوں میں سرمایہ کاری کریں گا۔ براہ راست ملاقات کے بعد دونوں رہنماؤں کی مشترکہ صدارت میں پریم کو ارٹینشن کنسل کا افتتاحی اجلاس ہوا۔ کنسل کا مقدمہ فیصلوں اور ان پر عملدرآمد کی گرفتاری کے لئے اعلیٰ سطح کا ادارہ جاتی نظام وضع کرنا تھا۔ کنسل کے تحت مخصوص شعبہ جات میں تعاون کا فریم ورک وضع کرنے اور مختلفہ وزراء کو سفارشات پیش کرنے کے لئے وزارتی اور سینئر حکام کی سطح پر اسٹرینگ کمیٹی اور مشترکہ ورک گروپ تشکیل دیے گئے ہیں۔ اس اہتمام سے واضح ہے کہ معاشری شراکت داری کو تینی خیز بنانے میں کوئی کسر باقی نہ رہنے دینے کا عزم دونوں جانب موجود ہے جس کی بنا پر دونوں ملکوں کے لئے اس کے خوبگوار ثمرات تینی نظر آتے ہیں۔ معاہدوں پر دستخط کی تقریب میں دونوں رہنماؤں نے پاک سعودی تعلقات کوئی بلند یوں تک لے جانے کے عزم کا اظہار کیا۔ عمران خان نے سعودی مملکت کو ہر مشکل وقت میں ساتھ دینے والا پاکستان کا عظیم دوست قرار دیا جبکہ سعودی ولی عہد محمد بن سلمان نے اس تینی کا اظہار کیا کہ عمران خان کی قیادت میں پاکستان بہت آگے جائے گا۔ انہوں نے میں ارب ڈالر کی سرمایہ کاری کو پہلی فقط قرار دیتے ہوئے پاکستان میں مزید سرمایہ کاری کا ارادہ بھی ظاہر کیا۔ ان کا کہنا تھا کہ ہم نہ صرف باہمی ترقی اور استحکام کے لئے کام کریں گے بلکہ پاکستان اور سعودی عرب مل کر خطے کی ترقی میں بھی اہم کردار ادا کر سکتے ہیں۔ وزیرِ اعظم عمران خان نے اقتدار سنجانے کے فوراً بعد سعودی عرب سے سرگرم روابط کی تجدید کی بھرپور کوشش کی اور اس کے نہایت خوش آئند تناک آج سب کے سامنے ہیں۔ یہ امر اطمینان بخش ہے کہ ہمارا عظیم ہمسایہ اور آزمودہ دوست عوامی جمہوریہ چین جس کی جانب سے سی پیک کی شکل میں ہمارے ملک میں کی جانے والی سرمایہ کاری کی مالیت کی سطح اسٹھ ارب ڈالر سے بھی بلند ہو چکی ہے اقتصادی راہداری میں بھی سعودی عرب کی شمولیت پر پوری کشادہ ولی سے تیار ہے جس کا اظہار چین کے چاروں جیان نے کیا۔ اس طرح گواہ میں سعودی عرب کی جانب سے ایشیا کی سب سے بڑی آئکن ریفارمنزی کے قیام کی راہ ہموار ہو گئی ہے جس پر آنے والی لگت کا تجھیں دس ارب ڈالر ہے۔ یوں پاکستان کے لئے موجودہ معاشری مشکلات سے نجات پانے کے امکانات پوری طرح روشن ہو گئے ہیں۔ تاہم ان امکانات سے مکمل استفادے کے لئے ضروری ہے کہ ملک کے اندر بھی قومی اتحاد و تکمیل کو فروغ دیا جائے اور اس امر کو تینی بنایا جائے کہ معاشری ترقی کے قومی منصوبے حکومتوں کی تبدیلی سے متاثر نہیں ہوں گے کیونکہ اس کے بغیر ہماری ترقی ممکن نہیں۔



## محضر اگر دے کے افعال درج ذیل ہیں:

- ۱۔ روزانہ تقریباً 200 لیٹر خون صاف کرتے ہیں اس عمل سے تقریباً ۲۰ لیٹر نامیاتی زبر (toxin) اور غیر ضروری پانی خارج ہوتا ہے؛
- ۲۔ جسم میں تکلیفات کی مقدار کو کنٹرول کرنا؛
- ۳۔ جسم کے اندر خون کے کھاری پن اور بیز اپنے پن کے درمیان توازن قائم رکھنا؛
- ۴۔ جسم میں پانی کی مقدار کو کنٹرول کرنا؛
- ۵۔ جسم میں خون کے سرخ خلیات کی تیاری میں مدد فراہم کرنا؛
- ۶۔ جسم میں بلڈ پر یشنر کو کنٹرول میں رکھنا بھی گروں کے ذمے ہے کیوں کہ گردے رینن (Renin) بھی باتے میں جو اس وقت خارج ہوتا ہے جب بلڈ پر شیم کم ہو جائے یا سوڈمیم کی مقدار کم ہونے لگے؛
- ۷۔ جسم کے اندر سے فاتو اور زہر لیے مادا کا اخراج کرنا؛
- ۸۔ متحرک و نامن ڈی کی پیپرا اور سے بڑیوں اور بافتوں کی مصبوغی کا باعث بنتے ہیں؛ گردے و نامن ڈی کی تحری بنانے کی خاصیت بھی رکھتے ہیں یہ و نامن آئتوں پر عمل کر کے ان کو کیا شیم جذب کرنے کی طاقت عطا کرتا ہے تاکہ بڑیوں کے بننے کا عمل جاری رہے؛
- ۹۔ گروںے 'اریتھروپائین' (Erythropoietin) بناتے ہیں جو بڑیوں کے گودے اور خون کے سرخ ذرات کی تعمیر میں معاون ثابت ہوتا ہے؛
- ۱۰۔ جسم کے اندر خون کے ایسے اجزاء کا اخراج جو اپنی اصل مقدار سے تجاوز کر گئے ہوں۔
- گروں کے امراض اور مریض کی دیکھ بھال
- گروں کے مزمن امراض کی تشخیص ہوتے ہی یہ ضروری امر ہے کہ مریض خود اور اس کی دیکھ بھال کرنے والے افراد مریض کے رہن ہیں اور کھانے پینے کے معاملات کی طرف زیاد توجہ دیں۔ ایسے حالات میں عموماً درج ذیل ضروری نکات پر ضرور غور کرنا چاہیے تاکہ ان امراض کی وجہ سے جسم کے دیگر اعضا نے رینس کو مختلف عوارض سے محفوظ رکھا جاسکے اور مزید کسی پچیدگی کا خدشہ نہ ہو:
- ☆..... اپنی غذا میں پوٹین کی اشیاء کو کنٹرول میں رکھیں؛
- ☆..... اپنی روزمرہ نہادیں نہ کی مقدار کروں؛
- ☆..... کچھ افراد گروں کے امراض میں پانی بہت زیاد پینے لگتے ہیں یہ عمل معاف کی ہدایت کے مطابق کریں؛
- ☆..... گروں کے مزمن امراض سے متاثر افراد میں پوٹین کا بیوں قائم رکھنا مشکل ہو جاتا ہے اس لیے پوٹین میں اشیاء سے پر بیز کریں کیونکہ ایسی صورت میں دل کے افعاں میں بے قاعدگی پیدا ہونے کا خدشہ ہوتا ہے پوٹین میں نہادیں میں کیلماں اس اکاؤنٹریہ شامل ہیں؛
- ☆..... گروں کے مزمن امراض کا شکار افراد کو پانی خوارک میں فاسفورس میں اشیاء و جوہات اور علاج "ملاظہ کی جا سکتی ہے:



# جینیک انجینئرنگ کیا ہے؟ تحریر: ہومیو پیتھک ڈاکٹر شہزاد احمد

## تعريف

جینیک انجینئرنگ کو جدید بائیو میکانالوجی مانا جاتا ہے۔ جینیک متیل (DNA) کو مصنوعی طریق سے تیار کرنا اسے تبدیل کرنا نکال دینا، داخل کردینا اور اس کی مرمت کر دینا جینیک انجینئرنگ کہلاتا ہے یادہ عمل جسکے ذریعے (DNA) ایک جاندار سے دوسرے جاندار میں یا اس کے DNA میں داخل کیا جاتا ہے تاکہ مرضی کے خواص اس جاندار میں پیدا کیے جاسکیں۔ جینیک انجینئرنگ کہلاتا ہے۔ جینیک انجینئرنگ کی تاریخ

جینیک انجینئرنگ کا کام 1944ء میں شروع ہوا جب یہ ثابت کیا گیا کہ وراثتی معلومات رکھتا ہے سائند انوں نے DNA تیار کرنے والے ازماخنی علیحدہ کیے اور پھر DNA کو سائل سے باہر بھی تیار کیا 1970 کے عشرہ میں وہ جانوروں کے DNA کو کائنٹے اور جوڑنے کے قابل ہو گئے تھے۔ 1978ء میں سائند انوں نے انسولین کا جین بیکٹیریا میں داخل کر کے انسانی پروٹئن (انسولین) تیار کی انسان کا گروچہ بار مون بھی بیکٹیریا میں تیار کیا گیا۔ 1990ء میں انسانی سائل میں موجود تمام جیز کا نقشہ تیار کرنے کیلئے ہیمن جینوم پر الجیک شروع کیا گیا۔ انسان کے جینوم کا مکمل نقشہ 2002ء میں شائع کیا گیا۔

جینیک انجینئرنگ کے مقاصد یہ جانوروں کی خصوصیات تبدیل کرنے اور ان میں اپنی مریضی کی خصوصیات متعارف کروانے کیلئے استعمال کیا جاتا ہے۔ اس سے فلسوں کی پیپر اور اس صلاحیت برحقی گئی۔ زیادہ دودھ گوشت دینے والی چانوروں کی اقسام تیار کی گئی ہیں۔ اس سے زیادہ ام분ے دینے والی مرغیاں بھی پیدا کی گئی ہیں۔ اس سے بیماریوں کے علاج خصوصی طور پر موروثی بیماریوں کے علاج میں بڑی مدد ملی ہے۔ میڈیسین کے شعبے میں بائیو میکانالوجیں نے بیکٹیریا سے انسولین اور انفریور (انٹی واکسین پروٹئن) تیار کی اور انہیں فروخت کرنے کیلئے مارکیٹ میں متعارف کروایا۔ بیکٹیری اور انہیں بڑی کوہی بڑی مدد ملی ہے۔

بیکٹیریوں کی تعداد انسانی گروچہ بار مون اور بیکٹیریز یعنی میڈیسین کے شعبے میں بائیو میکانالوجیوں نے ایزراخنا اور بیکٹیریز ایزراخنا کا نام دے دیا ہے اور ایزراخنا ایک مکمل نسخہ ایزراخنا کی تعمیر کر دی جاتی ہے۔ اس کے ساتھ جنے دلچسپی کے جیز کے جیز میں موجود جینوم کی ختم کر دیا گئی ہے۔ اس کے ساتھ جنے دلچسپی کے جیز اور بیکٹیریز کے جیز کے جیز میں موجود جینوم کی ختم کر دیا گئی ہے۔ اس سے ایزراخنا اس کے ساتھ جنے دلچسپی کے جیز کے جیز میں موجود جینوم کی ختم کر دیا گئی ہے۔

جینیک انجینئرنگ کے ذریعے ری کی بیفت DNA کو مختسب کیتے گئے میڈیسین میں منتقل کر دیا جاتا ہے۔ اس طرح میڈیسین جاندار ایک وراثتی طور پر تبدیل شده جاندار فنکر کر سکتے ہیں۔ ایسے پودوں کو کھادوں کی ضرورت بہت کم ہوتی ہے۔

ری کی بیفت DNA کو میڈیسین جاندار میں منتقل کرنا ویکٹر کے ذریعے ری کی بیفت DNA کو مختسب کیتے گئے میڈیسین میں منتقل کر دیا جاتا ہے۔



# بی ایم



## ہومیو پیٹھک ٹرائپوریشن ادویات

### سٹرکنینم فاس Strychninum Phos

**3X, 6X**

علامات: یہ داد ماغ اور ریڑھ کے ذریعے پھون کو متاثر کرتی ہے اور اس طرح دہان پھڑکن ہوتی ہے۔ سکتی اور کمزوری آتی ہے۔ گردش خون پر بھی اس کا اثر ہے اور نیس پر بھی ہے۔ ذہن کے طبعی فعل میں خلل ذاتی ہے اور یکسوئی کا فقدان پیدا کرتی ہے۔ ہستے کی زبردست خواہش۔ دماغی محنت سے جی چہاتا ہے۔ نیس بے قاعدہ، تیز کرورو، دھڑکن بڑھ جاتی ہے۔ رعشہ کے لئے مفید ہے۔ پیٹر یا اور شدید بخار کے بعد آنے والی کمزوری کو دور کرتی ہے۔ آرام سے اور کھلی ہوا میں راحت ملتی ہے۔ فانج اور ریڑھ میں جلن درد، کمزوری، ریڑھ کا درد آگے سینے تک آتا ہے۔ پشت کا وسطی حصہ ذکی لحس۔ پاؤں سرد، لیدار، ہاتھوں پر اور بغل میں لیدار پسند آتا ہے۔

نو زائد بچوں کے پیچھوں میں اگر پھیلاو نہ آتا ہو تو یہ دوا اس نقص کو دور کرتی ہے۔

غمی اثرات: کوئی غمنی اثرات نہیں ہیں۔

احیاط: تمام دوائیں بچوں کی پیشی سے دور رکھیں۔

طریقہ استعمال: گیولیاں: 2 گولی صبح، دوپہر، شام

پاؤڑ: 2 گرین کے برابر صبح، دوپہر، شام

دستیابی: 30، 120 اور 450 گرام شینڈرڈ کوالٹی پیکنگ میں دستیاب ہیں

### سٹینم میٹ Stannum Met

**3X, 6X**

علامات: اعصاب اور آلات تنفس سے اس دوا کا گہرا تعلق ہے۔ اس کا چناو کرنے کے لئے رہنمای اعلامت ہے۔ جسمانی کمزوری بالخصوص سانس کی نالیوں اور پیچھوں کے ساتھ شدید کمزوری یا جب ٹی بی کا رجحان ہوا اور کھانی میں پیپ والا کاف بکثرت رکھتا ہو۔ بولنے میں شدید کمزوری ہو۔ درد آہستہ آہستہ آتا ہے بتدیر تج بڑھتا ہے اور آہستہ آہستہ کم ہو جاتا ہے۔ پست ہمت، لوگوں کو صرف دیکھنے ہی سے ذر جاتا ہے۔ کن پیپوں اور پیشانی میں درد، گال کی بڑیوں اور آنکھ کے ڈھیلوں میں کھنچاؤ کے ساتھ میں رخم کا سوراخ، بلغم لیدار آتا ہے جو تھوکانہ جا سکے اسے تھوکنے کی کوشش کرنے سے متلی ہونے لگتی ہے۔ کھانا پکنے کی خوبیوں سے متلی ہونے لگتی ہے۔ ناف کے آس پاس اینٹھ رخ دباؤ کا احساس اس کے ساتھ مددہ میں زبردست کمزوری حیض وقت سے بہت پہلے اور مقدار میں زیادہ۔ لکور یا اس کے ساتھ از حد شدید کمزوری۔ بلغم کو خارج کرنے سے کھاننا پڑے۔ دن میں بزر رگ کا میٹھا سا بلغم بکثرت رکھتا ہے۔ سینے میں تکلیف اور کمزوری کا احساس حتیٰ کہ بول نہ سکے۔ بلغم جھلیوں کی ٹی بی اور ٹی بی کا بخار ہونا۔ وقت سرچکرا ہے اور کمزوری ہوتی ہے۔ سوزش اعصاب، تائپ کرنے والوں کا فانج۔ رات کو کمزوری پیدا کرنے والا پسند آنا خاص کر صبح کے وقت ٹی بی کا بخار۔ پیشہ پیشانی پر زیادہ آتا ہے جس سے کمزوری آئے۔ پیشہ سے بدبو آتی ہے۔

غمی اثرات: کوئی غمنی اثرات نہیں ہیں۔

احیاط: تمام دوائیں بچوں کی پیشی سے دور رکھیں۔

طریقہ استعمال: گیولیاں: 2 گولی صبح، دوپہر، شام

پاؤڑ: 2 گرین کے برابر صبح، دوپہر، شام

دستیابی: 30، 120 اور 450 گرام شینڈرڈ کوالٹی پیکنگ میں دستیاب ہیں

## ملکی، عالمی اور ہومیو پیتھک طریقہ علاج سے متعلقہ خبریں

**ڈاکٹر محمدفضل تبسم علی کی رحلت سے پیدا ہونے والا خلاء کمپنی پر نہیں ہوا گا، محمد سعید اللہ چیزیں میں بی ایم**

**بی ایم ہومیو پیتھک فارما سیویٹکلز لاہور اور ہومیو پیتھکی کے لئے خدمات ناقابل فراموش ہیں، امان اللہ علی**

چیف ایگزیکٹو (بی ایم ہومیو پیتھک فارما سیویٹکلز لاہور) کا نظری ہیڈ (سیلز ایڈ مارکیٹ) ڈاکٹر محمدفضل تبسم علی کے جنازے پر وحیان و رثاء سمیت دیگر سے اظہار تعزیت چیف ایگزیکٹو (بی ایم ہومیو پیتھک فارما سیویٹکلز) کی انتظامیہ اور کہا کہ مرحوم بلند پایہ شخصیت کے مالک تھے بی ایم فارما سیویٹکلز کے نظری ہیڈ (سیلز ایڈ ہومیو پیتھک کمپنی سمیت سماجی شخصیات کی اور نہ صرف بی ایم ہومیو پیتھک فارما سیویٹکلز مارکیٹ) ڈاکٹر محمدفضل تبسم علی جو کہ اچاکن کشیر تعداد نے شرکت کی بی ایم ہومیو پیتھک بلکہ ہومیو پیتھک کے پاکستان میں فروغ کے حرکت قلب بند ہونے سے انقال کر گئے تھے فارما سیویٹکلز کے چیف ایگزیکٹو امان اللہ علی لئے مرحوم کی خدمات ناقابل فراموش ہیں اور گزشتہ روز ان کو ملتان میں ہزاروں سوگوار نے لوحیں اور رثاء سمیت دیگر سے تعزیت مرحوم کی رحلت سے تا قیامت پرند ہونے والا آنکھوں نے سردخاک کر دیا نماز جنازہ میں کرنے والوں سے اظہار افسوس کرتے ہوئے خلا بیدا ہوا ہے۔



**ڈاکٹر محمدفضل تبسم (مرحوم) کی اپنی فیملی کے ہمراہ ایک یادگار تصویر**

## بی ایم ہومیو پیتھک فارما سیو یکلز کے سارک ہیڈڈا کٹ محمد افضل تبسم علی رضاۓ الہی سے انتقال فرمائے

نمائندہ خصوصی (عون محمد چن) بی ایم ہومیو پیتھک فارما سیو یکلز لاہور کے کئٹری ہیڈڈا کٹ محمد افضل تبسم علی (سیزا یڈڈا مارکینگ)، ڈپی ایڈیشن (دی جنازہ میں شرکت نہ کر سکے تھیں فون پر ہومیو پیتھک ڈاکٹر امام اللہ بکل (چیف ایگزیکٹو بی ایم) سے ہومیو پیتھک نیوز) مورخ 4 فروری 2019ء، برزوہ بیگر کراچی میں رضاۓ الہی سے انتقال ہومیو پیتھک ڈاکٹر سیف الرحمن سیفی، ہومیو پیتھک ڈاکٹر محمد اکرم چوبہری، ہومیو پیتھک ڈاکٹر عاصم حسین درجات کی بلندی کے لئے دعا کی۔ مسٹر عاصم حسین کی جس میں ہومیو پیتھک ڈاکٹر محمد اقبال (صدر ایک پی اے سنہ)، ہومیو پیتھک ڈاکٹر طارق اقبال، ہومیو پیتھک ڈاکٹر اسد پرویز قریشی، ہومیو پیتھک ڈاکٹر شیری احمد شن، ہومیو پیتھک ڈاکٹر ندیم اللہ شن، ہومیو پیتھک ڈاکٹر محمد اقبال، ہومیو پیتھک ڈاکٹر محمد طیب، ہومیو پیتھک ڈاکٹر اسد اللہ سجاد، ہومیو پیتھک ڈاکٹر محمد عظیم، طارق محمد چوبہری، سید ایاز حسین زیدی (مارکینگ ایگزیکٹو)، حیدر سجاد رضوی (مارکینگ ایگزیکٹو)، سید شہزاد احمد (برنس ایگزیکٹو) اور کراچی کی ہومیو پیتھک برادری نے شرکت کی۔ اس کے بعد میت کو آبائی شہر ملتان روان کر دیا گیا جہاں ہومیو پیتھک ڈاکٹر عاصم امان اللہ بکل (چیف ایگزیکٹو بی ایم) اور شفقت عباس (ریجنل سیلز فیجی پنجاب) نے ان کے خاندان کے افراد کے ہمراہ میت وصول کی اور ملتان میں بھی نماز جنازہ ادا کی گئی جس میں ہومیو پیتھک ڈاکٹر مدرمرزا، ہومیو پیتھک ڈاکٹر علی عرفان، ہومیو پیتھک ڈاکٹر عثمان غنی، ہومیو پیتھک ڈاکٹر نوید احمد چوبہری، ہومیو پیتھک ڈاکٹر علی عاصم کی ایم کے لئے گراس قدر خدمات پر اُنہیں زبردست خراج تحسین پیش کرتے ہوئے کہا کہ ادارہ بی ایم ہومیو پیتھک فارما سیو یکلز مر جوم کی خدمات کو بیشتر یاد رکھے گا۔

## بی ایم ہومیو پیتھک فارما سیو یکل کی جانب سے فری ہومیو پیتھک میڈیکل کمپ کا انعقاد

ہومیو پیتھک نیوز (عون محمد اقبال مفتی نے مریضوں کا معاشرہ کیا اور شرکت کی اور بی ایم کی کاؤشوں کو سراہا جکہ



بی ایم کی جانب سے سید محمد بلال نے ان کی معاونت کی۔ اس موقع پر ہومیو پیتھک ڈاکٹر سید طہماں علی نقوی نے خصوصی کے فرائض انجام دیے۔

چن) مورخ 10 فروری 2019ء برزوہ اتوار شرپور شریف میں بی ایم فارما سیو یکل لاہور کی جانب سے فری میڈیکل کمپ کا اہتمام کیا گیا۔ جس میں شرپور شریف اور گردوانہ سے سینکڑوں مریضوں نے استفادہ حاصل کیا اُنہیں مفت ادویات دی گئیں۔ اس کمپ میں ہومیو پیتھک ڈاکٹر محمد




















A STEP AHEAD IN HOMOEOPATHY  
Website: www.bm-hp.com

اساکس (بی ام ہوئیو پیتھک) لاہور۔ پاکستان

(بی ام ہوئیو پیتھک ادویات کی ملکی رائٹنگ، تھیک ہے)

# طارق سنتھومیوائینڈھر بل سٹور

ملکی و غیر ملکی ہومیو پیتھک ادویات ادویات مہیا بیان



ڈاکٹر علی مراد خان

ڈیاب پلازہ، بیئر نمبر 3 بال مقابل CB گرواؤنڈ وہ کینٹ، راولپنڈی ۰۳۳۱-۹۱۱۵۲۵۹



## • انتقال پر ملال •



پاکستان بھر سے انتقال پر ملال کے شام میں ادا رکورچ ذلیل خبریں موصول ہوئیں۔

إِنَّا لِلَّهِ وَإِنَّا إِلَيْهِ رَاجِعُونَ

ہومیو پیتھک ڈاکٹر الیاس شیخ  
گوجرانوالہ رضائے الہی سے وفات پا گئے۔  
انج پی سی اے پاکستان کے پاکستان میکٹ ہومیو  
صومبائی اور ضلعی عبدیداران اور تمام ممبران دکھ  
کی اس گھری میں ان کے غم میں برابر کے  
شریک ہیں اور دعا گو ہیں کہ اللہ پاک ان کو  
جنت الفردوس میں اعلیٰ مقام عطا فرمائے اور  
ان کے درجات بلند کرے آئیں۔  
(رابطہ برائے تعریت)  
موباکل نمبر 0321-6439818 (0321-6439818).

ہومیو پیتھک ڈاکٹر سعید مصوہر  
تمام ممبران دکھ کی اس گھری میں ان کے غم میں  
برابر کے شریک ہیں اور دعا گو ہیں کہ اللہ پاک  
گوجرنوالہ رضائے الہی سے انتقال فرمائے۔  
-----  
ہومیو پیتھک ڈاکٹر کامران مرزا  
(کسوہ ہومیو پیتھک کلینیک) کربلا روڈ ماڈل  
ناڈون، بہاولپور کے سر حاجی عبد الرزاق کبوہ  
رضائے الہی سے انتقال فرمائے (رابطہ اشرف چودھری - موبائل نمبر  
برائے تعریت ہومیو پیتھک ڈاکٹر کامران مرزا 0333-6754847  
موباکل نمبر 0300-8688117 (0300-8688117)).

سابق پیغمبر رضا چینیو  
ہومیو پیتھک میڈیکل کالج ہومیو پیتھک ڈاکٹر  
محمد احمد (چینیو) کے سر اور والدہ کے انتقال  
پسندش بادی انج پی سی اے پاکستان اور چیف  
ائیگزیکٹو بی ایم ہومیو پیتھک فارما سیویکل  
لاہور کا اظہار افسوس۔ (رابطہ برائے تعریت)  
موباکل نمبر 0333-6704224 (0333-6704224).

ہومیو پیتھک ڈاکٹر محمد رفیع  
نواز (نواز ہومیو پیتھک سٹور) میانوالی  
اشرف (کامران ہومیو پیتھک سٹور اور صدر  
انتج پی سی اے ضلع جہگ) کی والدہ محترمہ  
رضائے الہی سے وفات پا گئی ہیں ان کی نماز  
جنازہ موعچی والا روڈ 352 ج بخصلی گوجہ  
میں ادا کی گئی۔ انج پی سی اے پاکستان کے

موباکل نمبر 0333-9830601

0300-6097344 (0300-6097344).

# The Therapeutic & Materia Medica

183. Debility, loss of appetite, profuse night sweats, esp. when convalescing from bilious or typhoid fever  
 (a) Rumex              (b) Taraxacum  
 (c) Cina              (d) Ignatia
184. Defective vitality causes various nerve or brain troubles  
 (a) Rhus tox              (b) Collinsonia  
 (c) Mag phos              (d) Zinc met.
185. Diarrhea after acute diseases  
 (a) Psorinum              (b) Lactic acid  
 (c) Nux vom              (d) Plumbum met
186. Diarrhea caused by suppression of skin symptoms  
 (a) Vinca minor              (b) Petroleum  
 (c) Thuja              (d) Pulsatilla
187. Diarrhea from suppressed exanthematous diseases  
 (a) Apis m              (b) Rhododendron  
 (c) Cyclamen              (d) Dulcamara
188. Diarrhea or other secretions checked suddenly bring on rheumatism  
 (a) Petroleum              (b) Sabina  
 (c) Senega              (d) Abrotanum
189. Diarrhea from suppressed eruptions  
 (a) Graphites              (b) Ammonium carb  
 (c) Coffea              (d) Iodium
190. Diphtheria, scarletina or typhoid fever leave behind kidney troubles  
 (a) Helleborus              (b) Terebinth  
 (c) Pulsatilla              (d) Veratrum alb.
191. Diphtheria followed by a threatened heart paralysis  
 (a) Aurum              (b) Drosera  
 (c) Silicea              (d) Naja t
192. Diphtheria, suppressed, results into many ill-effects  
 (a) Lac. Can              (b) Argentum met.  
 (c) Baptisia              (d) Spongia
193. Disappointed love, grief, anger, bad effects  
 (a) Aconite              (b) Aloes  
 (c) Ignatia              (d) Dulcamara
194. Diseases of sycotic origin  
 (a) Nitric acid              (b) Lycopodium  
 (c) Medorrhinum              (d) Colchicum
195. Discharges suppressed result into deafness  
 (a) Lobelia inf              (b) Apis  
 (c) Antimonium              (d) Causticum
196. Discharges or secretions of any kind being suppressed bring on various inexplicable ailments  
 (a) Acetic acid              (b) Agnus  
 (c) Bryonia              (d) Kali brom
197. Displeasure kept in reserve cause various ailments  
 (a) Aurum met              (b) Digitalis  
 (c) Ferrum met              (d) Ambra gri
198. Dropsy after intermittent fever  
 (a) Alumina              (b) Lac. defl.  
 (c) Digitalis              (d) Petroleum
199. Dropsy from suppressed exanthemata  
 (a) Helleborus n              (b) Kreosotum  
 (c) Natrum cab              (d) Platina
200. Dropsy after suppressed sweat or suppressed eruptions  
 (a) Arsenicum alb              (b) Ferrum met  
 (c) Dulcamara              (d) Bovista
201. Eczema, family history, with obstinate cases of enuresis  
 (a) Psorinum              (b) Abies  
 (c) Adrenaline              (d) Capsicum
202. Eczema or itch suppressed brings on cough  
 (a) Blatta orient              (b) Crategus  
 (c) Collinsonia              (d) Psorinum
203. Eczema and itching eruptions after vaccination  
 (a) Mezereum              (b) Coca  
 (c) Cycalmen              (d) Erigeron
204. Eczema, suppressed brings on deafness  
 (a) Cedron              (b) Actea racemosa  
 (c) Lobelia inf              (d) Adonis vernalis
205. Eczematous eruptions after fright  
 (a) Stramonium              (b) Croton tig  
 (c) Benzoic acid              (d) Adonis vernalis

To be continued...

pressure upon the umbilicus and apply sticking plaster, change it after every second or third week; apply it for about 6 weeks; and in the majority of cases, it will be cured by this method. If it does not cure then surgery is needed to correct the deformity. Umbilical hernia occurs in the infants only.

### **Para-umbilical hernia:**

In adults, it never starts at the site of the navel; it starts by the side of the navel, so it is called Para-umbilical hernia. It always occurs in adults and never in children or infants; and umbilical hernia occurs always in infants and never in adults unless it is present from the birth.

### **Incisional hernia:**

It may occur after the operation anywhere in the body.

### **Incisional hernia:**

It is the hernia which occurs in the region of the inguinal canal. Pubic bone and ilium are joined with a ligament. The abdominal muscle has 3 layers and there is space in between them. At the pubic bone there is an opening called the external ring in the outermost layer. On the inner most side 1/2" to 1" above the mid- inguinal point, there is another opening known as the internal ring. There is no muscle between the two rings, but there is a space or tube connecting the two rings, and this. Space or tube is known as the inguinal canal. So inguinal canal is the space connecting the two rings.

Testes are developing in the region of the kidneys and they travel down from the kidneys through the internal ring, inguinal canal, external ring and then out to the scrotum. This takes place in the 9th month of pregnancy in the intra uterine cavity, i.e. just before or after birth; it is mostly distended before birth.

In females, no such thing happens, so the tube in their case is very small. Thus

inguinal hernia occurs in males only. The peritoneal fold comes into the scrotum and it remains there as cavity.

Normally this inguinal space is blocked and so, no hernia should take place; and it becomes a very small cord. This part which remains is called the Tunica-Vaginitis; it is the covering of the testis. Collection of fluid in this part is called Hydrocele.

If some defect occurs and the development is not complete, the space remains open and it does not get fibrosed; the fluid is collected; when the child lies down, the fluid goes back and when he walks or moves, the fluid is again collected; this process goes on and this condition is called the Congenital Hydrocele: It is seen in infants.

When the protrusion is with the fluid, it is called the congenital Hydrocele and when it is the intestine in place of fluid it is called the infantile hernia.

If some defect occurs, the space (Tunica-Vaginitis) is blocked from above and below, and in between it does not get fibrosed. As the child develops, the defect remains the same; when he coughs or develops, whooping cough or lifts a heavy weight, suddenly the adhesion opens, the intestine comes down and suddenly a swelling appears after lifting a heavy weight; it is called the congenital hernia though it is occurring in an adult.

It appears suddenly and is complete from the beginning.

Acquired hernia develops slowly over a period of months. Due to the constant increase in the pressure and weakness of the muscles, the peritoneal wall goes on bulging and increasing in size: it is usually preceded by pain where the cause of the pain in the region of the internal ring is not known. It is slow in development.

To be continued...

# **HOMOEOPATHIC TREATMENT**

## **Before Surgery & After surgery**

### **INTESTINAL OBSTRUCTION**

Constipation is due to hard stool.

The intestinal obstruction is Acute, Subacute and chronic.

In acute obstruction, the onset is sudden.

Sub-acute condition is usually seen in tubercular stricture; some solid matter sticks in there and obstructs the lumen; when the solid matter passes off, the patient feels right.

The chronic condition appears due to the narrowing of the lumen; there is progressive constipation which is relieved by repeated purgatives.

In the subacute case case, when the attack subsides and the constipation is there, it becomes chronic.

Treatment:

In all case of intestinal obstruction, in the early stages, conservative treatment, i. e. non-operative treatment is essential. It has been seen that in a number of cases, the obstruction gets relieved with the conservative treatment. It is more so in sub-acute or chronic cases where the history indicates that the pain in there which is relieved when the flatus is passed and son on.

In such cases, continue the conservative treatment for some time; and it has to be done in the hospital under the strict supervision and observation.

#### **HOMOEOPATHIC REMEDIES**

Nux Vomica, Opium and Plumbum are the main remedies.

Nux Vomica:

Colic from indigestion, with water brash; worse after coffee, brandy or overeating; flatulent colic, with pressure upward, causing dyspnea, and downward, causing urging to stool and urination; periodical colic before breakfast or after meals; colic from suppressed haemorrhoidal flow; cannot bear his clothes tight around the

hypochondria; painful soreness of the abdominal muscles when moving pressing on them, coughing or laughing; obstinate constipation; hard stool; cold hands and cold feet during the paroxysms, or even stupefaction unto unconsciousness; aggravation by walking; relief by bending double, by rest, sitting or lying; violent pains in the small of the back and loins, violent headache; thin, yellow, very badly-smelling stools.

Opium:

Colic with great pressure downward upon rectum and bladder, without any faecal discharge or passing of urine or flatus; flatulence accumulates in upper portion of the bowels, causing abdominal distension, especially in umbilical region, with reverse peristaltic motion, belching and vomiting; bowels seem perfectly closed, but there is constant urging to defaecate and to urine; cutting; pressive twisting pain; great deal of belching without relief. Painter's colic.

Plumbum:

Intense paroxysms of a shooting character, the intervals being filled up with continued sense of griping and cramping; great constipation but no flatulence, tenesmus of bladder or retention of urine, retraction of abdominal walls and the clawing twisting pain radiate upward to chest and downward to the pubes; vomiting, slight icterus; slow, full and hard pulse; abdomen hard as a stone and drawn into the spine as if by a string; knots in recti-muscles; anguish with cold sweat and deathly faintness; worse evening and night, better from rubbing or hard pressure. Delirium alternating with colic,

# YOU ASK? WE ANSWER

**THE EARS**

**THE MOUTH AND TEETH  
PAEDIATRIC PROBLEMS**

**My daughter told me that two of her school friends had a sealant put on their teeth. Can you tell me what a sealant is?**

A sealant is a clear or lightly shaded plastic coating that is applied to children's teeth, usually up to the age of 15. The purpose of the preparation is to seal the biting surfaces of the back molar teeth so that food and bacteria cannot get caught in the tiny grooves in the teeth and erode the enamel covering. In a child's mouth, in which new teeth are forming, the biting surfaces are particularly vulnerable to decay and the sealant material does a good job of keeping bacteria out. If you decide to have this done to your daughter, your dentist will carefully clean each tooth to be coated and then etch it with a mild acid wash so that the sealant sticks. The sealant is then painted on. The treatment generally lasts several years, but her teeth should be checked regularly to see if the coating should be reapplied.

## SORE THROAT-PHARYNGITIS

< 11 AM; full moon

Consider:

Graphites (3)

Blepharitis; dryness of lids; eczema of lids; fissures of lids; eye-lids red and swollen; intolerance of artificial light.

Lycopodium (3)

Styes on lids near inner canthi; ulceration and redness of lids.

## URETHRITIS

### Gonococcal & Non Gonococcal

An inflammation of the urethra is often accompanied by pain and difficulty with urination, frequency of urination and a discharge, which may be especially evident in the mornings. It often produces more severe symptoms in men than in women due to the nature of the individual genital tracts. In females, it often accompanies infections of the vagina.

Most often the infecting agent is bacterial and/or chlamydia, which if left untreated will spread to other areas of the genital urinary tract and may cause sterility. As a rule, if one partner is infected, so is the other even though they do not have symptoms. Persistent infections, which do not respond to treatment, must be evaluated by a physician in order to prevent further transmission, scarring and sterility.

Agnus castus (3)

Gleety discharge, yellow discharge; no erections, impotence, parts cold, relaxed; no desire (Con, Sabal, Sel); scanty emissions without ejaculation; loss of prostatic fluid on straining; testis swollen, cold, hard, painful; spermatorrhea; history of repeated GC: sexual melancholy; sadness with impression of speedy death; gnawing itching may be present.

< Venery (excess sexual activity)

Alumina (3)

Gleety discharge, chronic discharges; excessive desire; involuntary emissions

with straining at stool; prostatic discharge; must strain at stool in order to urinate; great exhaustion after menses; dryness of mucous membranes; tickling in sexual organs.

< periodically; in afternoon > open air

< from potatoes; in AM on awaking

> cold bathing

< warm room; sitting

> in evening; alternate days

< after menses; speaking > damp weather

< artificial foods

> moderate exertion, temperature

Apis-See under prostatitis.

Berberis-See under prostatitis.

Cannabis sativa (3)

Painful urging; urinates in split stream; stitches in urethra; inflamed sensation with soreness to touch; burning with urination extends into bladder, urine scalds, spasmodic closure of sphincter; acute stage of GC; urethra very sensitive; walks with legs apart; dragging in testicles; zigzag pain along urethra; sexual over-excitement; urethral carbuncle; stoppage of urethra by mucus and pus; scanty burning urine passed drop by drop; gonorrhoeal ophthalmia.

< urinating; darkness

< exertion; talking; walking

< gonorrhoea

< lying down; going upstairs

Cantharis(3)

Strong desire; painful erections; pain in glans penis (Pariera, Prunus); priapism in gonorrhoea; intolerable urging and tenesmus; cutting pains before, during and after urine; urine scalds and is passed drop by drop; constant desire to urinate; urine jelly-like, shreddy; bloody urine, dysuria, gripping in bladder; painful swelling in genitals; pulls at penis; sexual irritation; pollutions; thirsty; chilly.

< urinating > warmth; rest

< drinking; cold > rubbing

< bright objects; touch

< sound of water

< being approached

< drinking coffee, water

To be continued...



# **if Emergency Happens at your Clinic**

## **SORE THROAT-PHARYNGITIS**

### **STYES-BLEPHARITIS**

#### **Conium (3)**

< viewing moving objects  
< alcohol > letting part hang down  
< raising arms; exertion; injury > fasting;  
in dark; motion  
< night; cold; talking; lying with head low  
> pressure

#### **Pulsatilla (3)**

Upper left lid usually, toward inner canthi;  
tend to recur but move from spot to spot;  
agglutinated eyelid in AM; yellow, bland  
discharge; lids inflamed, styes; thirstless.  
< heat, rich foods; fats > open air; motion  
< warm room; evenings  
> cold applications  
< lying on left or painless side  
> cold food and drink  
> erect posture  
> weeping

#### **Sepia (3)**

Indurations, associated with prominent  
Sepia presenting symptoms; aggravation  
of eye problems in AM and PM; tarsal  
tumors; hardened indurations; drooping  
eyelids; chilly.  
< cold, air; wind; wet, snowy  
> violent motion  
< sexual excesses; before menses  
> warmth; cold drinks  
< AM & PM; after first sleep > cold bath  
< before thunderstorm > after sleep

#### **Silicea (2)**

Induration after eruptions; recurrent and  
does not tend to localize in anyone place;  
can recur in same spot; feeling of dryness;  
sand in eye; angles of eyes affected;  
averse to light, produces sharp pain; eyes  
tender to touch; thirsty; chilly; swelling of  
lachrymal duct.  
< cold changes; air, drafts

< becoming damp > warm, wraps,

< bathing; uncovering

> profuse urination

< cold feet

< noise; jarring of spine; excitement;  
light

< change of moon; night

< mental exertion

< suppressed foot sweat

#### **Staphysagria (3)**

Left side more often than right; upper lid  
more often than lower; tend to cause  
indurations; begins as a central pimple  
with smaller ones around it then becomes  
larger; feels as if a hard substance is  
underneath; heat in eyes; recurrent styes;  
eyes sunken with blue rings; margins of  
lids itch; angles of eyes effected,  
especially inner; dryness of eyes;  
blepharitis; very sensitive; chilly;  
indignant; chalazion (*Platanus*).

< emotions; chagrin; vexation

> warmth; rest; breakfast

< quarrels

< sexual excesses; onanism

< touch; cold drinks; night

< anger; loss of fluids; tobacco

#### **Sulphur (3)**

Recurrent in the same place; more in  
upper lid and toward inner canthi; red  
margins of lids, burning, stinging; yellow  
or whitish discharge, excoriating; lids  
strongly agglutinated in AM; ulceration of  
lid margins; thirsty, chilly; heat and  
burning in eyes (*Ars. Bell.*).

< bathing, suppressions

> open air; motion

< heated, becoming; rest

> warm applications

< speaking; atmosphere changes

> dry heat; sweating

11. Roots of teeth painful; burning, shooting, aching, worse with every change of weather. Toothache before and during menses, during pregnancy Tearing pains in left side of face relieved by motion, has to walk about. Teeth so sensitive that they cannot be manipulated by the dentist, person cannot bite upon teeth. Teeth feel too long. Toothache in decayed teeth; worse at night; worse quiet. Nervous prostration. Ailments from cutting wisdom teeth. (MAGNESIUM CARBONICUM 30/200)

12. Toothache, relieved with heat and hot liquids, aggravated by cold air, cold water. Severe pain in decayed or filled teeth. Ulceration of teeth with swelling of glands of face, throat and neck, and swelling of tongue. Colic in teething children. (MAGNESIA PHOSPHORICA 6X)

13. Toothache aggravated by eating or motions of the jaw, and ameliorated with heat. Teeth decay at roots. (MEZEREUM 30/200)

14. Toothache better with warmth. Rapid decay of teeth. Toothache after washing clothes. Swelled and easily bleeding gums, ulcerated. Persistent bleeding after tooth extraction. (PHOSPHOROUS 30/200)

15. Toothache; teeth sensitive and sore to touch; toothache with reflex neuralgia of eyelids. Hollow teeth. Pain plays between teeth and ears; pain in ear and eyes. Pyorrhoea alveolaris; swelling of cheeks. Salivation; teeth feel too long; worse cold air and contact. Toothache better while eating. (PLANTAGO MAJORQ)

16. Toothache relieved with slow movement and better in open air; relieved by holding. Cold water in mouth. Dry mouth, but with no thirst. Yellow or white tongue covered with tenacious mucous. (PULSATILLA 30/200)

17. Persons who are excitable, easily aroused to anger, but suppress it, and therefore suffer symptoms. Complaints from pent-up wrath. Much toothache-in decayed teeth; in a whole row of teeth;

shooting into ear; drawing ache in the cold air. Toothache worse with cold drinks, worse touch (but not from biting), and worse after eating. Teeth not firm, waggle when touched. When eating, feels as if teeth were pressed deeper into gums. Toothache during menses. Teeth black and crumbling. Salivation, spongy gums, bleed easily; pyorrhoea. Submaxillary glands swollen. (SfAPHYSAGRIA 30/200)

### 3. TOOTH DECAY:

A tooth decays and becomes black and corroded due to the unchecked destructive action of bacteria, when the tooth is unable to repel them as it normally should.

The health and strength of teeth depends a lot on the state of the gums. If the gums are healthy and strong, teeth too will be healthy and well able to repulse the bacteria that are constantly prone to multiply when left over food particles get stuck in cavities and putrefy.

The bacteria attack by forming a corrosive acid which eats into the tooth, but in a healthy mouth this acid is continuously removed. Saliva washes it down the tract, where it is neutralised and thrown out with all the other toxins. But where the gums are weak, teeth also lose resistance, and decay occurs.

Sometimes, especially in the case of central cavities in molars, the infection might originally have begun in the gums near the root of the tooth, then travelled up the inside pulp of the tooth, settling somewhere in the middle or close to the top. There they multiplied and destroyed, till the top of the tooth blackened and fell in.

In some people, there is a constitutional weakness and related nutritional disorder, which causes rapid and frequent decay of teeth. This constitutional tendency has to be gradually rectified. But apart from this the cause of tooth decay can also be traced to digestive dysfunctions, as they are considered to be the root cause of poor immunity. Bad eating habits and careless oral hygiene compound the problem.

To be continued.....

## *Disorders of the Digestive System and Homoeopathic Therapeutics*

### **MOUTH, TONGUE, TEETH AND GUMS**

#### Specific indications:

#### INDICATIONS: (REMEDY)

3. Violent neuralgia of teeth and face; rending, tearing, throbbing pain, with heat; hot head. Usually worse on jarring, from exposure to cold winds. Congestion of the face (bright redness) with violent pains. The neuralgia comes and goes suddenly. Hot red skin, flushed face, glaring eyes, throbbing carotids. Teeth very sensitive. Symptoms come on or aggravate after 3 p.m. or 12 midnight, from uncovering, lying down, and relieved on covering up. Mouth and throat dry and red. (BELLADONNA 30)

4. Irritable people who are oversensitive to pain, and in whom the complaints are often brought on or are aggravated with anger. Toothache, worse with warm food and drinks. Wants to smash things when the pain comes on. Toothache from coffee. Toothache during pregnancy. Distress of teething children. Tearing, stitching, stinging pains, worse on talking, and in the open air, better with cold things in the mouth. Toothache absent in the daytime, comes on at night/before midnight, aggravated with a draft of air. Numbness with the pain, Swelling and inflammation of gums. Teeth feel too long. (CHAMOMILLA 30)

5. Teeth get loose, gums swell. Teeth feel too long; painful while chewing.

Toothache with every little cold. Symptoms worse with cold and better with warmth; the person takes cold easily. Pain comes on regularly at a given time everyday. Toothache relieved by pressing teeth firmly together. (CHINA 30/200)

6. Toothache temporarily relieved by holding ice water in mouth. Neuralgia is accompanied with great nervous excitability and intolerance of pain. Pains are aggravated by noise. Joy or pleasant surprise causes sleeplessness, which brings on the toothache. Rending, tearing pain in teeth, worse on exposure to cold, worse with strong emotions and with warm things. Toothache during menses. (COFFEA CRUDA 200/1M)

7. Facial neuralgia from carious teeth. Neuralgia after tooth extraction. Toothache with swelling about jaws. Abscess of gums. Caries of the jaw. (HEKLA LAVA 3X16X130)

8. Pain / infection after tooth extraction. (HYPERICUM 30)

9. Toothache due to decayed teeth, with spongy, bleeding gums. Very painful dentition. Bad odour from mouth and bitter taste. Teeth dark and crumbly. (KREOSOTUM 30/200)

10. Toothache, pain extends to the ears, worse left side. Tearing pain in jawbones. Facial neuralgia. Face is purple, mottled, puffed; looks swollen, bloated, jaundiced and chlorotic. Pain comes on after sleep, or during sleep. (LACHESIS 30/200)


SR.#	REMEDY NAME	SYNOMYS	SPECIFIC SYMPTOMS FOR IMMEDIATE PRESCRIPTION
1403	Primula Vulg	Primrose	Dropsy wandering. Pressure at heart.
1404	Prinos Ver	Black alder Fever bush	Bark used in fever and gangrene as a lotion. Berries are tonic and emetic. Diarrhoea, fever.
1405	Propylaminum	Distilled Herrine brine	Acute rheumatism dissipates fever and pain in a day or two. Rheumatic prosopalgia and rheumatic metastases especially heart lesions. Pain worse slightest movement. Tingling and numbness of fingers.
1406	Proteus Bac	The Bowel nosodes	Brain storm, outburst of violent temper. Emotional hysteria, cramps of muscles. Angio neurotic edema, hepatic eruptions.
1407	Proteus Vulg	Microbes of Proteus.	Associated with stones of the urinary tract, cystitis.
1408	Prunella Vulg	Self-heal	It Gently lowers blood pressure, strong antibiotic action useful in colitis. In Chinese herbal medicines it is used for healing wounds, as an astringent and to stop internal bleeding.
1409	Prunus Pad	Bird Cherry	Sore throat. Pressure behind sternum. Sticking pain in rectum.
1410	Prunus Spin	Black thorn	Valuable in certain neuralgias, anasarca and especially edema pedum. Ankle and foot feel sprained. Ciliary neuralgia. Tenesmus of bladder.
1411	Prunus Virg	Wild Black cherry	Heart tonic, relieves the flagging and distended ventricle. Irritable heart. Cough worse at night on lying down, weak digestion. Chronic bronchitis. Especially elderly people.
1412	Psoralea	Babchi	Leucoderma.

# HOMOEOPATHIC PHYSICIAN'S DESK REFERENCE

An Exceptional Practicing Secrets

**Amanullah Bismil** (Consultant Homoeopathician)

SR.#	REMEDY NAME	SYNONYMS	SPECIFIC SYMPTOMS FOR IMMEDIATE PRESCRIPTION
1397	Portulaca	Portulaca	Highly nutritious plant. Antioxidant, anticancer, anti diabetic, hypcholestremic, neuroprotective, hepatoprotective, nephroprotective, anti-inflammatory, anti-ulcer, antimicrobial, wound healing, uterine bleeding control, wormicidal and insecticidal activities.
1398	Pothos Foet	Skunk Cabbage Bear's Foot	Asthmatic complaints, dust allergy. Hysteria. Inflation and tension in the abdomen. Millar's asthma.
1399	Prenanthes Serp	White lettuce	Chronic diarrhea, worse after eating. Pain in abdomen and rectum, emaciation constipation and somnolence, susceptible to aura of others. Dyspepsia craving for acid food. Leucorrhoea with throbbing in uterus.
1400	Primula Far	Wild Primrose	Dermatitis especially on index fingers and thumbs.
1401	Primula Obc	Primrose	Intermittency of symptoms, worse right side. Pain in liver and spleen. Deep infiltration and tension of tissues blisters. Paralyzed sensation, weakness. Pharyngeal soreness alternates with diminished facial irritation.
1402	Primula Ver	European Cowslip	Cerebral congestion, with neuralgia, migraine rheumatic and gouty pain. Sensation of a band around head, weak voice. Fear of falling when standing up.



A Professional approach for Homoeopathic Practitioners

# Successful Prescribing

**Amanullah Bismil** (Consultant Homoeopathician)

## VOMITING, SUDDEN ATTACK

SIGNS & SYMPTOMS	ANTICIPATED DIAGNOSES	EVALUATION GUIDELINES	HOMOEOPATHIC TREATMENT	
Vomiting. Headache, plus any of following: Eyes sensitive to light. Drowsiness or confusion. Pain when bending head forward.	Infection or bleeding in membranes around brain.	Consult your family physician See Aseptic Meningitis. See Bacterial Meningitis. See Subarachnoid Haemorrhage.	Arnica Hamamelis Belladonna	200 30 30
Vomiting. Headache. Head injury in last 24 hours.	Brain injury.	Consult your family physician See Head Injury.	Bell. Shift Patient Hospital	30
Vomiting of blood or dark "coffee ground" material.	Bleeding in stomach.	See Stomach Ulcer.	Phosphorus Ornithogalum	30 ϕ
Vomiting. Abdominal pain or swelling. Inability to have bowel movement.	Blockage in intestines.	See Intestinal Obstruction.	Mag. Mur. Colocynththis Nux Vom. Hydrastis	30 30 3x 3x
Vomiting. Eye Pain Blurred vision	Excess pressure inside eye.	See Acute Glaucoma	Spigelia Ruta Gr. Calc. Fluor.	30 3x 3x
Vomiting. Severe abdominal pain. No pain relief from vomiting.	Several disorders.	See Appendicitis.	Belladonna Arg. Nit. Iris Tanax	30 30 3x
Vomiting. Use of prescription or non-prescription drug.	Adverse reaction or side effect of drug.	Discontinue use of non-prescription drug.	Ipecac. Colchicum Nux Vom.	30 30 30
Vomiting. Jaundice (yellow skin or eyes)	Gallbladder or liver disorder.	See Acute Viral Hepatitis. See Gallstones.	Cardus Mar. Chelidonium Berb. Vulg Carbo Veg.	3x 3x 3x 200
Recent, recurrent vomiting attacks.	Several disorders.	Recurrent Vomiting	Ipecac. Ars. Alb.	30 30
Vomiting. Consumption of spoiled or contaminated food.	Effect of toxins in food.	See Salmonella infections. See Botulism.	Nux Vom. Ars Alb. Baptisia	30 30 3x
Vomiting Dizziness.	Infection or disorder of inner ear.	See Labyrinthitis. See Meniere's Disease.	Bell. Merc. Sol.	30 30
Vomiting. Excessive consumption of alcohol or rich food.	Stomach inflammation.	See Gastritis.	Ars Alb. Nux Vom.	30 30
Vomiting. Diarrhoea Fever.	Infection of digestive tract.	See Gastroenteritis.	Ars. Alb. Kali Bich. Arg. Nit.	30 30 30, 200



# حضرت ﷺ نے فرمایا

”أُمِرْتُ أَنْ أَقْاتِلَ النَّاسَ حَتَّىٰ شَهَدُوا أَنْ لَا إِلَهَ إِلَّا اللَّهُ وَأَنَّ مُحَمَّدًا رَسُولُ اللَّهِ وَيَقِيمُوا الصَّلَاةَ وَيَؤْتُوا الزَّكُوَةَ فَإِذَا فَعَلُوا ذَلِكَ عَصَمُوا مِنِّي دَمَائِهِمْ أَمْوَالَهُمْ وَحْسَابُهُمْ عَلَى اللَّهِ“ -

(بخاری ، مشکوہ ص ۱۲)

حضرت عبداللہ بن عمرؓ - ”مجھے حکم دیا گیا ہے کہ لوگوں سے جہاد کرتا رہوں یہاں تک کہ وہ اس بات کی گواہی دیں کہ اللہ کے سوا کوئی معبود نہیں اور محمد صلی اللہ علیہ وسلم اللہ کے رسول ہیں اور نماز قائم کریں اور زکوٰۃ ادا کریں جب وہ یہ کام کر لیں گے تو میری طرف سے ان کا خون اور ان کا مال محفوظ ہو گا اور ان کی پوشیدہ نیتوں کا حساب اللہ کے پاس ہے۔“

(بخاری)

**Hazrat Abdullah b. Omar:** رضی اللہ تعالیٰ عنہ

”I am commanded to fight against the people till they testify that there is no god but Allah and that Muhammad is Allah's Messenger, establish the prayer and pay Zakat and if they do it, their blood and property are guaranteed protection on my behalf and their concealed intentions are known only to Allah”.


(Bukhari)






MONTHLY

SERVING HOMOEOPATHY NATION WIDE & INTERNATIONALLY



Dr. Muhammad Sanaullah  
Founder of BM (Pvt) Ltd.  
1924-2005



Samuel Hahnemann  
Founder of Homoeopathy  
1755-1841

# The HOMOEOPATHIC News

Regd. No. T-158/16188-CPL No. 85

MARCH 2019

*Muhammad Ali Jinnah....*

"Islam expect every Muslim to do this duty, and id we realise our responsibility time will come soon when we shall justify ourselves worthy of a glorions past"

23 مارچ



بی ایم ہومیو پیٹھک فارماسیوٹکلز پاکستان کی جانب سے ڈاکٹر ندیم اللہ شیخ کو اعلیٰ کارکردگی پرمیڈل دیا گیا